

# Index

This index lists topics covered in the book in the order of the alphabet.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference. Medicines included in the green medicine pages are listed in the health problem index on page 472.

## A

- Abortion**, 92, 401–415  
*Also see* Manual vacuum aspiration (MVA); Miscarriage  
 bleeding too much after, **406**, **412–414**  
 deciding to help after, **402–403**  
 emergency care for problems, **406–414**  
 emotional support after, **403–404**  
 finding care after, **401–403**  
 helping a woman after, **401–415**  
 incomplete, **407–408**, 417, 419  
 infection after, **406**, **409–411**, 419  
 internal injury from, 413  
 IUD dangers after, 390  
 physical care after, **404–405**  
 preventing unsafe abortions, 415  
 problems from, **401–405**  
 safe versus unsafe, **42**, **402**  
 shock after, **413**, **414**  
 tetanus (lockjaw) after, **411**  
 warning signs versus healthy signs, 404
- Abruption**. *See* Detached placenta (abruption)
- Abscess (lump) in breast**, 288
- Abusive partners**, 105
- Aches and pains**. *See* Pain
- Active labor**, 167, 188
- Acupressure**  
 to encourage labor, 192–193  
 to help with pain in labor, 193  
 for nausea relief, 74
- Addiction**, 46. *Also see* Drugs
- After birth**. *See* First few hours after birth; First weeks after birth
- Afterbirth**. *See* Placenta
- Age**  
 pregnancy problems and, 90  
 very young mothers, 22, 105
- AIDS**. *See* HIV
- Albusticks**, 126
- Alcohol (drinking)**  
 avoiding during pregnancy or breastfeeding, 30, 46  
 infertility and, 31

- small baby and, 134  
 for sterilizing tools, 64
- Alcohol (medical)**  
 hand cleaner with glycerine and, **54**  
 soaking thermometers in, 65  
 for sterilizing tools, 64  
 washing floor with, 57
- Allergies**  
 to copper, IUDs and, 390  
 to injections, 345  
 to medicine, **103**, **465–466**
- Aminoglycosides**, 471
- Ammonia, washing floor with**, 57
- Amniotic waters**. *See* Bag of waters
- Anemia**  
 hookworm and malaria as causes, 37  
 iron for preventing, 36  
 IUD dangers and, 390  
 with joint pain, 81  
 in past pregnancies, 93  
 signs of, **78**, **116**  
 treating, 116
- Anger during pregnancy**, 82
- Angry cat exercise**, 80, 190
- Animal milk**. *See* Bottle feeding
- Animal products, inexpensive**, 42
- Ante-natal or ante-partum checkups**. *See* Prenatal checkups
- Antibiotics**, 464, 470–471
- Antiretrovirals**. *See* ART
- Antiseptic for MVA**, 421
- Anus**  
 bulging during contractions, 195  
 checking baby's, **263**  
 baby's closed or missing, 263  
 illustrated, 27, 376  
 testing for torn muscle around, 357
- Anxiety**. *See* Fear; Tension
- Appendicitis**, 114
- Arms, checking baby's**, 262
- ART (Anti-Retroviral Therapy)**, 99, 101, 153, 163, 276, 293, 335, **492–498**

## B

- Baby**, 130–144, **240–245**, **252–267**  
*Also see* Heartbeat (baby); Position of the baby; Signs (baby)
- ART for, **494**
- birth defects, 45, 46, 95, **266–267**
- breaking collar bone, 213
- breathing, checking, **241**, **254**, **262**  
 caring for, during 3rd stage, **240–245**
- checking after birth, 213, **240–245**, **252–267**
- checking in womb, **130–144**
- chlamydia and, **324**
- clearing nose and mouth, **208–209**, 213–214
- color, **244–245**, **266**, **279**
- crowning during 2nd stage, 197
- early birth, 83, 88, 94, **221**, **292**
- feeling inside the womb, 87
- first hours after birth, **252–267**
- first weeks after birth, **274–279**
- general appearance, **253–254**
- gonorrhea and, **324**
- heart sounds, **262**
- helping breastfeed, **245**
- HIV and, 101, 276, 494
- holding when breastfeeding, **282–283**
- how it grows in pregnancy, 30
- how it moves through the vagina, **197–198**
- keeping warm and dry, **240**, **255**
- kicking and other movements, 80, 87, 134, 138
- large, **254**, **258**
- large in past birth, 94, 115
- length, 259
- measuring the womb, 90, **130–135**
- medical help for sick babies, **437**
- model for teaching about pregnancy, **459**, **460**
- muscle tone, **244**
- oxygen for, 241
- position of, **135–144**, **170–171**, **190–191**, **215–219**

- reflexes, 244  
 rescue breathing, 242–243  
 shoulders, delivering, 210–213  
 sick or dead in past birth, 95  
 small, 221, 254, 256–257, 292  
 small in past birth, 94  
 weight, 256–258
- Back**  
 checking baby's, 265  
 lower back deformity in mother, 97  
 lying on during labor, avoiding, 162, 200  
 pains, 80, 113–114
- Bacterial vaginosis (BV or gardnerella), 328**
- Bag of waters, 174–177**  
 baby floating in, 30  
 breaking as sign of labor starting, 151  
 breaks early, medical help needed for, 106  
 checking if broken, 174  
 color of waters, 174–175, 208  
 pelvic exam and, 374  
 stool in waters, 174–175, 209, 213  
 time between labor start and breaking of, 175–176  
 tool for breaking, 435  
 too little water, 134  
 too much water, 133
- Baking, sterilizing tools by, 61**
- Barbiturates, 46**
- BCG vaccination, 267**
- Beam scale, homemade, 445–446**
- Beans, 35, 41**
- Bed nets, 98**
- Bedding, 58, 98, 163**
- Beliefs, harmful, 39–40**
- Belly**  
 baby drops lower in, 149  
 checking baby's, 263  
 cleaning after birth, 247  
 cramps in early pregnancy, 79  
 growing larger, 86  
 nausea (morning sickness), 73–74, 86, 110–111  
 pain severe in, 109  
 pain sudden, 79  
 pain, sudden, steady, and severe, 125  
 pain, warning signs versus healthy signs, 113–114  
 pressure to stop bleeding after birth, 237  
 pushing on, avoiding during birth, 205
- Bilirubin, 279**
- Bimanual (2-hand) pelvic exam, 373, 384–387**
- Birth.** See Labor and birth
- Birth box (model for teaching), 461**
- Birth by operation.** See Cesarean surgery
- Birth control.** See Family planning
- Birth control pills, 307–308**
- Birth defects, 266–267**  
 alcohol drinking by mother and, 46  
 causes of, 267  
 checking baby for, 266  
 helping parents of children with, 266–267  
 medicines and, 45  
 in past pregnancies, 95  
 rubella (German measles) and, 45, 95
- Birth of the placenta (stage 3 of labor), 223–245**  
*Also see* Labor and birth; Signs (mother in labor, birth, and after)  
 “active management” of, 225  
 baby has breathing problems, 240–241  
 baby not breathing, 241–243  
 bleeding after placenta is born, 236–239  
 bleeding before placenta is born, 226  
 bleeding, dangers of, 224–239  
 caring for the baby, 240–245  
 checking the baby's health, 240–245  
 checking the physical signs of mother, 223  
 checking the placenta and cord, 233–234  
 death of baby and, 243  
 guiding the placenta out by the cord, 228–229  
 helping the mother push, 227–231  
 helping the womb contract after, 224, 236–238  
 if no helper is available, 223  
 medicines for, 224, 225, 228, 231, 233, 237  
 overview, 146, 157  
 piece of placenta left inside womb, 234–235  
 rubbing the womb after, 224, 236  
 shock (signs and treatment), 239  
 signs that the placenta has separated, 226–227  
 taking out the placenta by hand, 230–231
- torn vagina, 239  
 womb comes out with the placenta, 232–233
- Birth pants (model for teaching), 461**
- Bladder infection, 128–129**  
 caring for, 129  
 fever from, 120  
 labor and, 179  
 pregnancy problems and, 97  
 preventing, 129  
 signs of, 77, 128
- Bleach**  
 disinfecting solution using, 57, 59  
 never mixing with ammonia, 57  
 for sterilizing tools, 59, 64  
 washing floor with, 57
- Bleeding**  
*Also see* Blood; Monthly bleeding (menstruation)  
 after abortion or miscarriage, 406, 412–414  
 after birth, 224–239  
 after female genital cutting (circumcision), 368  
 after placenta is born, 236–239  
 bladder of mother full and, 352  
 blood pressure drops during labor and, 180  
 with constant pain, late in pregnancy, 114  
 with cramps during first 6 months, 112  
 detached placenta (abruption) and, 114, 180, 184, 205, 219, 354  
 during labor, 183, 205  
 in early pregnancy, 79  
 episiotomy and, 354  
 first weeks after birth, 270  
 gums, 117  
 heavy, after abortion or miscarriage, 406, 412–414  
 heavy, before placenta is born, 226  
 heavy, in past pregnancies, 95  
 heavy, medical help needed for, 106  
 heavy, preventing after birth, 248  
 high blood pressure and, 122  
 IV for blood loss, 350–351  
 with no pain, 112, 183  
 show (mucus tinged with blood), 150–151  
 spotting, 79, 112  
 swollen veins around genitals and, 76  
 torn vagina, 239  
 twins and, 219, 220, 221

- from vagina (warning sign), 109, 112, 183  
warning signs versus healthy signs, 112
- Blindness**  
genital herpes and, 332  
preventing in baby, 260–261, 324
- Blood**  
*Also see* Bleeding  
disposing of, 67  
as food, 42  
germs in, 49, 50  
HIV spread and, 99  
loss, IV for, 350–351  
preventing infection from, 50, 51  
transfusion (giving through an IV), 436  
in urine, 128
- Blood blister (hematoma)**  
in baby's head, 260  
in vagina after birth, 248–249
- Blood clot in leg (warning signs),** 81, 273
- Blood pressure**  
*Also see* High blood pressure  
checking during labor, 180–182  
checking during pregnancy, 122–124  
drops during labor, 180  
equipment, 122  
goes up during labor, 180–181  
shock and drop in, 239  
warning signs, 122, 180–181
- Blood sugar disease.** *See* Diabetes (blood sugar disease)
- Blood tests**  
for anemia, 116  
for diabetes, 115  
lab tests, 434
- Blue color (baby),** 244–245, 266
- Blurred vision (warning sign),** 109, 125
- Body changes in pregnancy.**  
*See* Changes in pregnancy
- Body wastes, disposing of,** 67
- Boiling**  
gloves, 66  
sterilizing tools by, 62
- Bones, pelvic.** *See* Pelvis; Pubic bone
- Bottle feeding**  
*Also see* Breastfeeding  
breastfeeding hampered by, 286  
breastfeeding versus, 41  
dangers of, 276, 281  
with formula made from animal milk, 295  
with formula, safety and, 294, 295  
with milk removed from breasts, 286
- Bowels**  
*Also see* Stool  
constipation, 36, 76–77  
enemas, avoiding during pregnancy, 77  
piles (hemorrhoids), 77
- Brain infection (meningitis) in baby,** 278
- Breaking baby's collar bone,** 213
- Breaking of waters**  
checking if broken, 174  
color of waters, 174–175  
early, medical help needed for, 106  
pelvic exam and, 374  
as sign of labor starting, 151  
stool in waters, 174–175  
time between labor start and, 175–176  
tools at hospitals or medical centers, 435
- Breastfeeding,** 281–295  
*Also see* Bottle feeding  
advantages of, 281  
alternatives to, 294–295  
antibiotics and, 471  
breast infection (mastitis), 289  
cleft lip or cleft palate and, 261  
colostrum (first milk), 72, 245, 283  
common difficulties, 286–291  
during pregnancy, 292  
early baby and, 292  
eating during, 283  
to encourage labor for  
    second twin, 220  
encouraging the baby, 275  
engorged (swollen) breasts and, 288  
extra food needed for, 34  
family planning and, 301, 306, 312  
fear of not having enough milk, 286–287, 306  
feeding milk that has been removed, 286  
flat or inverted nipples and, 287  
fortified milks versus, 41  
gas pains (colic) in baby, 291  
helping after birth, 252  
helping the baby, 245  
to help the womb contract, 236  
HIV and, 287, 293–294  
HIV spread and, 99, 287  
how to breastfeed, 282–283  
how to hold the baby, 282  
large baby and, 254, 258  
medicines and, 45, 292, 463, 471  
nipples cracked or sore, 290  
nutrition provided by, 41  
painful lump (abscess) in breast, 288
- heating breast milk to kill HIV, 294  
removing milk from breasts, 284–285  
saving milk, 285  
sharing breast milk, 286  
sick mother and, 292  
small baby and, 254, 257, 292  
things to avoid during, 45–47  
thrush (yeast infection), 290  
twins and, 291  
weak baby and, 254  
when to feed, 282  
work outside the home and, 284–286
- Breasts**  
growing larger, 87  
infection (mastitis), 289  
leaking, 76  
painful lump (abscess) in, 288  
removing milk from, 284–285  
swollen (engorged), 76, 288
- Breathing (baby)**  
checking, 241, 254, 262  
clearing baby's nose and mouth, 208–210  
not breathing, 241–243  
rate, checking, 254  
rescue breathing, 242–243  
signs of problems, 241, 254, 262
- Breathing (mother)**  
difficulty, anemia and, 116  
fast and deep, 159  
shortness of breath, 78, 103, 114  
in stage 1 (opening), 170  
in stage 2 (pushing), 201
- Breech baby (bottom down),** 215–219  
checking for, 137–138  
complete breech (folded legs), 215, 216–218  
dangers of breech births, 215  
dangers of turning, 369  
delivering complete or frank breech, 216–218  
delivering footling breech, 218–219  
difficulty of childbirth and, 137  
episiotomy for, 354–355  
footling breech (feet first), 215, 218–219  
frank breech (straight legs), 215, 216–218  
getting the baby to turn, 142  
home birth and, 143  
medical help needed for, 190, 215, 218  
turning, 369–371  
twins and, 219  
what to do about, 142–143

**Bulb syringe**, 66, 209, 214  
**Burning plastic wastes, avoiding**, 68  
**Burning sensations**  
 in feet, 117  
 in stomach or between breasts (heartburn), 74–75  
 while urinating, 77, 128  
 in vagina, 77  
**Burying wastes**, 67–69, 235  
**Buttocks down position**. *See* Breech baby (bottom down)  
**BV (bacterial vaginosis or gardnerella)**, 328

## C

**Calcium**, 37–38, 74, 81  
**Calculator for due date**, 527  
**Calendar for figuring due date**, 88–89  
**Cancer**  
 of the cervix, 383  
 Pap test for, 379, 381–383  
**Candida**. *See* Yeast infection  
**Cannulas**. *See* Manual vacuum aspiration (MVA)  
**Capsules**. *See* Medicines  
**Caput on baby's head**, 260  
**Carbohydrates (main foods)**, 34, 35  
**Care in pregnancy**. *See* Health care in pregnancy  
**Cars or transportation**, 10, 106–107, 164, 438  
**Castor oil drink for starting labor**, 343  
**Catheters**, 249, 352–353  
**Causes of health problems**  
 finding, 13–15  
 root causes, 21–25  
**CD4 test**, 335, 492  
**Cephalosporins**, 471  
**Cervix**  
*Also see* Opening (stage 1 of labor)  
 bimanual (2-hand) exam, 384–385  
 cancer of, 383  
 illustrated, 28  
 mucus plugging, 28, 150, 155  
 numbing during MVA, 424  
 opening (stage 1 of labor), 146, 155–156, 167–193  
 Pap test for infections or cancer, 379, 381–383  
 placenta covering (placenta previa), 112, 183, 374  
 pushing before fully open, avoiding, 186, 196  
 size when ready for birth, 156

softening of, 155  
 speculum exam, 378  
 vinegar test for HPV, 379, 380  
 visible at vaginal opening after birth, 249  
**Cesarean surgery (birth by operation)**  
 dangers of, 436  
 described, 96  
 HIV and, 436  
 need for, 136, 141, 142, 143, 177, 191, 436  
 overuse of, 436  
 in past birth, 96  
**Chalk cravings**, 74  
**Chancroid**, 330, 331  
**Change of life (menopause)**, 31, 86  
**Changes in pregnancy**. 73–83  
 discomforts and pains, 76–81  
 in eating and digestion, 73–75  
 feelings and emotions, 82–83  
 how the baby grows, 30  
 how women get pregnant, 29  
 sexual and reproductive parts, 27–28  
 in sleeping, 75  
**Checkups**. *See* Prenatal checkups; Tests  
**Chemicals**  
*Also see* Drugs; Medicines  
 avoiding during pregnancy or breastfeeding, 47  
 infertility and, 31  
 for sterilizing equipment, 63–64  
 too dangerous to use, 64  
**Chicken**, 42  
**Children, number of**, 90–91  
**Chlamydia**, 50, 323–325  
**Chlorine bleach**. *See* Bleach  
**Cholera**, 50  
**Chromic gut sutures**, 358  
**Cigarettes**. *See* Tobacco  
**Circumcision (female)**.  
*See* Female genital cutting (circumcision or FGC)  
**Circumcision (male)**, 264  
**Clamping the cord**, 214. *Also see* Cutting the cord  
**Clap, the (gonorrhea)**, 50, 323–325  
**Clay cravings**, 74  
**Cleanliness**  
*Also see* Sterilizing equipment  
 before and during birth, 153, 168  
 cleaning bedding, 58  
 cleaning mother after birth, 247  
 cleaning the space, 57, 150  
 cord stump and, 215  
 during pregnancy, 42–43  
 first weeks after birth, 269

for preventing infection, 52  
 tooth and mouth care, 43  
 underpadding for birth on floor, 58  
 washing hands, 53–54, 153, 168  
**Cleft lip (harelip) or cleft palate**, 261–262  
**Clinics**. *See* Hospital or medical center  
**Clitoris**, 27, 376  
**Cloth models for teaching**  
 vagina, 452–453  
 womb, 450–451, 455–457  
**Clot in leg (warning signs)**, 81, 273  
**Cocaine**, 46  
**Coffee**, 31, 81  
**Colic (gas pains)**, 291  
**Collar bone, breaking baby's**, 213  
**Color (baby)**, 244–245, 266, 279  
**Color (mother)**  
 dark patches on skin (mask of pregnancy), 79  
 legs red, 273  
 pale inside of eyelids, fingernails, and gums, 116  
 pale, shock and, 239  
 purple line between buttocks, 195  
 purple spots on skin, 79  
 waters, 174–175, 208  
**Colostrum (first milk)**, 76, 245, 283  
**Combination medicines, avoiding**, 464  
**Community**  
*Also see* Family; Partners  
 changes to prevent health problems, 23–25  
 family planning and, 318–319  
 helper for birth, 151  
 people who affect a woman's health, 8–9  
 preventing unsafe abortions, 415  
 rituals and practices honoring pregnancy, 44  
 sexually transmitted infections (STIs) and, 337  
 sharing what you know with, 4–6  
 transport plan for medical help, 10, 106–107, 164, 438  
 women's health affected by, 8–9  
 working together to save lives, 10  
**Complete breech (folded legs)**, 215, 216–218. *Also see* Breech baby (bottom down)  
**Condoms**  
 for family planning, 301, 302–303  
 HIV and, 99, 100, 334  
 for sex during pregnancy, 83  
 using, 303  
 for women, 301, 302, 303

**Confidentiality**, 7, 101

**Constipation**

defined, 76  
during pregnancy, 76–77  
enemas for, avoiding during pregnancy, 76  
from iron pills, 36  
laxatives or purgatives for, avoiding, 77  
piles (hemorrhoids) and, 77  
preventing or treating, 76

**Contraceptives**, 307–308, 999

**Contraceptive sponge method of family planning**, 317

**Contractions**

*Also see* Cramps (womb); Labor and birth; Pushing (stage 2 of labor)  
cervix opened by, 156  
easing pain of, 169–170, 187–188, 193  
pain between, 184  
practice contractions, 150, 155  
resting between, 161  
signs that stage 2 is near or starting, 195  
in stage 1 of labor, 167  
stronger and more frequent, 149–150  
supporting the mother, 169–170

**Conversation**. *See* Talking

**Convulsions (fits)**

dangers of, 181  
during labor, 181–182  
medicines for, 181–182  
in past pregnancies, 93  
pre-eclampsia and, 20, 93, 125–127, 181–182  
what to do during, 181

**Copper IUD**. *See* Intrauterine devices (IUDs)

**Copying patterns for models**, 447

**Cord**

around baby's neck, 209  
baby's pulse in, 139, 177  
breech baby and, 216, 218  
caring for baby's stump, 277  
checking the end of, 234  
coming in front of baby (prolapsed), 176–177, 208, 218, 219, 354  
guiding the placenta out by, 228–229  
how to cut, 214–215  
illustrated, 30  
infection, signs in baby, 277  
model for teaching about pregnancy, 458–459, 460  
pulling on, dangers of, 228

pulse lacking in, 177  
razor blades for cutting, 65  
signs that the placenta has separated, 227  
stump, keeping clean and dry, 215  
twins and, 220  
when to cut, 157, 214

**Cotrimoxazole, for people with HIV**, 101, 335, 478

**Cracked nipples**, 290

**Cramps in legs**, 80–81

**Cramps (womb)**

*Also see* Contractions  
bleeding with, during first 6 months, 112  
in early pregnancy, 79  
warning signs, 79, 112, 113

**Cravings for foods**, 74

**Creams**. *See* Medicines

**Cretinism**. *See* Hypothyroidism

**Crowning**, 197

**Crying during pregnancy**, 82

**C-section**. *See* Cesarean surgery (birth by operation)

**Cutting the cord**

*Also see* Cord  
around baby's neck, 210  
how to cut, 214–215  
razor blades for, 65  
stump, keeping clean and dry, 215  
twins and, 220  
when to cut, 157, 214

**Cutting the opening of the vagina**.

*See* Episiotomy (cutting the vaginal opening)

**D**

**Dalkon Shield IUD, removing**, 399

**D&C**, 92. *Also see* Abortion

**Dark patches on skin**, 79

**Date birth expected**. *See* Due date

**Death of baby**

helping the mother and family, 135, 243  
in past pregnancies, 95, 115  
rubella (German measles) and, 45  
womb growing too slowly and, 134–135

**Deformity**

birth defects, 45, 46, 95, 266–267  
of mother's hips or lower back, 97

**Dehydration**

after birth, 251  
bottle feeding and, 275  
defined, 159  
drinking during labor, 159–160  
helping baby, 275  
if mother cannot drink, 159

rehydration drink, 159–160  
warning signs (baby), 275  
warning signs (mother), 111, 120, 159, 178

**Delayed labor**. *See* Encouraging labor; Late labor

**Delivering**

*Also see* Birth of the placenta (stage 3 of labor); Labor and birth; Opening (stage 1 of labor); Pushing (stage 2 of labor)  
baby's body and giving baby to mother, 214  
breech baby (complete or frank), 216–218  
breech baby (footling), 218–219  
shoulders of baby, 211–213  
twins, 219–221

**Dental care**, 43

**Depression**, 82, 95, 121, 274

**Detached placenta (abruption)**

during pregnancy, 114  
episiotomy and, 354–355  
home birth and, 205  
medical help needed for, 114, 184, 205  
pre-eclampsia and, 180  
pushing on mother's belly and, 205  
signs of, 114, 184, 205  
twins and, 219

**Diabetes (blood sugar disease)**

helping a woman with, 115  
in a baby, 254, 258  
infertility and, 31  
in past pregnancies, 93  
pregnancy problems and, 97  
test for, 115  
warning signs, 93, 115, 133

**Diaphragms**, 301, 304

**Diarrhea (loose stool)**

before labor, 150  
bottle feeding and, 275  
from castor oil drink, 343  
germs and, 50  
vomiting with, 111

**Diet**. *See* Bottle feeding; Breastfeeding; Eating and food

**Dilation and curettage**, 92. *Also see* Abortion

**Dilation of cervix**. *See* Opening (stage 1 of labor)

**Dirt**. *See* Cleanliness

**Dirt cravings**, 74

**Disabilities**

affecting thinking or the brain, 45, 46  
alcohol drinking by mother and, 46

birth defects, 45, 46, 95, **266–267**  
 helping parents of children with, **266–267**  
 medicines and, 45  
 rubella (German measles) and, 45  
**Disabled Village Children**, 267  
**Discharge (wetness from vagina)**  
 during pregnancy, 77  
 germs in, 50  
 normal versus infected, 323  
 sexually transmitted infections (STIs), **323–328**  
 show versus, 151  
 yeast infection, 101, 115, **326–327**

**Disease**. See *Illness*; *Infections*;  
*specific diseases*

**Disinfectants**, 57, 59, 64

**Disposing of wastes safely**, 67–69

**Dizziness**  
 late in pregnancy, 81  
 shock and, **239**  
 as warning sign, 81, 109, 116

**Doctors**  
*Also see Hospital or medical center*  
 baby taken from mother by, 240  
 bag of waters broken by, 435  
 cesarean surgery overused by, 436  
 checking baby with 2-vessel cord, 234  
 nutritional advice from, 250  
 unnecessary practices by, 433, 441  
 working with, **438–440**

**Dopplers**, 434

**Double vision**, 125

**Dreams, strange**, 82

**Drinking alcohol**  
 avoiding during pregnancy or breastfeeding, 46  
 infertility and, 31  
 small baby and, 134

**Drinking liquids**. See *Water and liquids*

**Drip, the (gonorrhea)**, 50, **323–325**

**Drops**. See *Medicines*

**Drug resistance**, 464

**Drugs**  
*Also see Medicines*  
 avoiding during pregnancy or breastfeeding, 46  
 small baby and, 134

**Due date**  
*Also see Early birth*  
 delayed labor, 88  
 predicting, **88–89**, 130, **133**  
 tool for calculating, **527**

**Duration of pregnancy**. See *Length of pregnancy*

## E

### Early birth, 221

*Also see Small baby*  
 breastfeeding and, **292**  
 medical help needed for, 221  
 more than 5 weeks early, **221**  
 normal and safe range, 88  
 not starting after breaking of waters, 176  
 in past pregnancies, 94  
 sex during pregnancy and, 83  
 twins and, 219

### Early end to pregnancy.

See *Abortion*; *Miscarriage*

### Ears

checking baby's, 260  
 cleft lip or cleft palate and infections, 262

### Eating and food, 33–42, 73–75

*Also see Bottle feeding*;  
*Breastfeeding*; *Water and liquids*  
 after birth, **250**  
 avoiding foods, dangers of, 40  
 bladder infection and, 129  
 breastfeeding and, **283**  
 calcium-containing foods, 38  
 changes during pregnancy, **73–75**  
 cooking food, 35, 36, 39, 42  
 cravings for foods, **74**  
 during labor, 160  
 eating enough, 33, **34**, 39  
 eating well with little money, **41–42**  
 feeding men first, 9  
 first weeks after birth, 269  
 folic acid-containing foods, 37  
 girls' needs equal to boys', 22, 39  
 glow foods (vitamins and minerals), 34, 35, **36–39**  
 go foods (fats, oils, and sugar), 34, 35  
 grow foods (proteins), 34, 35, 250  
 for a healthy pregnancy, **33–42**  
 high blood pressure and, 124–125  
 ideas affecting health, **39–40**  
 iodine-containing foods, 38  
 iron-containing foods, 36  
 main foods (carbohydrates), 34, 35  
 nausea and food dislikes, **73–74**  
 packaged and processed foods, 39  
 poor nutrition, 33, **117**, 134  
 talking to women about food, **34–39**

tooth protection and diet, 43  
 variety of foods, 33, **34–35**, 40  
 vitamin A-containing foods, 39  
 vitamins and minerals to eat every day, **36–39**  
 womb growing too slowly and, 134

women's needs equal to men's, 9

**Eclampsia**. See *Convulsions (fits)*

**Edema**. See *Swelling*

**Education**. See *Learning by midwives*; *Teaching*

**Egg (human)**, 29

**Eggs (fowl)**, 42

### Emergencies

*Also see Hospital or medical center*; *Medical help*; *Signs (baby)*; *Signs (mother during pregnancy)*; *Signs (mother in labor, birth, and after)*  
 from abortion or miscarriage, **406–414**  
 being ready for, in labor and birth, **163–164**  
 contraception for, **316**  
 from female genital cutting (circumcision or FGC), **368–369**  
 tools at hospitals or medical centers, **435–436**  
 working with hospitals and doctors, **438–441**

### Emotions and feelings

*Also see specific feelings*  
 after birth, giving support for, **274**  
 anger or irritability, 82  
 changes during pregnancy, **82–83**  
 death of baby and, 135, **243**  
 depression, 82, 95, 121, 274  
 difficulty sleeping and, 75  
 menopause and, 31  
 mother not interested in her baby, 251  
 pelvic exam and, **375**  
 signs of labor starting soon, 150  
 support after early end to pregnancy, **403–404**  
 worry and fear, 82

**Emptying the womb**. See *Manual vacuum aspiration (MVA)*

**Encouraging labor**, 191–193, **341–344**

*Also see Long labor*  
 avoiding, if medical help needed, 191  
 castor oil drink for, **343**  
 dangers of methods for, **341**  
 enemas for, **342–343**  
 medicines for, 175, 191, **341**

plant medicines for, **344**  
 second baby of twins and, **220**,  
**221**  
 signs of need for, **341**  
 things to avoid, **191**, **205**  
 time after breaking of waters and,  
**175–176**

**Ending pregnancy.** *See* Abortion;  
 Miscarriage

**Enemas (giving rectal fluids)**  
 avoiding during pregnancy, **77**  
 dangers of, **342**  
 for starting labor, **342–343**  
 uses for, **342**

**Energy**  
*Also see* Anemia; Weakness  
 foods for, **35**  
 sleepiness during pregnancy, **75**,  
**86**  
 tiredness, **93**, **116**, **159**

**Engorged breasts,** **76**, **288**

**Enjoyment**  
 of pregnancy, **44**  
 working for, **11**

**Episiotomy (cutting the vaginal opening),** **354–355**  
 circumcision scar and, **206**, **354**  
 dangers of, **354**  
 how to do, **354–355**  
 sewing after, **358–366**  
 times when necessary, **354**

**Equipment.** *See* Sterilizing  
 equipment; Tools and supplies

**Ergometrine**  
 dangers if placenta not born yet,  
**224**  
 to empty the womb after  
 incomplete abortion, **408**  
 to help the womb contract, **224**  
 to stop bleeding from the womb,  
**231**, **232**, **237**

**Estrogen, women who should not use,** **306**

**Ethanol.** *See* Alcohol (medical)

**Ethyl alcohol**  
 alcohol and glycerine hand  
 cleaner, **54**  
 soaking thermometers in, **65**

**Examinations.** *See* Prenatal  
 checkups

**Exercise during pregnancy,** **43–44**

**Exercises**  
 angry cat, **80**  
 squeezing (Kegels), **44**

**Eyes**  
 blurred vision (mother), **109**, **125**  
 checking baby's, **260**  
 chlamydia or gonorrhoea and  
 (baby), **324**

color (baby), **279**  
 double vision (mother), **125**  
 genital herpes and, **332**  
 preventing blindness (baby),  
**260–261**, **324**  
 sunken (mother), **159**

## F

### Face

baby coming face first, **190**  
 swollen in mother (warning sign),  
**76**, **81**, **126**, **127**

**Factory chemicals,** **47**

**Fainting or faintness**  
 after birth, **226**  
 during pregnancy, **116**  
 shock and, **239**

### Family

*Also see* Community; Partners  
 abusive partners, **105**  
 answering questions of, **267**  
 feeding first, **39**  
 food advice from, **250**  
 helper for birth, **151**  
 as people who affect a woman's  
 health, **8–9**  
 permission for care from, **107**  
 support from, **105–106**  
 time alone after birth, **252**  
 women's health affected by, **8–9**

### Family planning

*Also see specific methods*  
 choosing a method, **300–317**  
 community and, **318–319**  
 emergency contraception, **316**  
 helping women have more  
 choices, **299**  
 manual vacuum aspiration (MVA)  
 and, **431**  
 methods that do not work, **318**  
 reasons for, **299**

**Fast heartbeat (baby),** **173**, **184**,  
**243**, **255**

**Fast pulse (mother)**  
 problems indicated by, **121**, **178**  
 as sign of anemia, **116**  
 as sign of dehydration, **159**  
 as sign of infection, **251**  
 as sign of shock, **239**

**Fat mother,** **115**, **118**

**Fats (go foods),** **34**, **35**

**FGC.** *See* Female genital cutting  
 (circumcision or FGC)

### Fear

during pregnancy, **82**  
 of not having enough milk,  
**286–287**  
 pelvic exam and, **375**

**Feeding tube,** **437**

**Feelings.** *See* Emotions and feelings;  
*specific feelings*

### Feet

burning sensations or numbness,  
**117**  
 checking baby's, **265**  
 swollen, **76**

### Female genital cutting (circumcision or FGC)

caring for woman after, **367–369**  
 cutting the scar, **206**, **354–355**, **367**  
 dangers of, **367**  
 emergency care for, **368–369**  
 repairing the cut, **367**  
 warning signs, **368**

### Fertility awareness (natural family planning),

**312–315**  
 counting days method, **314–315**  
 mucus method, **313**  
 other methods compared to, **301**  
 overview, **312–313**

**Fetoscope,** **139**, **434**

### Fever

causes of, **120**  
 checking the baby's temperature,  
**255–256**  
 checking the mother's  
 temperature, **119**, **178–179**,  
**251**  
 dehydration and, **120**, **159**, **178**  
 during labor, **178–179**  
 hot feeling during pregnancy, **78**  
 in past pregnancies, **95**  
 pregnancy problems and, **97**  
 treating, **120**  
 as warning sign (mother), **109**,  
**119**, **178**

**Fibroids, IUD dangers and,** **390**

**Finger method for measuring the womb,** **131–132**

**First few hours after birth,** **247–267**

*Also see* First weeks after birth  
 answering family's questions, **267**  
 breathing rate of baby, **254**  
 checking body of baby, **256–267**  
 checking mother's genitals for  
 tears and problems,  
**248–249**  
 checking physical signs of  
 mother, **247**  
 cleaning mother's genitals, belly,  
 and legs, **247**  
 cleaning up, **267**  
 examining the baby (overview),  
**252–253**  
 general appearance of baby,  
**253–254**  
 giving BCG immunizations  
 (baby), **267**

heartbeat of baby, 255  
 helping mother to eat and drink, 250  
 helping mother to urinate, 249  
 helping with breastfeeding, 252  
 overview, 157  
 preventing heavy bleeding (mother), 248  
 recording baby's signs, 253  
 temperature of baby, 255–256  
 watching mother for infection, 251  
 watching mother's feelings about her baby, 251  
 what to do for the baby, 252–267  
 what to do for the mother, 246–252

**First weeks after birth, 269–279**  
*Also see* First few hours after birth  
 baby not gaining weight or growing normally, 276  
 baby not urinating or passing stool in first day, 275  
 caring for the baby's cord, 277  
 color of baby's skin and eyes, 279  
 dehydration (baby), 275  
 giving emotional support, 274  
 helping mother care for herself, 269  
 leaking urine or stool (mother), 273  
 legs red, hard, swollen, or painful (mother), 273  
 signs of infection (baby), 277–279  
 vomit "shoots" out (baby), 276  
 what to do for the baby, 274–279  
 what to do for the mother, 269–274  
 womb and bleeding, watching mother's, 270  
 womb infection, signs of, 271

**Fish, 35, 42**

**Fistula (hole in the vagina)**  
 leaking urine or stool and, 273  
 long labor and, 186  
 in past pregnancies, 94  
 preventing, 22, 273

**Fits.** *See* Convulsions (fits)

**Flat nipples, 287**

**Floor**  
 underpadding for birth on, 58  
 washing, 57

**Fluids.** *See* Water and liquids

**Folding scale, homemade, 445–446**

**Folic acid (folate), 37**

**Folk medicine, 17**

**Fontanels (soft spots in baby's head), 259**

**Food.** *See* Bottle feeding; Breastfeeding; Eating and food

**Foot.** *See* Feet

**Footling breech (feet first), 215, 218–219.** *Also see* Breech baby (bottom down)

**Forceps, 142, 435**

**Foreskin.** *See* Circumcision (male)

**Forgetfulness during pregnancy, 83**

**Formaldehyde, 64**

**Formula.** *See* Bottle feeding

**Frank breech (straight legs), 215, 216–218.** *Also see* Breech baby (bottom down)

**Friends.** *See* Community

**Fruits, 35, 42**

**Fumes, 47**

**Fungus.** *See* Yeast infection

## G

**Garbage dumps, 69**

**Gardnerella (BV or bacterial vaginosis), 328**

**Gas pains (colic), 291**

**Generic names of medicines, 467**

**Genital herpes, 331–332**

**Genitals**  
*Also see* Pelvic exam; Sexually transmitted infections (STIs); Vagina  
 bulging during contractions, 195  
 checking baby's, 263–264  
 checking mother's after birth, 248–249  
 cleaning mother's after birth, 247  
 illustrated, 27, 376  
 itching, 77, 326, 327, 328  
 swollen veins around, 76  
 torn during birth, 248

**Genital ulcers (sore on genitals), 329–333**  
 avoiding sex if present, 329  
 chancroid, 330, 331  
 genital herpes, 331–332  
 HPV (genital warts), 333, 379, 380  
 syphilis, 329–330

**Genital warts (HPV), 333, 379, 380**

**German measles (rubella), 45, 95**

**Germs**  
 defined, 49  
 how they get into the body, 50  
 infection caused by, 49–51  
 keeping away, 52–56, 175  
 sterilization and, 60

**Getting up and down during pregnancy, 78**

**Girls' need for food, 39**

**Gloves**  
 disposing of, 68  
 how to put on sterile gloves, 55

plastic bags as, 54  
 for preventing infection, 51  
 reusing, 66  
 sterile packets of, 55, 65  
 sterile, using, 54–55  
 sterilizing, 66

**Glow foods, 34, 35, 36–39.** *Also see* Minerals; Vitamins

**Glutaraldehydes, 64**

**Glycerine and alcohol hand cleaner, 54**

**Go foods (fats, oils, and sugar), 34, 35**

**Goiter, 38, 117**

**Gonorrhea (gono), 50, 323–325**

**Gourd model for womb, 454**

**Grains, 35, 42**

**Greed and medicine, 19**

**Grow foods (proteins), 34, 35, 250**

**Guarding the labor, 158**

**Guiding the labor, 159–163**

**Gums**  
 pale, 116  
 sore or bleeding, 117

## H

**Hands**  
*Also see* Touching inside the vagina  
 checking baby's, 262  
 swollen in mother (warning sign), 76, 81, 126, 127  
 washing, 53–54, 153, 168

**Hard stools.** *See* Constipation

**Harelip (cleft lip), 261–262**

**Harmful diet beliefs, 39–40**

**Headaches**  
 during pregnancy, 81  
 migraines, 81  
 as warning sign, 81, 109, 125

**Head of baby**  
*Also see* Breech baby (bottom down)  
 beginning to show in birth, 196–197  
 caputs and hematomas, 260  
 checking after birth, 259–260  
 clearing nose and mouth, 208–210  
 finding in pregnant mother, 137–138  
 to one side in womb (asynclitic), 204  
 shape, suture lines, and fontanels, 259  
 slowing the birth of, 207–208

**Head up position.** *See* Breech baby (bottom down)

**Health care in pregnancy, 33–47**  
*Also see* Prenatal checkups

- cleanliness, 42–43  
 eating well, 33–42  
 exercise, 43–44  
 illness during pregnancy, 97–101  
 importance of, 70  
 pregnancy health history, 85–107  
 prenatal checkups, 108–145  
 preventing infection, 49–69  
 purposes of, 70  
 record of prenatal care, 145  
 sleep, rest, and relaxation, 44  
 things to avoid, 45–47  
 warning signs (medical help needed), 106, 109  
 woman's body in pregnancy, 27–30, 73–83  
 for women with HIV, 101, 335
- Health history, 85–107**  
 age, 90  
 health problems at present, 97–101  
 medicines she is taking, 103  
 miscarriages or abortions, 91–92  
 months pregnant and due date, 88–90  
 number of previous babies, 90–91  
 other things affecting pregnancy and birth, 104–107  
 overview, 85  
 past problems with pregnancy or birth, 93–96  
 problems with medicines, 103  
 signs of pregnancy, 86–87  
 tetanus vaccinations, 101–102
- Health workers.** *See* Doctors; Midwives
- Heartbeat (baby), 139–141, 172–173, 243**  
 checking after birth, 243, 255  
 checking during labor, 172–173  
 checking speed of, 141  
 equipment for listening to, 139  
 fast, 173, 184, 243, 255  
 finding, 139  
 finding baby's position by, 140, 172  
 listening to, 139–141, 172  
 listening to heart sounds, 262  
 missing (molar pregnancy sign), 134  
 pulse in cord, 139, 177  
 quiet, 141  
 as sign of pregnancy, 87  
 slow, 141, 172–173, 177, 184, 208, 243, 255  
 stopped, 134  
 swishy sound, 139  
 twins, 143–144
- warning signs versus healthy signs, 141, 172–173
- Heartbeat (mother).** *See* Pulse (mother)
- Heartburn, 74–75**
- Heart (meat), 42**
- Heart monitors, 437**
- Heart problems**  
*Also see* High blood pressure  
 pregnancy problems and, 97  
 signs of, 78
- Heat.** *See* Fever; Temperature
- Hee breathing, 170**
- Helper for birth, 151, 223**
- Helping Children Who Are Blind, 267**
- Helping Children Who Are Deaf, 267**
- Helping Health Workers Learn, 5, 41**
- Hematoma (blood blister)**  
 in baby's head, 260  
 in vagina after birth, 248–249
- Hemorrhage.** *See* Bleeding
- Hemorrhoids (piles), 77**
- Hepatitis, 336**  
 HIV and, 492  
 immunization for hepatitis B, 267  
 pregnancy problems and, 97, 336  
 signs of hepatitis B, 336  
 stopping spread of, 50, 51  
 treating hepatitis B, 336
- Herbal supplements in health history, 103**
- Herbicides, 47**
- Heroin, 46**
- Herpes, genital, 331–332**
- High blood pressure**  
 bleeding and, 231  
 caring for, 124–125  
 during labor, 180–181  
 family planning and, 306  
 late in pregnancy, with headaches, 81  
 in past pregnancies, 93  
 pre-eclampsia and, 125, 126, 180–182  
 pregnancy problems and, 81, 97  
 protein in the urine and, 125, 126, 180  
 as warning sign, 122, 180  
 womb growing too slowly and, 134
- High Level Disinfection (HLD), 59.**  
*Also see* Sterilizing equipment
- Hips**  
 checking baby's, 264–265  
 deformity in mother, 97  
 dislocated (baby), 265
- HIV, 99–101, 334–335**  
*Also see* Sexually transmitted infections (STIs)
- AIDS, 99  
 breastfeeding and, 286, 293–294  
 care for pregnant women with, 101  
 CD4 test, 335, 492  
 cesarean surgery and, 436  
 family planning methods and, 300–301  
 germs and, 50, 51  
 helping to stop, 100  
 how it is spread, 99–100, 286  
 instrument birth and, 435  
 medicines for, 101, 335, 492–498  
 pregnancy and, 335  
 pregnancy problems and, 97, 101  
 preventing after accidental exposure or rape, 493  
 preventing mother to child transmission of, 495  
 protecting against, 99–101, 334  
 signs of, 334  
 spermicides and, 305  
 tests for, 99, 100, 334
- HLD (High Level Disinfection), 59.**  
*Also see* Sterilizing equipment
- Homemade equipment, 443–446**  
 due date calculator, 527  
 scales, 445–446  
 stethoscopes, 445  
 timers, 443–444
- Homemade sponge method for family planning, 317**
- Homemade teaching materials**  
 basic methods for making, 447  
 model of birth, 461  
 model of pelvis, 448–449  
 model of pregnancy, 454–460  
 model of vagina, 452–453  
 model of womb, 450–451
- Hookworm, anemia caused by, 37**
- Hormonal methods for family planning, 305–310**  
 birth control pills, 307–308  
 other methods compared to, 301  
 overview, 305–306  
 side effects, 306  
 women who should not use, 306
- Hospital or medical center**  
 access to, 437  
 anemia and birth in, 116  
 baby taken from mother in, 240  
 benefits and risks of, 16–17  
 breech baby and, 142  
 cleaning, 57, 58  
 distance from care, 104  
 infection danger and, 52  
 lab tests, 434  
 medicines from, 434  
 midwives at, 440–441

for pre-eclampsia treatment, 126, 127

sonograms, dopplers, and X-rays at, **434**

tools for helping sick babies, **437**

tools for labor and birth emergencies, **435–436**

transfusion at, **436**

transport plan for getting there, 10, **106–107, 164, 438**

for twins' birth, 144

types of help provided by, **433–437**

unnecessary practices and, 433, **441**

**House conditions**, 104

**Household bleach**. *See* Bleach

**HPV (genital warts)**, 333, 379, **380**

**Human Immune Deficiency Virus**. *See* HIV/AIDS

**Human Papilloma Virus**. *See* HPV

**Hurrying labor**. *See* Encouraging labor

**Husband**. *See* Partners

**Hydrogen peroxide**

for sterilizing tools, 64

washing floor with, 57

**Hypodermic syringes**. *See* Injections; Needles (hypodermic)

**Hypothyroidism**, 38, 117

## I

**Ideas about food, health and**, 39–40

### Illness

*Also see* Infections; Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after); *specific illnesses*

breastfeeding by sick mother, **292**

keeping away from, during pregnancy, **45**

keeping sick people away from births, **50–51**

medical help needed for, 97

medicines listed by, 472

pregnancy health history, **97–101**

**Immunizations**. *See* Vaccinations

**Implants for family planning**, 309–310

**Incomplete abortion**, 407–408, 417, 419

**Incubator**, 437

**Indigestion**. *See* Stomach problems

**Inducing labor**. *See* Encouraging labor

### Infections

*Also see* Sexually transmitted infections (STIs)

after abortion or miscarriage, **406, 409–411, 419**

after birth, **251**

in baby, 255, **256, 277–279**

bacterial vaginosis (BV) or gardnerella, **328**

basic rules for preventing, 52

bladder, 77, 97, 120, **128–129, 179**

breast (mastitis), **289**

chancroid, 330, **331**

chlamydia, 50, **323–325**

during labor, **178–179**

from female genital cutting, **368–369**

fever from, 120

germs and, **49–51**

gonorrhea, 50, **323–325**

hepatitis, **336**

herpes, genital, **331–332**

HIV and, 101

HPV (Human Papilloma Virus), **333, 379, 380**

IUD dangers for, 49, 390, **399**

kidney, 97, **128–129, 179**

labor not starting and signs of, 176

medical help needed for, 106

Pap test for, 379, **381–383**

in past pregnancies, 95

pregnancy problems and, 97

preventing, 42, **49–69**

preventing, for people with HIV, 101, 335, **478**

rescue breathing and, 243

syphilis, **329–330**

thrush (yeast infection), **290**

trichomonas (trich), **326**

urethra, 128, 129

vaginal, **272**

womb, 120, 179, **185, 271, 399**

yeast, 101, 115, **290, 326–327**

**Infertility**, 30–31

**Injectable contraceptives**, 309

**Injections**, 345–349

*Also see* Medicines; Needles (hypodermic); Vaccinations

allergic reactions to, 345

dangers of, 345

drawing up the medicine, **346–348**

how to give, **346–349**

infection danger and, 50, 51, 56, 345

numbing torn area before sewing, **360–361**

numb the cervix during MVA, 424

times when helpful or necessary, 345

using ampules of medicine, 346, **347**

using liquid in a bottle, 346, **347**

using only when necessary, 344

using powder in a bottle, 346, **348**

vitamin, 42

where to inject, 348

**Injury inside the body (internal injury)**, 413

**Insomnia**, 75

**Instrument birth**, 435–436

**Instruments**. *See* Sterilizing

equipment; Tools and supplies

**Intrauterine devices (IUDs)**, 389–399

advantages and disadvantages of, 390

after inserting, checking, **398–399**

before inserting, explaining

about, **392**

before inserting, sterilizing tools, 392

before inserting, things to check, **391**

before inserting, things to know, **389**

*Dalkon Shield*, removing, **399**

dangers for some women, 390

described, 389

disadvantages and risks of, 311

for emergency contraception, **316**

for family planning, 301, **310–311**

helping a woman decide about, **390–391**

infection from, 49, 390, **399**

inserting, **392–398**

loading the *Copper T* IUD, **393–394**

removing, **399**

tools for inserting, 392

warning signs, 311

**Intravenous solution (IV)**, 350–351

**Inverted nipples**, 287

**Iodine**, 38, 117

**Iron**, 36, 74, 116

**Irritability during pregnancy**, 82

**Isopropyl alcohol**

alcohol and glycerine

hand cleaner, **54**

soaking thermometers in, 65

for sterilizing tools, 64

washing floor with, 57

**Itching genitals**, 77, 326, 327, **328**

**IUDs**. *See* Intrauterine devices (IUDs)

**IV (intravenous solution)**, 350–351

## J

**Jaundice signs in baby**, 266, 279

**Joint aches and pains**, 79, 81

**Judgment, avoiding**, 6

## K

**Keegals (squeezing exercise)**, 44

**Kicking by baby**

months pregnant and, 87  
painful, 80  
position of baby and, 138  
as sign of pregnancy, 87  
stopped, 80, 134

**Kidney infection**, 128–129

labor and, 179  
pregnancy problems and, 97  
signs of, 128  
treating, 129

**Kidney (meat)**, 42

**Knots**

4-layer, 364  
square, 214

## L

**Labor and birth**

*Also see* Contractions;  
Encouraging labor; First few  
hours after birth; First weeks  
after birth; *specific stages of labor*  
baby does not fit through pelvis,  
189, 204  
baby not born after 1 or 2 hours  
of pushing, 203–205  
baby stuck at shoulders, 210–212  
basic pattern, 146  
bladder of mother full and, 203,  
352  
bleeding during, 183, 205  
caring for the mother during  
labor, 157–163, 169–170,  
200–202  
cesarean surgery (birth by  
operation), 96  
changing bedding under  
mother, 163  
changing position every hour  
in labor, 162  
clearing baby's nose and mouth,  
208–209, 213–214  
cord around baby's neck, 209  
dead baby and, 135, 243  
delivering baby's body and  
giving baby to mother, 212  
delivering baby's shoulders,  
210–212  
drinking during labor, 159–160  
early birth, 83, 88, 94, 221, 292  
eating during labor, 160  
first few hours after birth, 157,  
247–267  
guarding the labor, 158  
guiding the labor, 159–163  
helper for, 151

helping the mother relax, 169–170  
home methods for starting labor,  
341–344

keeping sick people away, 50–51  
late, 88

long labor, 91, 94, 186–191

not lying flat on back, 162, 200

overview, 155–157

pain, easing, 169–170, 187–188,  
193

in past pregnancies, 94

pelvic exam and, 374

preventing problems, 163

record keeping, 164–165, 170

resting between contractions,  
161

signs of labor starting soon,  
149–151

signs of stage 2 near or starting,  
195

slowing the birth of the head,  
207–208

speed of birth, watching,  
202–205

stage 1 (opening), 146, 155–156,  
167–193

stage 2 (pushing), 146, 156,  
195–221

stage 3 (birth of the placenta),  
146, 157, 223–245

supplies to have, 152–153

supporting labor, 158, 169–170,  
200–202

swollen veins around genitals  
and, 76

transport plan for medical help,  
10, 106–107, 164, 438

urinating during labor, 161

vaginal exams during, 186,  
339–340

warning signs (medical help  
needed), 147, 163, 204–205  
when to go to birth, 151

**Labsticks**, 126

**Lab tests**, 434

**Large baby**, 258

medical help needed for, 258  
in past pregnancies, 94, 115  
tired, weak, or sick, 254, 258

**Late labor**

*Also see* Encouraging labor  
described, 167  
long labor and, 189  
normal and safe range, 88

**Laughter during pregnancy**, 82

**Laxatives, avoiding**, 77

**Leafy vegetables**, 36, 37, 39, 42

**Leaking breasts**, 76

**Learning by midwives**

about medicines, 466  
before doing dangerous  
procedures, 21  
at hospitals, 440, 441  
as lifelong process, 1–2

**Legal concerns**

for inserting IUDs, 389  
for manual vacuum aspiration  
(MVA), 417

**Legs**

checking baby's, 264–265  
cleaning mother's after birth, 247  
clot, warning signs, 273  
constant pain in one leg, 81, 113  
cramps, 80–81  
pain in, 113–114  
red, hard, swollen, or painful  
(mother), 273  
relaxing when pushing, 201

**Legumes**, 35, 41

**Length of labor**. *See* Encouraging  
labor; Long labor

**Length of pregnancy**

due date prediction, 88–89, 130,  
133, 527  
early birth, 83, 88, 94, 221, 292  
figuring months or weeks  
pregnant, 88, 89, 90  
late labor, 167, 189  
normal duration, 88

**Lentils**, 35, 41

**Ligaments, pain in**, 79

**Light color**. *See* Pale color; White color

**Light labor**, 167, 188

**Limits, knowing yours**, 20–21

**Lips**

cleft (harelip) in baby, 261–262  
dry (mother), 159

**Liquids**. *See* Water and liquids

**Listening in pregnancy care**, 7, 70

**Liver disease**. *See* Hepatitis

**Liver (meat)**, 42

**Living conditions**, 104

**Loading the Copper T IUD**, 393–394

**Lockjaw**. *See* Tetanus (lockjaw)

**Long labor**, 186–191, 202–205

*Also see* Encouraging labor  
active labor, 188  
baby does not fit through pelvis,  
189, 204  
baby in difficult or impossible  
position, 190–191, 204  
baby not born after 1 or 2 hours  
of pushing, 203–205  
bladder of mother full and, 203,  
352  
exhaustion from, 188–189  
fear or tension and, 187–188

late labor, 189  
 light labor, 188  
 medical help needed for, 106,  
 204–205  
 number of previous babies and,  
 91  
 in past pregnancies, 94  
 position of mother and, 203  
 problems from, 186  
 twins and, 220  
 watching the speed of birth,  
 202–205

**Loose stool** See Diarrhea (loose stool)

**Lugol's iodine**, 38

**Lump (abscess) in breast**, 288

**Lung problems (baby)**

chlamydia or gonorrhea and, 324  
 infection (pneumonia), 278

**Lying down**

*Also see* Rest; Sleep  
 during labor, changing position  
 every hour, 162  
 during labor, not flat on back,  
 162, 200  
 during labor, on side, 200  
 during pregnancy, 78

## M

**Macrolides**, 471

**Magnesium for leg cramps**, 81

**Main foods (carbohydrates)**, 34, 35

**Maize**, 35, 38

**Malaria**, 98–99

anemia caused by, 37  
 infertility and, 31  
 labor and, 179  
 miscarriage from, 91  
 pregnancy problems and, 97  
 preventing, 98–99  
 rapid test for, 99  
 treating, 98–99

**Malnutrition**. See Poor nutrition

**Manual vacuum aspiration (MVA)**,  
 417–421

before doing, things to know,  
 417  
 cannula becomes clogged  
 during, 429  
 cannula comes out of womb  
 during, 428  
 checking on woman after,  
 430–431  
 choosing a cannula, 425  
 family planning and, 431  
 getting ready, 419–421  
 helping the woman be  
 comfortable, 419  
 how to do, 422–428

infection danger and, 49  
 injection to numb the cervix, 424  
 overview, 417  
 preventing pain, 421, 424  
 problems that can be caused by,  
 430  
 problems with, 428–430  
 safety concerns, 92, 417, 418  
 staying healthy after, 431  
 sterilizing tools, 420–421  
 syringe is full during, 429  
 tools and supplies, 419–421  
 uses for, 417  
 vagus nerve and, 426  
 warning signs versus  
 healthy signs after, 430–431  
 when to do, 418–419  
 womb is too big to empty, 430

**Mask of pregnancy**, 79

**Massage between contractions**, 169

**Mastitis (breast infection)**, 289

**Materials for teaching**. See Models  
 for teaching

**Maternity center**. See Hospital or  
 medical center

**Measles, German (rubella)**, 45, 95

**Measuring medicines**, 468–469

**Measuring the womb**, 130–135

for checking baby's growth, 130  
 cloth tape measure for, 132  
 determining months pregnant,  
 90, 130  
 for due date prediction, 130, 133  
 feeling the womb, 130–131  
 finger method for, 131–132  
 warning signs, 132–135  
 ways of measuring, 90, 130–132  
 womb growing too fast, 133–134  
 womb growing too slowly,  
 134–135

**Meat**, 35, 42

**Meconium (baby's first stool)**

defined, 174  
 in waters, 174–175, 209, 213

**Medical alcohol**. See Alcohol  
 (medical)

**Medical center**. See Hospital or  
 medical center

**Medical Mission Sisters**, 63

**Medical pregnancy test**, 87

**Medication abortion**, 92

**Medicines**, 462–497

*Also see* Injections; Vaccinations  
*specific medicines*, 473–497  
 for allergic reactions, 465  
 allergic reactions to, 103,  
 465–466  
 amount to take, 464, 466, 468–469  
 antibiotics, 470–471

avoiding during pregnancy or  
 breastfeeding, 45, 463  
 for bacterial vaginosis (BV or  
 gardnerella), 328  
 benefits and risks of, 16  
 for birth of the placenta (stage 3),  
 224, 225, 228, 231, 233, 237  
 for bladder infection, 129  
 breastfeeding and, 292  
 for breast infection (mastitis), 289  
 for chancroid, 331  
 for chlamydia, 324, 325  
 choosing safe and helpful  
 medicine, 19  
 combinations, avoiding, 464  
 dosage, 464, 466, 468–469  
 for emptying womb after  
 incomplete abortion, 408  
 “families” of, 103  
 for fever, 119  
 forms of, 467  
 for genital herpes, 332  
 for gonorrhea, 324, 325  
 greed and, 19  
 health history, 103  
 to help the womb contract, 224  
 hepatitis B and, 336  
 for HIV and AIDS, 101, 335,  
 492–498  
 from hospitals or medical centers,  
 434  
 how to take safely, 464–466  
 how to take, 467–470  
 for HPV (genital warts), 333  
 for infection after abortion or  
 miscarriage, 410  
 for kidney infection, 129  
 knowing about, 466  
 listed by problem treated, 472  
 for malaria, 98–99  
 measuring, 468–469  
 for medical abortion, 92  
 for meningitis (brain infection),  
 279  
 for migraines during pregnancy, 81  
 names of, 467  
 non-Western systems, 17  
 for numbing torn area before  
 sewing, 360  
 for pelvic inflammatory disease  
 (PID), 325  
 plant medicines for starting labor,  
 344  
 for pneumonia (lung infection), 279  
 poisoning from, 466  
 for pre-eclampsia, 181–182  
 to prevent infection after birth of  
 the placenta, 231, 233  
 for preventing pain during MVA,  
 421

- for sexually transmitted infections, 322  
side effects, **464–465**  
signs of problems with, **464–466**  
for starting labor, 175, 191  
to stop bleeding from the womb, 231, 237  
for syphilis, 330  
for tetanus (lockjaw), 278, 411  
traditional medicine, 17, 463  
for trichomonas (trich), 326  
types of, 17–19, 470  
Western medicine, 17, 18  
when to take, **469–470**  
when to use, **463**  
for womb infection, 179  
for yeast infection, 327
- Meningitis (brain infection) in baby**, 278
- Menopause (end of monthly bleeding)**, 31, 86
- Menstruation**. See Monthly bleeding
- Mercury in fish**, 35
- Midwives**, 1–11  
emotional support after early end to pregnancy, **403–404**  
helping to stop HIV, **100**  
at hospitals, **440–441**  
knowing your limits, **20–21**  
learning lifelong for, 1–2  
prenatal care and, 70–71  
protecting yourself from infection, **56**  
sharing what you know, **3–6**  
supplies to have at birth, **152–153**  
unnecessary practices at hospitals and, **433, 441**  
working for the joy of it, 11  
working to improve women's health, **8–10**  
working with hospitals and doctors, **438–441**
- Migraine headaches**, 81
- Milk**. See Bottle feeding; Breastfeeding
- Minerals**  
calcium, **37–38**, 74, 81  
to eat every day, **36–38**  
glow foods, 34, 35  
iodine, **38, 117**  
iron, **36**, 74, 116  
magnesium, 81  
potassium, 81  
preventing leg cramps, 81
- Miscarriage**, **401–415**  
*Also see* Manual vacuum aspiration (MVA)  
bleeding too much after, **406, 412–414**
- defined, 91  
diabetes and, 93  
emergency care for problems, **406–414**  
emotional support after, **403–404**  
finding care after, **401–403**  
helping a woman after, **401–415**  
history of, **91**  
HIV and, 101  
infection after, **406, 409–411**  
IUD dangers after, 390  
physical care after, **404–405**  
preventing, 91  
problems from, **401–405**  
shock after, 409, **414**  
spotting during cramps and, 79  
tetanus (lockjaw) after, **411**  
warning signs, 79, 112  
warning signs versus healthy signs, **404**
- Misoprostol**  
to empty womb after incomplete abortion, **408**  
to help the placenta come out, **224, 228**  
to stop bleeding from the womb, 231, 232, 234, 237
- Models for teaching**  
baby, **459**  
basic methods for making, **447**  
birth, **461**  
cord, **458–459**  
pelvis, **448–449**  
placenta, **456–457**  
pregnancy, **454–460**  
sources for other teaching materials, **461**  
vagina, **452–453, 454**  
womb, **450–451, 454–457**
- Molar pregnancy (tumor)**, 134
- Money**  
eating well with little, **41–42**  
pregnancy problems and, **104**
- Monthly bleeding (menstruation)**  
defined, **29**  
heavy, IUD dangers and, 390  
menopause and, 31  
predicting due date using, **88–89, 133**  
stopped, as sign of pregnancy, 86  
stopped, with birth control pills, **307**
- Months pregnant, figuring**, 88, 89, 90. *Also see* Length of pregnancy
- Moon, figuring due date by**, 89
- Morning sickness**, **73–74, 86, 110–111**. *Also see* Nausea
- Mouth**  
checking baby's, **261**  
cleft lip (harelip) or cleft palate, **261–262**
- Mouth care**, 43
- Movements by baby**  
months pregnant and, 87  
painful kicking, 80  
position of baby and, 138  
as signs of pregnancy, 87  
stopped, 80, 134
- Moving to encourage labor**, 192
- Mucus**  
plugging cervix, 28, 150, 155  
show (mucus tinged with blood), **150–151**
- Mucus bulb (bulb syringe)**, 66, 209
- Mucus method of fertility awareness**, 313
- Mumps, infertility and**, 31
- Muscle tone (baby)**, 244
- MVA**. See Manual vacuum aspiration (MVA)

## N

### Nausea

- Also see* Vomiting  
causes other than pregnancy, 86  
drinking during labor and, 159  
liquids easier to drink, 159  
morning sickness, **73–74, 86, 110–111**  
warning signs versus healthy signs, **110–111**

### Neck, checking baby's, 262

### Needles for sewing tears, 56, 362, 366

### Needles (hypodermic)

- Also see* Injections  
caring for, 66–67  
disposing of, 68, 69  
drawing up medicine into, **346–348**  
HIV spread and, 99, 334  
preparing for injections, **346**  
reusable and disposable syringes, 66  
safe handling of, **56**  
sterilizing, 66–67  
used, dangers of, **349**

### Newborn. See Baby; First few hours after birth; First weeks after birth

### Nightmares, 82

### Nipples

- Also see* Breastfeeding  
during breastfeeding, 282  
flat or inverted, **287**  
fluid leaking from, 76  
sore or cracked, **290**

stimulating to encourage labor, 192  
 thrush (yeast infection), 290  
**Nitrazine papers**, 174  
**Non-Western systems of medicine**, 17  
**Nose, checking baby's**, 261  
**Numbing**  
   cervix during MVA, 424  
   torn area before sewing, 360–361  
**Numbness of feet**, 117  
**Nutrition**. *See* Bottle feeding;  
   Breastfeeding; Eating and food  
**Nuts**, 35, 38

## O

**Observing in pregnancy care**, 70  
**Ointments**. *See* Medicines  
**Opening of the vagina, enlarging**.  
   *See* Episiotomy (cutting the  
   vaginal opening)  
**Opening (stage 1 of labor)**,  
 167–193  
*Also see* Encouraging labor; Labor  
   and birth; Signs (mother in  
   labor, birth, and after)  
 active labor, 167  
 baby does not fit through pelvis,  
 189  
 baby's heartbeat, checking,  
 172–173  
 baby's position, checking, 170–171  
 baby's position, difficult or  
   impossible, 190–191  
 bag of waters, 174–177  
 bleeding during labor, 183  
 blood pressure, checking  
   mother's, 180–182  
 breathing by the mother, 170  
 convulsions (fits) during, 181–182  
 cord coming in front of baby  
   (prolapsed), 176–177  
 helping the mother relax, 169–170  
 keeping germs out of vagina, 175  
 labor patterns in, 168  
 late labor, 167  
 light labor, 167  
 long labor, 186–191  
 overview, 146, 155–156, 167–168  
 pain in the womb, 183–185  
 parts, 167  
 pre-eclampsia and, 180–182  
 pulse, checking mother's, 178  
 pushing, avoiding, 186, 196  
 signs for the midwife to check,  
 170–193  
 signs of progress, 185  
 size of fully open cervix, 156  
 sounds that are helpful, 169

temperature, checking mother's,  
 178–179  
 touching the mother, 169  
 vaginal exam, 186  
 when you first arrive, 168  
**Operation, birth by**. *See* Cesarean  
 surgery (birth by operation)  
**Opium**, 46  
**Organ meats**, 42  
**Ovaries**  
   bimanual (2-hand) exam, 387  
   illustrated, 28, 29  
**Overweight mother**, 115, 118  
**Oxygen, giving to baby**, 241, 437  
**Oxygen tent**, 437  
**Oxytocin**  
   in "active management" of  
   stage 3, 225  
   to help the placenta come out,  
   224, 228  
   to help the womb contract, 236  
   not giving at home, 434  
   to stop bleeding from the womb,  
   230, 231, 232, 234

## P

**Packaged foods**, 39  
**Pain**  
*Also see* Signs (baby); Signs  
   (mother during pregnancy);  
   Signs (mother in labor, birth,  
   and after)  
 baby kicking, 80  
 back, 80, 113–114  
 belly, 79, 109, 113–114, 125  
 changes and discomforts in  
   pregnancy, 76–81  
 between contractions, 184  
 easing during labor, 169–170,  
   187–188, 193  
 gas pains (colic) in baby, 291  
 headaches, 81, 109  
 joints, 79, 81  
 legs, 113–114  
 lower belly, 128  
 lump (abscess) in breast, 288  
 in one leg, constant, 81, 113  
 preventing during MVA, 421, 424  
 stomach (heartburn), 74–75  
 unusual pains during pregnancy,  
 81  
 on urination, 77, 128  
 vagina, after birth, 248–249  
 warning signs versus  
   healthy signs, 113–114  
 in womb during labor, 183–185  
**Pains, labor**. *See* Contractions  
**Palate, cleft**, 261–262  
**Pale color**  
 baby, 244–245, 266  
 cord white after birth, 157  
 inside of eyelids, fingernails,  
   and gums, 116  
 shock and, 239  
**Panting**, 170, 201  
**Pap test for infections or cancer**,  
 379, 381–383  
**Paper mache models**, 447  
**Paper pelvis model**, 448–449  
**Parasites**, 37, 74, 86, 111, 118  
**Partners**  
 abusive, 105  
 family planning and, 318  
 feeding first, 9  
 helper for birth, 151  
 for improving women's health, 9  
 as people who affect a woman's  
   health, 8–9  
 permission for care from, 107  
 sex during pregnancy and, 83  
 support from, 105, 106  
 women's health affected by, 8–9  
**Patterns**. *See* Models for teaching  
**Peas**, 35, 41  
**Peeing**. *See* Urinating  
**Pelvic exam**, 373–387  
   asking about history before, 375  
   before the exam, 375–376  
   bimanual (2-hand) exam, 373,  
   384–387  
   making safe, 374–375  
   Pap test for infections or cancer,  
   379, 381–383  
   parts of, 373  
   speculum exam, 373, 377–383  
   tools for, 376  
   uses for, 373  
   vinegar test for HPV, 379, 380  
   visual exam, 373, 376  
   when to do and not to do, 374  
**Pelvic infection**  
   (pelvic inflammatory disease  
   or PID), 325  
**Pelvis**  
*Also see* Pelvic exam; Pubic bone  
 baby does not fit through, 189,  
 204  
 baby moving down through, 137,  
 171  
 baby stuck at shoulders, 211–213  
 illustrated, 27  
 model for teaching about, 448–449  
 not formed well in mother, 96  
 small, symphysiotomy for, 436  
 squeezing exercise for (Kegels),  
 44  
**Penicillins**, 471

**Penis**

*Also see* Sexually transmitted infections (STIs)  
 baby's, 263, 264  
 partner's, 29, 83

**People.** *See* Community; Family; Partners

**Pesticides,** 31, 47

**Pharmaceutical drugs.**

*See* Medicines

**Physical discomforts during pregnancy,** 76–81

**Physicians.** *See* Doctors; Hospital or medical center

**PID (pelvic inflammatory disease),** 325

**Piles (hemorrhoids),** 77

**Pills.** *See* Medicines

**"Pill, the,"** 307–308

**Placenta**

*Also see* Birth of the placenta (stage 3 of labor)  
 birth of (stage 3 of labor), 146, 157, 223–245  
 checking after birth, 233–234  
 covering the cervix (placenta previa), 112, 183, 374  
 detached (abruption), 114, 180, 184, 205, 219, 354  
 disposing of, 67, 235  
 guiding out by the cord, 228–229  
 heavy bleeding before birth of, 226  
 helping the mother push it out, 227–231  
 helping the womb contract after birth of, 224, 231, 236–238  
 illustrated, 30  
 model for teaching about, 456–457, 460  
 piece left inside womb, 234–235  
 problems in past pregnancies, 95  
 pushing on mother's belly and, 205  
 separation from womb after birth, 157  
 signs of separation from womb, 226–227  
 taking out by hand, 230–231  
 womb comes out with, 232–233

**Placenta previa,** 112, 183, 374

**Plant medicines for starting labor,** 344

**Plastic bags as gloves,** 54

**Plastic waste, safe disposal of,** 68

**Pneumonia (lung infection) in baby,** 278

**Poisoning from medicine,** 466

**Poisonous chemicals,** 47

**Polyvidone iodine,** 38

**Poor nutrition,** 33, 117, 134

**Position of the baby,** 135–144,  
 170–171, 190–191, 215–219  
 breech (bottom down), 137, 138,  
 142–143, 190, 215–219,  
 369–371  
 checking early in labor, 170–171  
 difficult or impossible position,  
 190–191, 204  
 face first or forehead first, 190, 204  
 facing back, 136, 171  
 facing stomach (posterior), 136,  
 171, 190, 204  
 feeling the mother's belly,  
 135–138  
 finding by listening to heartbeat,  
 140  
 finding the head, 137–138  
 head to one side (asynclitic), 204  
 heartbeat of baby and, 139–141  
 kicking or other movements and,  
 138  
 medical help needed and,  
 190–191  
 moving down through pelvis, 171  
 recording, 140  
 sideways, 143, 191, 219, 220–221,  
 369, 371  
 turning a breech or sideways  
 baby, 369–371  
 twins and, 219, 220–221  
 vertical (up and down), 136  
 warning signs versus  
 healthy signs, 135

**Position of the mother during birth**

baby stuck at shoulders and, 212  
 changing every hour, 162  
 delivering baby's shoulders and,  
 211  
 good for pushing, 200  
 letting her choose, 200  
 long labor and, 203  
 not lying flat on back, 162, 200

**Posters, making from slides,** 447

**Potassium for leg cramps,** 81

**Poverty.** *See* Money

**Practice contractions,** 150, 155

**Pre-eclampsia**

caring for, 127  
 checking for, 126–127, 180  
 convulsions (fits) from, 93, 126,  
 181–182  
 during labor, 180–182  
 medical help needed for, 106,  
 125, 126, 127, 180–181  
 in past pregnancies, 93, 97  
 signs of, 76, 81, 122, 125–126, 180

**Pregnancy**

*Also see* Abortion; Family planning; Health care in pregnancy; Miscarriage; Prenatal checkups

age and, 90  
 antibiotics and, 471  
 breastfeeding during, 292  
 caring for body during, 42–44  
 changes and discomforts, 76–81  
 distance from care and, 104  
 due date, 88–89, 130, 133, 527  
 eating and digestion changes in,  
 73–75  
 eating well, 33–42  
 family support during, 105–107  
 feelings and emotions in, 82–83  
 figuring months or weeks  
 pregnant, 88, 89, 90  
 harmful diet beliefs, 39–40  
 health history, 85–107  
 hepatitis B and, 336  
 herpes and, 332  
 HIV and, 335  
 how the baby grows, 30  
 how women get pregnant, 29  
 illness during, 97–101  
 living conditions and, 104, 104  
 mask of, 79  
 medicines and, 45, 103, 463, 471  
 menopause and, 31  
 model for teaching about,  
 454–460  
 molar (tumor), 134  
 money and, 104  
 number of previous babies and,  
 90–91  
 problems with medicines and,  
 103  
 problems with past pregnancies  
 or births, 93–97  
 sex during, 83  
 sexual and reproductive parts,  
 27–28  
 signs of, 86–87  
 sleeping changes in, 75  
 syphilis and, 330  
 tetanus vaccination and, 101–102  
 things to avoid during, 45–47  
 transport plan for medical help,  
 10, 106–107, 164, 438  
 woman's body in, 27–30, 73–83  
 work and, 105

**Pregnancy health history.** *See* Health history

**Premature birth.** *See* Early birth

**Prenatal care.** *See* Health care in pregnancy

**Prenatal checkups,** 109–145

*Also see* Signs (baby); Signs (mother during pregnancy)  
 after the checkup, **144**  
 checking the baby, **130–144**  
 checking the mother's body, **116–129**  
 importance of, **70–71**  
 pregnancy health history, **85–107**  
 record of prenatal care, **145**  
 scheduling, **144**  
 talking with the mother, **109–115**

**Pressure steaming, sterilizing tools by**, **61–62**

**Preventing**

*Also see* Family planning  
 abortions, unsafe, **415**  
 anemia, **36**  
 bladder infection, **129**  
 blindness (baby), **260–261**, **324**  
 constipation, **76**  
 fistula (hole in the vagina), **22**, **273**  
 goiter, **38**  
 health problems, community changes for, **23–25**  
 heavy bleeding after birth, **248**  
 HIV, **99–100**, **335**  
 infection, **42**, **49–69**  
 labor problems, **163**  
 leg cramps, **81**  
 malaria, **98**  
 miscarriages, **91**  
 sexually transmitted infections (STIs), **336–337**  
 tears, **206–208**, **356**  
 tetanus (lockjaw), **102**, **278**, **411**  
 yeast infection, **327**

**Primaquine**, **98**

**Privacy**, **7**

**Processed foods**, **39**

**Prolapsed cord (coming in front of baby)**

episiotomy for, **354–355**  
 footling breech (feet first) and, **218**  
 slowing birth not recommended for, **208**  
 twins and, **219**  
 watching for, **176–177**  
 what to do about, **177**

**Protective clothing for preventing infection**, **56**

**Protein in the urine**

as bladder infection sign, **128**  
 as pre-eclampsia sign, **125**, **126–127**, **180**

**Proteins (grow foods)**, **34**, **35**, **250**

**Pubic bone**

*Also see* Pelvis  
 baby stuck at shoulders, **211–213**  
 illustrated, **27**

symphysiotomy (cutting in middle), **436**  
 using to feel for baby's head, **137**

**Pulling out (withdrawal) during sex**, **301**, **317**

**Pulse in cord**, **139**, **177**. *Also see* Heartbeat (baby)

**Pulse (mother)**

in belly, **139**  
 checking during labor, **178**  
 checking during pregnancy, **120–121**  
 fast, **116**, **121**, **159**, **178**, **239**, **251**  
 shock and, **239**  
 slow, **178**  
 warning signs versus healthy signs, **120**

**Purgatives, avoiding**, **77**

**Purple color**

line between buttocks as stage 2 approaches, **195**  
 spots on skin, **79**

**Pus, draining from vaginal infection**, **272**

**Pushing (stage 2 of labor)**, **195–221**

*Also see* Contractions;  
 Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)  
 baby does not fit through pelvis, **204**  
 baby not born after 1 or 2 hours of pushing, **203–205**  
 baby stuck at shoulders, **211–213**  
 bladder of mother full and, **203**, **352**  
 breathing by the mother, **201**  
 checking physical signs of mother and baby, **199**  
 clearing baby's nose and mouth, **208–210**  
 cord around baby's neck, **210**  
 crowning, **197**  
 cutting the birth opening (episiotomy), **206**, **354–355**  
 delivering baby's body and giving baby to mother, **214**  
 delivering the baby's shoulders, **211–213**  
 head of baby begins to show, **196–197**  
 helping the mother give birth, **206–215**  
 helping the mother push, **201–202**  
 how the baby moves through the vagina, **197–198**  
 overview, **146**, **156**, **196–198**  
 position of the mother, **200**  
 safe birth, helping, **199–202**

signs that stage 2 is near or starting, **195**

signs to watch for, **202–205**  
 slowing the birth of the head, **207–208**

supporting the mother, **200–202**  
 supporting the vaginal opening, **206**

too early, before cervix is dilated, **186**, **196**

warm cloths around the vaginal opening, **207**

**Q**

**Quarter-circle scale, homemade**, **446**

**Questions**

*Also see* Talking  
 about eating habits, **34**  
 answering family's questions, **267**  
 finding root causes of health problems, **21–22**  
 in pregnancy health history, **85–107**  
 in prenatal checkup, **109–115**  
 midwives asking "why", **2**, **21–22**

**R**

**Rashes**

avoiding during pregnancy or breastfeeding, **45**  
 from medicine, **103**  
 poor nutrition and, **117**

**Razor blades**, **65**

**Records**

baby's position, **140**  
 baby's physical signs in first few hours, **253**  
 of labor, **164–165**, **170**  
 prenatal care, **144–145**  
 womb measurement, **131**, **132**

**Rectal fluids, giving**, **342**

**Rectal sphincter, sewing**, **366**

**Red color**

baby, **266**  
 legs (mother), **273**

**Reflexes**

baby, **244**  
 over-active (mother), **125**

**Rehydration drink**, **159–160**

**Relaxation**

*Also see* Rest  
 between contractions, **161**  
 helping mother during labor, **187–188**

**Removing**

intrauterine devices (IUDs), **399**  
 milk from breasts, **284–285**

**Rescue breathing**, 242–243

**Respirator**, 437

**Rest**

*Also see* Relaxation; Sleep;  
Tiredness

between contractions, 161  
during pregnancy, 44  
first weeks after birth, 269  
getting up and down during  
pregnancy, 78  
heartburn and, 75  
for high blood pressure, 124  
sleepiness during pregnancy, 75,  
86

**Rh incompatibility**, 504

**Role playing**, 4

**Root causes of health problems**

finding, 21–22  
making changes in community,  
23–25

**Rubella (German measles)**, 45, 95

**S**

**Salt, high blood pressure and**, 125

**Sand timers**, 443–444

**Scales**

homemade, 445–446  
weighing baby using, 258

**Scars**

circumcision (female genital  
cutting), 206, 354–355,  
367–369  
on womb from abortion, 92  
on womb from cesarean surgery,  
96

**Schedules**

prenatal checkups, 144  
signs to check during stage 1 of  
labor, 170  
tetanus vaccinations, 102

**Seeds**, 35, 37

**Seeing**. *See* Eyes

**Seizures**. *See* Convulsions (fits)

**Semen**. *See* Sperm (semen)

**Sewing a tear or episiotomy**,  
356–366

general rules, 361  
getting ready, 359  
how to sew, 362–365  
judging whether stitches are  
needed, 356–358  
medical help needed for, 358  
numbing the torn area, 360–361  
preventing tears, 356  
rectal sphincter, 366  
safe handling of needles, 56  
sewing within 12 hours, 358  
testing for torn muscle  
around anus, 357

tools for, 358–359  
tying stitches, 364

**Sex**

*Also see* Family planning; Sexually  
transmitted infections (STIs)

abusive partners, 105  
after birth, 269  
during pregnancy, 83  
HIV spread and, 99, 334  
pulling out (withdrawal) during,  
301, 317  
without intercourse, 301, 312

**Sexually transmitted infections  
(STIs)**

*Also see* HIV

affecting whole body, 334–336  
bacterial vaginosis (BV or  
gardnerella), 328  
chancroid, 330, 331  
chlamydia, 323–325  
community and, 337  
discharge (wetness from vagina),  
323–328  
genital herpes, 331–332  
germs and, 50  
gonorrhea (gono), 50, 323–325  
hepatitis B, 336  
how they are passed, 322  
HPV (genital warts), 333, 379, 380  
infertility and, 31  
itching of the genitals, 328  
IUD dangers and, 390  
labor not starting after breaking  
of waters and, 176  
miscarriage from, 91  
overview, 321  
Pap test for, 379, 381–383  
pelvic inflammatory disease (PID),  
325  
preventing, 336–337  
sex during pregnancy and, 83  
signs of, 321  
sores on the genitals, 329–333  
syphilis, 329–330  
treating, 321, 322  
trichomonas (trich), 326  
vinegar test for, 379, 380  
yeast infection, 326–327

**Shame, pelvic exam and**, 375

**Sharing knowledge**

*Also see* Teaching

with the community, 4–6  
with other health workers and  
midwives, 3–4

**Sharp wastes, disposing of**, 67

**Shit**. *See* Stool

**Shock**

after abortion or miscarriage, 409  
414

after female genital cutting  
(circumcision or FGC), 368

after heavy bleeding, 239  
allergic reaction to medicine,  
465–466

signs and treatment, 239

**Shortening labor**. *See* Encouraging  
labor

**Short labor in past birth**, 94

**Shortness of breath (mother)**, 78,  
103, 114

**Shots**. *See* Injections

**Shoulders (baby)**

checking, 262  
delivering, 210–212  
episiotomy for stuck shoulders,  
354–355

**Show (mucus tinged with blood)**,  
150–151

**Sickness**. *See* Illness; Infections;  
*specific sicknesses*

**Side effects**

of hormonal methods for  
family planning, 306  
of medicines, 464–465

**Sideways baby**

checking for, 136  
dangers of turning, 369  
medical help needed for, 136, 191  
turning, 369, 371  
twins and, 219, 220–221  
what to do about, 143

**Sight**. *See* Eyes

**Signs (baby)**, 252–267

*Also see specific conditions*

breathing problems, 240–241,  
254, 262  
breathing rate, 254  
breach (bottom down), 137, 138,  
142–143, 190, 215–219  
checking after birth, 240–245,  
252–267  
checking in womb, 130–144  
chlamydia and, 324  
cleft lip (harelip) or cleft palate,  
261–262  
color, 244–245, 266, 279  
cord around neck, 210  
cord coming in front (prolapsed),  
176–177, 208, 218, 219, 354  
dehydration, 275  
dislocated hip, 265  
drops lower in belly, 149  
first hours after birth, 252–267  
first weeks after birth, 274–279  
gas pains (colic), 291  
general appearance, 253–254  
gonorrhea and, 324  
heartbeat (checking), 139–141,  
172–173, 243, 262

- heartbeat fast, **173, 243, 255**  
 heartbeat slow, **141, 172–173, 177, 184, 208, 243, 255**  
 infection, **255, 256, 277–279**  
 kicking stopped, **80, 134**  
 length, **259**  
 limp, weak, or does not wake up, **253–254**  
 low blood pressure, **122, 180**  
 measuring the womb, **90, 130–135**  
 moving less or not at all, **184**  
 not breathing, **241–243**  
 not gaining weight or growing normally, **276**  
 not urinating or passing stool in first day, **275**  
 physical signs during 2nd stage, **199**  
 position, **135–144, 170–171, 190–191, 215–219**  
 prenatal checkup, **130–144**  
 recording signs in first few hours, **253**  
 reflexes, **244**  
 stuck at shoulders, **211–213**  
 temperature low, **255–256**  
 thrush (yeast infection), **290**  
 twins, **133, 138, 143–144**  
 vomit “shoots” from mouth, **256**  
 weight, **256–258**  
 womb growing too fast, **133–134**  
 womb growing too slowly, **134–135**
- Signs (mother during pregnancy)**  
*Also see Infections; Pain; Signs (mother in labor, birth, and after); specific conditions*  
 after abortion or miscarriage, **404, 406, 409, 411, 412, 413, 414**  
 allergic reactions to medicine, **103, 465–466**  
 anemia, **78, 81, 116**  
 back pains, **80, 113–114**  
 bladder infection, **77, 128**  
 bleeding from vagina, **109, 112**  
 bleeding, heavy, **106**  
 bleeding in early pregnancy, **79**  
 blurred vision, **109, 125**  
 breasts leaking, **76**  
 burning sensations, **74–75, 77**  
 changes and discomforts in pregnancy, **76–81**  
 constipation, **36, 76–77**  
 cramps (womb), **79**  
 dehydration, **111**  
 depression, **82**  
 detached placenta, **114, 219**  
 diabetes (blood sugar disease), **93, 115, 133**  
 diarrhea, **50, 111**  
 discharge (wetness from vagina), **50, 77**  
 dizziness, **81, 109**  
 double vision, **125**  
 fever, **97, 101, 109, 112, 113, 119, 120**  
 general health, **110**  
 headaches, **81, 109, 125**  
 high blood pressure, **81, 93, 122, 124–125, 134, 97**  
 iodine lack, **117**  
 itching, **77**  
 kidney infection, **128**  
 leg cramps, **80–81**  
 measuring the womb, **90, 130–135**  
 medical help needed (most important signs), **106, 109, 147**  
 medicines, problems with, **464–466**  
 miscarriage, **79, 112**  
 nausea or vomiting, **73–74, 86, 110–111**  
 pain in belly, back or legs, **113–114**  
 pain in one leg, constant, **81, 113**  
 placenta previa, **112, 374**  
 poor nutrition, **117**  
 pre-eclampsia, **76, 81, 125–126, 127**  
 of pregnancy, **86–87**  
 prenatal checkup, **109–129**  
 pulse fast, **120, 121**  
 purple spots on skin, **79**  
 scars on womb, **92, 96**  
 sexually transmitted infections (STIs), **321, 323–335**  
 shortness of breath, **78, 103, 114**  
 sleepiness, **75, 86**  
 spotting, **79, 112**  
 stools black, **36**  
 sweating during pregnancy, **78**  
 swollen face and hands, **76, 81, 126, 127**  
 swollen feet, **76**  
 tiredness, **35, 75, 86, 93**  
 tubal pregnancy, **79, 113**  
 tumor (molar pregnancy), **134**  
 urethra infection, **128**  
 urination frequent, **77, 86**  
 urination painful or burning, **77**  
 vaginal infection, **77**  
 vagina smells bad, **77**  
 weakness, **111**  
 womb growing too fast, **133–134**  
 womb growing too slowly, **134–135**
- Signs (mother in labor, birth, and after)**  
*Also see Contractions; Signs (mother during pregnancy); specific conditions*  
 allergic reactions to medicine, **465–466**  
 baby does not fit through pelvis, **189, 204**  
 baby stuck at shoulders, **211**  
 bag of waters, **174–177**  
 being ready for emergencies, **163–164**  
 bleeding after birth, preventing, **248**  
 bleeding before placenta is born, **226**  
 bleeding during labor, **183, 205**  
 blood pressure, **180–182**  
 breast infection (mastitis), **289**  
 cervix visible at vaginal opening after birth, **249**  
 checking genitals for tears and problems, **248–249**  
 checking physical signs after birth, **247**  
 clot in leg, **273**  
 convulsions (fits), **181–182**  
 cord coming in front of baby (prolapsed), **176–177, 208, 218, 219, 354**  
 dehydration, **159, 178**  
 detached placenta (abruption), **184, 205, 219, 354**  
 eating and drinking, cannot or will not after birth, **250**  
 episiotomy needed, **354**  
 fever, **178–179**  
 first few hours after birth, **247–252**  
 fistula (hole in the vagina), **273**  
 genitals torn after birth, **248**  
 hematoma (blood blister) in vagina after birth, **248–249**  
 infected womb, **185**  
 infection after birth, **251**  
 labor starting soon, **149–151**  
 leaking urine or stool, **273**  
 legs red, hard, swollen, or painful, **273**  
 medical help needed, **176, 177, 179, 180–181, 204–205**  
 medicines, problems with, **464–466**  
 nausea or vomiting after drinking, **159**  
 not interested in her baby, **251**  
 pain in the womb, **183–185**  
 placenta previa, **183, 374**  
 placenta separated from womb, **226–227**

- position of the baby, 170–171, 190–191  
 pre-eclampsia, 180  
 progress of labor, 185  
 pulse, 178  
 sexually transmitted infections (STIs), 321, 323–335  
 shock, 239  
 speed of birth, watching, 202–205  
 in stage 1 (opening), 170–193  
 in stage 2 (pushing), 202–205  
 stage 2 (pushing) near or starting, 195  
 temperature, 178–179  
 thrush (yeast infection), 290  
 torn womb, 185, 205  
 vaginal infection, 272  
 watching for, 163  
 when to go to birth, 151  
 womb infection, 179, 185, 271
- Single mothers**, 105
- Sitting up when pregnant**, 78
- Size**  
*Also see* Weight  
 large baby, 254, 258  
 large baby in past, 94, 115  
 measuring the womb, 90, 130–135  
 small baby, 125, 221, 254, 256–257, 292  
 small baby in past birth, 94  
 womb bigger than normal, 115
- Skin**  
*Also see* Color (mother)  
 checking baby's, 265  
 color (baby), 244–245, 266, 279  
 dark patches, 79  
 loss of stretchiness, 159  
 pale, shock and, 239  
 purple spots, 79
- Sleep**  
*Also see* Rest; Tiredness  
 during pregnancy, 44, 75  
 getting up and down during pregnancy, 78  
 heartburn and, 75  
 strange dreams and nightmares, 82
- Sleepiness**  
*Also see* Tiredness  
 causes other than pregnancy, 86  
 during pregnancy, 75, 86
- Slides, making posters from**, 447
- Slow birth**. *See* Encouraging labor; Long labor
- Slow heartbeat (baby)**, 141, 172–173, 177, 184, 208, 243, 255
- Slow pulse (mother)**, 178
- Small baby**, 221, 256–257  
*Also see* Early birth  
 breastfeeding and, 292  
 causes of, 257  
 limp, weak, or does not wake up, 254  
 medical help needed for, 221, 256  
 in past pregnancies, 94  
 problems possible for, 256  
 what to do for, 257
- Smelly vagina**, 77, 321
- Smoke, avoiding during pregnancy**, 104
- Smoking**. *See* Tobacco
- Sodium hypochlorite solution**.  
*See* Bleach
- Soft spots in baby's head (fontanels)**, 259
- Sonogram**, 90, 433, 434
- Sore nipples**, 290
- Sores**  
 on genitals (genital ulcers), 329–333  
 poor nutrition and, 117
- Sounds**  
*Also see* Heartbeat (baby)  
 helping the mother push, 201  
 making in stage 1 (opening), 169
- Speculum exam**, 377–383  
 described, 373  
 giving, 377–379  
 Pap test for infections or cancer, 379, 381–383  
 vinegar test for HPV, 379, 380
- Speeding labor**. *See* Encouraging labor; Long labor
- Spermicides**, 301, 304, 305
- Sperm (semen)**  
 germs in, 49, 50  
 reproduction and, 29, 30
- Sponge method for family planning**, 317
- Spontaneous abortion**.  
*See* Miscarriage
- Spots**  
 rubella (German measles), 45, 95  
 on skin, 79
- Spotting**, 79, 112. *Also see* Bleeding
- Spring scale, homemade**, 446
- Square knot**, 214
- Squeezing exercise (Kegels)**, 44
- Stage 1 of labor**. *See* Opening (stage 1 of labor)
- Stage 2 of labor**. *See* Pushing (stage 2 of labor)
- Stage 3 of labor**. *See* Birth of the placenta (stage 3 of labor)
- Starting labor**. *See* Encouraging labor
- Steaming**  
 gloves, 66  
 sterilizing tools by, 61–63
- Sterile gloves**. *See* Gloves
- Sterile packets**, 65
- Sterilization for family planning**, 301, 315
- Sterilizing equipment**  
*Also see* Cleanliness  
 by baking, 61  
 bedding, 58  
 before birth, 153, 168  
 before inserting IUDs, 392  
 before manual vacuum aspiration (MVA), 420–421  
 by boiling, 62  
 chemicals for, 63–64  
 defined, 59  
 gloves, 66  
 High Level Disinfection (HLD) and, 59  
 infection prevented by, 51  
 items requiring sterilization, 60  
 mucus bulb (bulb syringe), 66  
 needles, 66  
 by pressure steaming, 61–62  
 razor blades, 65  
 by steaming, 62–63  
 storing tools and supplies, 64–65  
 thermometers, 65  
 tools, 59–64
- Stethoscopes**, 139, 445
- STIs**. *See* Sexually transmitted infections (STIs)
- Stitches**. *See* Sewing a tear or episiotomy
- Stomach problems**  
 nausea (morning sickness), 73–74, 86, 110–111  
 pain (heartburn), 74–75  
 poor nutrition and, 117
- Stool**  
 baby does not pass in first day, 256  
 black, 36  
 constipation, 36, 76–77  
 diarrhea (loose stool) in baby, 275  
 diarrhea (loose stool) in mother, 50, 111, 150, 343  
 disposing of, 67  
 enemas, avoiding during pregnancy, 77  
 germs in, 49  
 leaking freely after birth (mother), 273  
 meconium (baby's first stool), 174–175, 209, 213  
 in waters, 174–175, 209, 213
- Stopping pregnancy**. *See* Abortion; Miscarriage
- Storing**  
 bedding, 58  
 tools and supplies, 64–65

**Strengthening labor.**

See Encouraging labor

**Suction trap, 213**

**Sugars (go foods), 34, 35**

**Sulfas (sulfanomides), 471**

**Supplements in health history, 103**

**Supplies.** See Tools and supplies

**Supporting labor, 158, 169–170, 200–202**

**Surgical birth.** See Cesarean surgery (birth by operation)

**Suture lines in baby's head, 259**

**Sutures, 358**

**Sweating**

during pregnancy, 78

shock and, 239

**Swelling**

breasts (engorged), 76, 288

face and hands (warning sign), 76, 81, 109, 126, 127

feet, 76

with headaches, 81

legs red, hard, or swollen, 273

from medicine, 103

veins (varicose veins), 76

**Symphiotomy, 436**

**Symptoms.** See Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)

**Syphilis, 329–330**

**Syringes**

Also see Injections; Needles (hypodermic)

bulb syringe, 66, 209, 213

for manual vacuum aspiration (MVA), 419, 420

**T**

**Tablets.** See Medicines

**Talking**

about difficult subjects, 7

keeping things private, 7

listening more than, 7

with mother in prenatal checkup, 109–115

to women about food, 34–39

**TB.** See Tuberculosis

**Teaching**

classes in the community, 4–5

finding materials for, 461

helper for birth, 151

homemade materials for, 447–461

how to prevent STIs, 336

to prevent health problems, 23–25

as purpose of pregnancy care, 70

sharing knowledge, 3–6

**Tears**

Also see Fistula (hole in the vagina); Sewing a tear or episiotomy

degrees of, 356–358

genitals, checking after birth, 248

judging whether stitches are needed, 356–358

medical help needed for, 184, 205

preventing, 206–208, 356

pushing on mother's belly and, 205

sewing, 356–366

testing for torn muscle

around anus, 357

time for sewing, 358

vagina, 239

vaginal infection, 272

vaginal opening, during birth, 206

womb during labor, 184–185, 205

**Teas**

for bladder infection, 129

to help sleep, 75

for migraines during pregnancy, 81

for nausea relief, 74

**Teeth, caring for, 43**

**Temperature**

Also see Fever

checking baby after birth, 255–256

checking mother after birth, 251

checking mother during labor, 178–179

checking mother during pregnancy, 119

hot feeling during pregnancy, 78

low (baby), 255–256

warning signs (mother), 109, 119, 178

**Tension**

helping mother relax, 169–170, 187–188

long labor and, 187–188

when pushing, avoiding, 201, 202

**Testicles**

Also see Sexually transmitted infections (STIs)

baby's, 263, 264

father's, 29

**Tests**

for anemia, 116

blood pressure, checking the mother's, 122–124, 180–182

CD4, 335, 492

for diabetes, 115

for HIV, 99, 100

lab tests, 434

for malaria, 99

measuring the womb, 90, 130–135

for pregnancy, 87

for protein in the urine

(pre-eclampsia sign), 126–127

pulse, checking mother's, 120–121

temperature, checking the mother's, 119

for too much water in the womb, 134

**Tetanus (lockjaw)**

after abortion or miscarriage, 411

cutting the cord and, 214

means of infection with, 102

protecting against, 102, 278, 411

signs in baby, 278

signs in mother, 411

vaccinations, 102

**Tetracyclines, 471**

**Thermometers, 65, 119.** Also see Temperature

**Thin mother, 118**

**Three-minute hand wash, 53–54**

**Thrush (yeast infection), 290**

**Thump test for water in the womb, 134**

**Time**

Also see Early birth; First few hours after birth; First weeks after birth; Long labor; Schedules

for cutting the cord, 157

delayed labor, 88

due date, 88–89, 130, 133

early end to pregnancy, 401–415 to go to birth, 151

homemade timers, 443–444

between labor start and breaking of waters, 175–176

months or weeks pregnant, 88, 89, 90

for sewing tears, 358

short labor in past, 93

signs of labor starting soon, 149–151

to take medicines, 469–470

**Timers, homemade, 443–444**

**Tiredness**

Also see Anemia; Weakness dehydration and, 159

go foods for energy, 35

in past pregnancies, 93

sleepiness during pregnancy, 75, 86

as warning sign, 116

**Tobacco**

avoiding during pregnancy or breastfeeding, 46

avoiding smoke during pregnancy, 104

infertility and, 31

small baby and, 134, 257

**Tonics**, 103

**Tools and supplies**  
*Also see* Homemade equipment;  
 Sterilizing equipment;  
*specific tools and supplies*

blood pressure, 122

bulb syringe, 66, 209

caring for, 65–67

cloth tape measure for womb, 132

disposing of wastes safely, 67–69

at hospitals or medical centers, 435–437

for inserting IUDs, 392

items requiring sterilization, 60

for listening to heartbeat, 139

low-cost and homemade, 443–446

for manual vacuum aspiration (MVA), 419–421

for pelvic exam, 376

for sewing tears, 358–359

sterile packets of, 65

storing, 64–65

suction trap, 209

supplies to have at birth, 152–153

**Toothbrush, homemade**, 43

**Tooth care**, 43

**Torn flesh**. *See* Tears

**Touching inside the vagina**  
*Also see* Intrauterine devices (IUDs); Pelvic exam

avoiding during birth, 195, 206

baby stuck at shoulders and, 213

pelvic exam, 373–387

piece of placenta left inside womb, 234–235

pressure to stop bleeding after birth, 238

taking out the placenta by hand, 230–231

vaginal exams during labor, 186, 339–340

womb comes out with the placenta, 232–233

**Touch in stage 1 (opening)**, 169

**Toxemia of pregnancy**.  
*See* Pre-eclampsia

**Traditional medicine**, 17, 463

**Training**. *See* Learning by midwives;  
 Teaching

**Transfusion (giving blood through an IV)**, 436

**Transport plan for medical help**, 10, 106–107, 164, 438

**Treating health problems**, 13–25  
*Also see specific health problems*

avoiding unnecessary procedures, 20

benefits and risks, 16–17

finding root causes, 21–25

finding the best treatment, 16–21

finding the causes, 13–15

knowing your limits, 20–21

steps for solving problems, 13–15

types of medicine, 17–19, 470

**Trichomonas (trich)**, 326

**Tubal litigation (sterilization for women)**, 315

**Tubal pregnancy**, 79, 113

**Tuberculosis**

HIV and, 492

infertility and, 31

pregnancy problems and, 97

vaccination (BCG), 267

**Tubes**

illustrated, 28, 29

tubal litigation (sterilization for women), 315

tubal pregnancy, 79, 113

**Tumor (molar pregnancy)**, 134

**Turning a breech or sideways baby**, 369–371

**Twins**, 143–144

breastfeeding and, 291

dangers of twin births, 219

delivering, 220–221

listening to heartbeats, 143–144

medical help needed for, 144

signs of, 133, 138, 143

## U

**Ulcers**. *See* Sores

**Ultrasound**, 90

**Umbilical cord**. *See* Cord; Cutting the cord

**Upset stomach**. *See* Stomach problems

**Urethra**

caring for infection, 129

illustrated, 27, 376

signs of infection, 128

**Urinating**

*Also see* Sexually transmitted infections (STIs)

baby does not urinate in first day, 256

blood in urine, 128

catheter (tube to help urinating), 249, 352–353

during labor, 161

frequent, 77, 86, 115

helping mother after birth, 249

to help the womb contract, 236

leaking freely after birth, 273

painful or burning, 77, 128

protein in the urine, 125, 126–127, 128, 180

squeezing exercise (Kegels) and, 44

ways of encouraging, 249, 352

**Uristicks**, 126

**Uterus**. *See* Womb (uterus)

## V

**Vaccinations**

*Also see* Injections

about, 276

hepatitis B, 267

tetanus, 102, 411

tuberculosis (BCG), 267

**Vacuum aspiration**, 92. *Also see* Manual vacuum aspiration (MVA)

**Vacuum extractors**, 435

**Vagal reaction**, 426

**Vagina**

*Also see* Bleeding; Genitals; Pelvic exam; Sexually transmitted infections (STIs); Touching inside the vagina

cervix visible at opening after birth, 249

fistula (hole in the vagina), 22, 94, 186

hard lump under skin, 272

hematoma (blood blister) in, 248–249

how the baby moves through, 197–198

illustrated, 27, 28, 29, 376

infection, 272

keeping germs away, 175

menopause and, 31

models for teaching about, 452–453, 454, 460

pain after birth, 248–249

preventing tears, 206–208, 356

show (mucus tinged with blood), 150–151

smells bad, 77, 321

spotting, 79, 112

squeezing exercise for (Kegels), 44

supporting opening during birth, 206

torn, 239

touching during birth, avoiding, 195, 206

vaginal exams during labor, 186, 339–340

warm cloths around opening, 207

wetness from (discharge), 77

**Vaginal exams during labor**, 186, 339–340

**Vaginal infection**, 272

**Vagus nerve**, 426

**Varicose veins**, 76

**Vasectomy (sterilization for men)**, 315

**VD (gonorrhea)**, 50, 323–325

**Vegetables**, 35, 36, 37, 42

**Vehicles or transportation**, 10, 106–107, 164, 438

**Veins**

giving fluid through (IV), 350–351  
swollen (varicose), 76

**Vicryl sutures**, 358

**Vinegar test for HPV**, 379, 380

**Vision**

*Also see* Eyes  
blurred, 109, 125  
double, 125

**Visual pelvic exam**, 373, 376

**Vitamin A**, 39

**Vitamin B-6**, 73

**Vitamin C**, 116

**Vitamins**

*Also see specific vitamins*  
buying, avoiding, 42  
to eat every day, 37, 39  
glow foods, 34, 35  
injections, 42  
pills, 36, 42

**Vomiting**

*Also see* Nausea  
drinking during labor and, 159  
“shooting” from baby, 276  
warning signs versus  
healthy signs, 110–111

**Vulva**. *See* Genitals

## W

**Walking to encourage labor**, 192

**Warning signs**. *See* Signs (baby);  
Signs (mother during  
pregnancy); Signs (mother in  
labor, birth, and after)

**Warts, genital (HPV)**, 333, 379, 380

**Washing**

*Also see* Cleanliness; Sterilizing  
equipment  
bedding, 58  
hands, 53–54, 153, 168  
mother after birth, 247  
tools, 59

**Waste disposal**

placenta, 67, 235  
safe, 67–69

**Water and liquids**

*Also see* Dehydration  
after birth, 250

boiling to kill germs, 54  
breastfeeding and, 283

constipation and, 76

dirty, germs in, 50

drinking during labor, 159–160

for fever, 178

first weeks after birth, 269

giving fluid through a vein  
(intravenous solution or IV),  
350–351

in healthy diet, 39

high blood pressure and, 125

rehydration drink, 159–160

**Water in the womb**. *See* Bag of  
waters

**Water retention**. *See* Swelling

**Waters**. *See* Bag of waters

**Water timers**, 444

**Water weight**. *See* Swelling

**Weakness**

*Also see* Anemia; Tiredness  
in past pregnancies, 93  
poor nutrition and, 117  
as warning sign, 111, 116

**Weeks pregnant, figuring**, 88, 89,

90. *Also see* Length of  
pregnancy

**Weight**

*Also see* Size  
baby not gaining, 276  
checking the baby's, 256, 258  
checking the mother's, 118–119  
large baby, 254, 258  
large baby in past, 94, 115  
overweight mother, 115, 118  
small baby, 221, 254, 256–257,  
292  
small baby in past birth, 94  
sudden gain by mother, 118, 119  
thin mother, 118

**Western medicine**, 17, 18

**Wetness from vagina**.

*See* Discharge (wetness  
from vagina)

**Where There Is No Doctor**, 41, 115,  
328

**Where Women Have No Doctor**, 46,  
105, 111, 322

**White color**. *See* Pale color

**White discharge**. *See* Yeast infection

**Womb (uterus)**

*Also see* Contractions; Manual  
vacuum aspiration (MVA);  
Measuring the womb;  
Placenta; Position of the  
baby; Touching inside the  
vagina

bigger than normal, 115  
bimanual (2-hand) exam,  
385–386

comes out with the placenta,  
232–233

cramps in early pregnancy, 79

feeling baby inside, 87

first weeks after birth, 270–271

growing too fast, 133–134

growing too slowly, 134–135

helping contract after the  
placenta is born, 224,  
236–238

how a baby grows, 30

how women get pregnant, 29

illustrated, 28, 29

infection, 120, 179, 185, 271, 399

infection in past pregnancies, 95

measuring, 90, 130–135

models for teaching about,

450–451, 454–457, 460

pain during labor, 183–185

piece of placenta left inside,

234–235

position of the baby, 135–144,

170–171, 190–191

pushing on mother's belly and,  
205

rubbing after the placenta is  
born, 224, 236

scar from cesarean surgery, 96

scars from abortion, 92

signs that the placenta has

separated, 226–227

sore after birth, 159

staying soft after placenta is born,

236–238

tissue coming out, after abortion,  
408

torn, 184–185, 205

water in, too little, 134

water in, too much, 133

**Work**

breastfeeding and, 284–286

in pregnancy health history, 105

**Working with chemicals**, 47

**Worms**. *See* Parasites

**Worry during pregnancy**, 82

## X

**X-rays**, 434

## Y

**Yeast infection**, 326–327

frequent, diabetes and, 115

preventing, 327

signs of, 326

thrush, 290

treatment, 327

**Yellow color (baby)**, 266, 279

**Young mothers**, 22, 105