

Index

This index lists topics covered in the book in the order of the alphabet.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference. Medicines included in the green medicine pages are listed in the health problem index on page 472.

A

- Abortion**, 92, 401–415
Also see Manual vacuum aspiration (MVA); Miscarriage
 bleeding too much after, 406, 412–414
 deciding to help after, 402–403
 emergency care for problems, 406–414
 emotional support after, 403–404
 finding care after, 401–403
 helping a woman after, 401–415
 incomplete, 407–408, 417, 419
 infection after, 406, 409–411, 419
 internal injury from, 413
 IUD dangers after, 390
 physical care after, 404–405
 preventing unsafe abortions, 415
 problems from, 401–405
 safe versus unsafe, 92, 402
 shock after, 413, 414
 tetanus (lockjaw) after, 411
 warning signs versus healthy signs, 404
- Abruption**. *See* Detached placenta (abruption)
- Abscess (lump) in breast**, 288
- Abusive partners**, 105
- Aches and pains**. *See* Pain
- Active labor**, 167, 188
- Acupressure**
 to encourage labor, 192–193
 to help with pain in labor, 193
 for nausea relief, 74
- Addiction**, 46. *Also see* Drugs
- After birth**. *See* First few hours after birth; First weeks after birth
- Afterbirth**. *See* Placenta
- Age**
 pregnancy problems and, 90
 very young mothers, 22, 105
- AIDS**. *See* HIV
- Albusticks**, 126

Alcohol (drinking)

- avoiding during pregnancy or breastfeeding, 30, 46
- infertility and, 31
- small baby and, 134
- for sterilizing tools, 64

Alcohol (medical)

- hand cleaner with glycerine and, 54
- soaking thermometers in, 65
- for sterilizing tools, 64
- washing floor with, 57

Allergies

- to copper, IUDs and, 390
- to injections, 345
- to medicine, 103, 465–466

Aminoglycosides

, 471

Ammonia, washing floor with

, 57

Amniotic waters

. *See* Bag of waters

Anemia

- hookworm and malaria as causes, 37
- iron for preventing, 36
- IUD dangers and, 390
- with joint pain, 81
- in past pregnancies, 93
- signs of, 78, 116
- treating, 116

Anger during pregnancy

, 82

Angry cat exercise

, 80, 190

Animal milk

. *See* Bottle feeding

Animal products, inexpensive

, 42

Ante-natal or ante-partum checkups

.

See Prenatal checkups

Antibiotics

, 464, 470–471

Antiretrovirals

. *See* ART

Antiseptic for MVA

, 421

Anus

- bulging during contractions, 195
- checking baby's, 263
- baby's closed or missing, 263
- illustrated, 27, 376
- testing for torn muscle around, 357

Anxiety

. *See* Fear; Tension

Appendicitis

, 114

Arms, checking baby's

, 262

ART (Anti-Retroviral Therapy)

, 99, 101,

153, 163, 276, 293, 335, 492–498

B

Baby

, 130–144, 240–245, 252–267

Also see Heartbeat (baby); Position of the baby; Signs (baby)

ART for, 494

birth defects, 45, 46, 95, 266–267

breaking collar bone, 213

breathing, checking, 241, 254, 262

caring for, during 3rd stage, 240–245

checking after birth, 213, 240–245, 252–267

checking in womb, 130–144

chlamydia and, 324

clearing nose and mouth, 208–209, 213–214

color, 244–245, 266, 279

crowning during 2nd stage, 197

early birth, 83, 88, 94, 221, 292

feeling inside the womb, 87

first hours after birth, 252–267

first weeks after birth, 274–279

general appearance, 253–254

gonorrhoea and, 324

heart sounds, 262

helping breastfeed, 245

HIV and, 101, 276, 494

holding when breastfeeding, 282–283

how it grows in pregnancy, 30

how it moves through the vagina, 197–198

keeping warm and dry, 240, 255

kicking and other movements, 80, 87, 134, 138

large, 254, 258

large in past birth, 94, 115

length, 259

measuring the womb, 90, 130–135

medical help for sick babies, 437

model for teaching about pregnancy, 459, 460

muscle tone, 244

oxygen for, 241

position of, 135–144, 170–171, 190–191, 215–219

reflexes, 244

rescue breathing, 242–243

- shoulders, delivering, 210–213
 sick or dead in past birth, 95
 small, 221, 254, 256–257, 292
 small in past birth, 94
 weight, 256–258
- Back**
 checking baby's, 265
 lower back deformity in mother, 97
 lying on during labor, avoiding, 162, 200
 pains, 80, 113–114
- Bacterial vaginosis (BV or gardnerella), 328**
- Bag of waters, 174–177**
 baby floating in, 30
 breaking as sign of labor starting, 151
 breaks early, medical help needed for, 106
 checking if broken, 174
 color of waters, 174–175, 208
 pelvic exam and, 374
 stool in waters, 174–175, 209, 213
 time between labor start and breaking of, 175–176
 tool for breaking, 435
 too little water, 134
 too much water, 133
- Baking, sterilizing tools by, 61**
- Barbiturates, 46**
- BCG vaccination, 267**
- Beam scale, homemade, 445–446**
- Beans, 35, 41**
- Bed nets, 98**
- Bedding, 58, 98, 163**
- Beliefs, harmful, 39–40**
- Belly**
 baby drops lower in, 149
 checking baby's, 263
 cleaning after birth, 247
 cramps in early pregnancy, 79
 growing larger, 86
 nausea (morning sickness), 73–74, 86, 110–111
 pain severe in, 109
 pain sudden, 79
 pain, sudden, steady, and severe, 125
 pain, warning signs versus healthy signs, 113–114
 pressure to stop bleeding after birth, 237
 pushing on, avoiding during birth, 205
- Bilirubin, 279**
- Bimanual (2-hand) pelvic exam, 373, 384–387**
- Birth.** See Labor and birth
- Birth box (model for teaching), 461**
- Birth by operation.** See Cesarean surgery
- Birth control.** See Family planning
- Birth control pills, 307–308**
- Birth defects, 266–267**
 alcohol drinking by mother and, 46
 causes of, 267
 checking baby for, 266
 helping parents of children with, 266–267
 medicines and, 45
 in past pregnancies, 95
 rubella (German measles) and, 45, 95
- Birth of the placenta (stage 3 of labor), 223–245**
 Also see Labor and birth; Signs (mother in labor, birth, and after)
 “active management” of, 225
 baby has breathing problems, 240–241
 baby not breathing, 241–243
 bleeding after placenta is born, 236–239
 bleeding before placenta is born, 226
 bleeding, dangers of, 224–239
 caring for the baby, 240–245
 checking the baby's health, 240–245
 checking the physical signs of mother, 223
 checking the placenta and cord, 233–234
 death of baby and, 243
 guiding the placenta out by the cord, 228–229
 helping the mother push, 227–231
 helping the womb contract after, 224, 236–238
 if no helper is available, 223
 medicines for, 224, 225, 228, 231, 233, 237
 overview, 146, 157
 piece of placenta left inside womb, 234–235
 rubbing the womb after, 224, 236
 shock (signs and treatment), 239
 signs that the placenta has separated, 226–227
 taking out the placenta by hand, 230–231
 torn vagina, 239
 womb comes out with the placenta, 232–233
- Birth pants (model for teaching), 461**
- Bladder infection, 128–129**
 caring for, 129
 fever from, 120
 labor and, 179
 pregnancy problems and, 97
 preventing, 129
 signs of, 77, 128
- Bleach**
 disinfecting solution using, 57, 59
 never mixing with ammonia, 57
 for sterilizing tools, 59, 64
 washing floor with, 57
- Bleeding**
 Also see Blood; Monthly bleeding (menstruation)
 after abortion or miscarriage, 406, 412–414
 after birth, 224–239
 after female genital cutting (circumcision), 368
 after placenta is born, 236–239
 bladder of mother full and, 352
 blood pressure drops during labor and, 180
 with constant pain, late in pregnancy, 114
 with cramps during first 6 months, 112
 detached placenta (abruption) and, 114, 180, 184, 205, 219, 354
 during labor, 183, 205
 in early pregnancy, 79
 episiotomy and, 354
 first weeks after birth, 270
 gums, 117
 heavy, after abortion or miscarriage, 406, 412–414
 heavy, before placenta is born, 226
 heavy, in past pregnancies, 95
 heavy, medical help needed for, 106
 heavy, preventing after birth, 248
 high blood pressure and, 122
 IV for blood loss, 350–351
 with no pain, 112, 183
 show (mucus tinged with blood), 150–151
 spotting, 79, 112
 swollen veins around genitals and, 76
 torn vagina, 239
 twins and, 219, 220, 221
 from vagina (warning sign), 109, 112, 183
 warning signs versus healthy signs, 112
- Blindness**
 genital herpes and, 332
 preventing in baby, 260–261, 324

Blood

Also see Bleeding
 disposing of, 67
 as food, 42
 germs in, 49, 50
 HIV spread and, 99
 loss, IV for, 350–351
 preventing infection from, 50, 51
 transfusion (giving through an IV), 436
 in urine, 128

Blood blister (hematoma)

in baby's head, 260
 in vagina after birth, 248–249

Blood clot in leg (warning signs), 81, 273**Blood pressure**

Also see High blood pressure
 checking during labor, 180–182
 checking during pregnancy, 122–124
 drops during labor, 180
 equipment, 122
 goes up during labor, 180–181
 shock and drop in, 239
 warning signs, 122, 180–181

Blood sugar disease. *See* Diabetes (blood sugar disease)**Blood tests**

for anemia, 116
 for diabetes, 115
 lab tests, 434

Blue color (baby), 244–245, 266**Blurred vision (warning sign)**, 109, 125**Body changes in pregnancy.**

See Changes in pregnancy

Body wastes, disposing of, 67**Boiling**

gloves, 66
 sterilizing tools by, 62

Bones, pelvic. *See* Pelvis; Pubic bone**Bottle feeding**

Also see Breastfeeding
 breastfeeding hampered by, 286
 breastfeeding versus, 41
 dangers of, 276, 281
 with formula made from animal milk, 295
 with formula, safety and, 294, 295
 with milk removed from breasts, 286

Bowels

Also see Stool
 constipation, 36, 76–77
 enemas, avoiding during pregnancy, 77
 piles (hemorrhoids), 77

Brain infection (meningitis) in baby, 278**Breaking baby's collar bone**, 213**Breaking of waters**

checking if broken, 174
 color of waters, 174–175
 early, medical help needed for, 106
 pelvic exam and, 374
 as sign of labor starting, 151
 stool in waters, 174–175
 time between labor start and, 175–176
 tools at hospitals or medical centers, 435

Breastfeeding, 281–295

Also see Bottle feeding
 advantages of, 281
 alternatives to, 294–295
 antibiotics and, 471
 breast infection (mastitis), 289
 cleft lip or cleft palate and, 261
 colostrum (first milk), 72, 245, 283
 common difficulties, 286–291
 during pregnancy, 292
 early baby and, 292
 eating during, 283
 to encourage labor for second twin, 220
 encouraging the baby, 275
 engorged (swollen) breasts and, 288
 extra food needed for, 34
 family planning and, 301, 306, 312
 fear of not having enough milk, 286–287, 306
 feeding milk that has been removed, 286
 flat or inverted nipples and, 287
 fortified milks versus, 41
 gas pains (colic) in baby, 291
 helping after birth, 252
 helping the baby, 245
 to help the womb contract, 236
 HIV and, 287, 293–294
 HIV spread and, 99, 287
 how to breastfeed, 282–283
 how to hold the baby, 282
 large baby and, 254, 258
 medicines and, 45, 292, 463, 471
 nipples cracked or sore, 290
 nutrition provided by, 41
 painful lump (abscess) in breast, 288
 heating breast milk to kill HIV, 294
 removing milk from breasts, 284–285
 saving milk, 285
 sharing breast milk, 286
 sick mother and, 292
 small baby and, 254, 257, 292
 things to avoid during, 45–47
 thrush (yeast infection), 290
 twins and, 291
 weak baby and, 254

when to feed, 282
 work outside the home and, 284–286

Breasts

growing larger, 87
 infection (mastitis), 289
 leaking, 76
 painful lump (abscess) in, 288
 removing milk from, 284–285
 swollen (engorged), 76, 288

Breathing (baby)

checking, 241, 254, 262
 clearing baby's nose and mouth, 208–210
 not breathing, 241–243
 rate, checking, 254
 rescue breathing, 242–243
 signs of problems, 241, 254, 262

Breathing (mother)

difficulty, anemia and, 116
 fast and deep, 159
 shortness of breath, 78, 103, 114
 in stage 1 (opening), 170
 in stage 2 (pushing), 201

Breech baby (bottom down), 215–219

checking for, 137–138
 complete breech (folded legs), 215, 216–218
 dangers of breech births, 215
 dangers of turning, 369
 delivering complete or frank breech, 216–218
 delivering footling breech, 218–219
 difficulty of childbirth and, 137
 episiotomy for, 354–355
 footling breech (feet first), 215, 218–219
 frank breech (straight legs), 215, 216–218
 getting the baby to turn, 142
 home birth and, 143
 medical help needed for, 190, 215, 218
 turning, 369–371
 twins and, 219
 what to do about, 142–143

Bulb syringe, 66, 209, 214**Burning plastic wastes, avoiding**, 68**Burning sensations**

in feet, 117
 in stomach or between breasts (heartburn), 74–75
 while urinating, 77, 128
 in vagina, 77

Burying wastes, 67–69, 235**Buttocks down position.** *See* Breech baby (bottom down)**BV (bacterial vaginosis or gardnerella)**, 328



- Calcium**, 37–38, 74, 81
- Calculator for due date**, 527
- Calendar for figuring due date**, 88–89
- Cancer**
of the cervix, 379, 380, 383
Pap test for, 379, 381–383
preventive treatment, 383a–383c
vinegar test for, 379, 380
- Candida**. See Yeast infection
- Cannulas**. See Manual vacuum aspiration (MVA)
- Capsules**. See Medicines
- Caput on baby's head**, 260
- Carbohydrates (main foods)**, 34, 35
- Carbon dioxide**, 383a
- Care in pregnancy**. See Health care in pregnancy
- Cars or transportation**, 10, 106–107, 164, 438
- Castor oil drink for starting labor**, 343
- Catheters**, 249, 352–353
- Causes of health problems**
finding, 13–15
root causes, 21–25
- CD4 test**, 335, 492
- Cephalosporins**, 471
- Cervix**
Also see Opening (stage 1 of labor)
abnormal cells, 379, 380, 383, 383a–383c
bimanual (2-hand) exam, 384–387
cancer of, 383
cryotherapy, 383a–383c
illustrated, 28
mucus plugging, 28, 150, 155
numbing during MVA, 424
opening (stage 1 of labor), 146, 155–156, 167–193
Pap test for cancer or pre-cancer, 379, 381–383
placenta covering (placenta previa), 112, 183, 374
pushing before fully open, avoiding, 186, 196
size when ready for birth, 156
softening of, 155
speculum exam, 377–379
vinegar test for cancer or pre-cancer, 379, 380, 383b
visible at vaginal opening after birth, 249
- Cesarean surgery (birth by operation)**
dangers of, 436
described, 96
HIV and, 436
need for, 136, 141, 142, 143, 177, 191, 436
overuse of, 436
in past birth, 96
- Chalk cravings**, 74
- Chancroid**, 330, 331
- Change of life (menopause)**, 31, 86
- Changes in pregnancy**, 73–83
discomforts and pains, 76–81
in eating and digestion, 73–75
feelings and emotions, 82–83
how the baby grows, 30
how women get pregnant, 29
sexual and reproductive parts, 27–28
in sleeping, 75
- Checkups**. See Prenatal checkups; Tests
- Chemicals**
Also see Drugs; Medicines
avoiding during pregnancy or breastfeeding, 47
infertility and, 31
for sterilizing equipment, 63–64
too dangerous to use, 64
- Chicken**, 42
- Children, number of**, 90–91
- Chlamydia**, 50, 323–325
- Chlorine bleach**. See Bleach
- Cholera**, 50
- Chromic gut sutures**, 358
- Cigarettes**. See Tobacco
- Circumcision (female)**
See Female genital cutting (circumcision or FGC)
- Circumcision (male)**, 264
- Clamping the cord**, 214. *Also see* Cutting the cord
- Clap, the (gonorrhea)**, 50, 323–325
- Clay cravings**, 74
- Cleanliness**
Also see Sterilizing equipment
before and during birth, 153, 168
cleaning bedding, 58
cleaning mother after birth, 247
cleaning the space, 57, 150
cord stump and, 215
during pregnancy, 42–43
first weeks after birth, 269
for preventing infection, 52
tooth and mouth care, 43
underpadding for birth on floor, 58
washing hands, 53–54, 153, 168
- Cleft lip (harelip) or cleft palate**, 261–262
- Clinics**. See Hospital or medical center
- Clitoris**, 27, 376
- Cloth models for teaching**
vagina, 452–453
womb, 450–451, 455–457
- Clot in leg (warning signs)**, 81, 273
- Cocaine**, 46
- Coffee**, 31, 81
- Colic (gas pains)**, 291
- Collar bone, breaking baby's**, 813
- Color (baby)**, 244–245, 266, 279
- Color (mother)**
dark patches on skin (mask of pregnancy), 79
legs red, 273
pale inside of eyelids, fingernails, and gums, 116
pale, shock and, 239
purple line between buttocks, 195
purple spots on skin, 79
waters, 174–175, 208
- Colostrum (first milk)**, 76, 245, 283
- Combination medicines, avoiding**, 464
- Community**
Also see Family; Partners
changes to prevent health problems, 23–25
family planning and, 318–319
helper for birth, 151
people who affect a woman's health, 8–9
preventing unsafe abortions, 415
rituals and practices honoring pregnancy, 44
sexually transmitted infections (STIs) and, 337
sharing what you know with, 4–6
transport plan for medical help, 10, 106–107, 164, 438
women's health affected by, 8–9
working together to save lives, 10
- Complete breech (folded legs)**, 215, 216–218. *Also see* Breech baby (bottom down)
- Condoms**
for family planning, 301, 302–303
HIV and, 99, 100, 334
for sex during pregnancy, 83
using, 303
for women, 301, 302, 303
- Confidentiality**, 7, 101
- Constipation**
defined, 76
during pregnancy, 76–77
enemas for, avoiding during pregnancy, 76
from iron pills, 36
laxatives or purgatives for, avoiding, 77
piles (hemorrhoids) and, 77
preventing or treating, 76
- Contraceptives**, 307–308, 999
- Contraceptive sponge method of family planning**, 317

Contractions

Also see Cramps (womb); Labor and birth; Pushing (stage 2 of labor)
cervix opened by, 156
easing pain of, 169–170, 187–188, 193
pain between, 184
practice contractions, 150, 155
resting between, 161
signs that stage 2 is near or starting, 195
in stage 1 of labor, 167
stronger and more frequent, 149–150
supporting the mother, 169–170

Conversation. *See* Talking

Convulsions (fits)

dangers of, 181
during labor, 181–182
medicines for, 181–182
in past pregnancies, 93
pre-eclampsia and, 20, 93, 125–127, 181–182
what to do during, 181

Copper T IUD. *See* Intrauterine devices (IUDs)

Copying patterns for models, 447**Cord**

around baby's neck, 209
baby's pulse in, 139, 177
breech baby and, 216, 218
caring for baby's stump, 277
checking the end of, 234
coming in front of baby (prolapsed), 176–177, 208, 218, 219, 354
guiding the placenta out by, 228–229
how to cut, 214–215
illustrated, 30
infection, signs in baby, 277
model for teaching about pregnancy, 458–459, 460
pulling on, dangers of, 228
pulse lacking in, 177
razor blades for cutting, 65
signs that the placenta has separated, 227
stump, keeping clean and dry, 215
twins and, 220
when to cut, 157, 214

Cotrimoxazole, for people with HIV, 101, 335, 477

Cracked nipples, 290

Cramps in legs, 80–81

Cramps (womb)

Also see Contractions
after cryotherapy, 383c
bleeding with, during first 6 months, 112
in early pregnancy, 79
warning signs, 79, 112, 113

Cravings for foods, 74

Creams. *See* Medicines

Cretinism. *See* Hypothyroidism

Crowning, 197

Crying during pregnancy, 82

Cryoprobe, 383a–383c

Cryotherapy, 383a–383c

C-section. *See* Cesarean surgery (birth by operation)

Cutting the cord

Also see Cord
around baby's neck, 210
how to cut, 214–215
razor blades for, 65
stump, keeping clean and dry, 215
twins and, 220
when to cut, 157, 214

Cutting the opening of the vagina.

See Episiotomy (cutting the vaginal opening)

D

Dalkon Shield IUD, removing, 399

D&C, 92. *Also see* Abortion

Dark patches on skin, 79

Date birth expected. *See* Due date

Death of baby

helping the mother and family, 135, 243
in past pregnancies, 95, 115
rubella (German measles) and, 45
womb growing too slowly and, 134–135

Deformity

birth defects, 45, 46, 95, 266–267
of mother's hips or lower back, 97

Dehydration

after birth, 251
bottle feeding and, 275
defined, 159
drinking during labor, 159–160
helping baby, 275
if mother cannot drink, 159
rehydration drink, 159–160
warning signs (baby), 275
warning signs (mother), 111, 120, 159, 178

Delayed labor. *See* Encouraging labor; Late labor

Delivering

Also see Birth of the placenta (stage 3 of labor); Labor and birth; Opening (stage 1 of labor); Pushing (stage 2 of labor)
baby's body and giving baby to mother, 214
breech baby (complete or frank), 216–218
breech baby (footling), 218–219
shoulders of baby, 211–213
twins, 219–221

Dental care, 43

Depression, 82, 95, 121, 274

Detached placenta (abruption)

during pregnancy, 114
episiotomy and, 354–355
home birth and, 205
medical help needed for, 114, 184, 205
pre-eclampsia and, 180
pushing on mother's belly and, 205
signs of, 114, 184, 205
twins and, 219

Diabetes (blood sugar disease)

helping a woman with, 115
in a baby, 254, 258
infertility and, 31
in past pregnancies, 93
pregnancy problems and, 97
test for, 115
warning signs, 93, 115, 133

Diaphragms, 301, 304**Diarrhea (loose stool)**

before labor, 150
bottle feeding and, 275
from castor oil drink, 343
germs and, 50
vomiting with, 111

Diet. *See* Bottle feeding; Breastfeeding; Eating and food

Dilation and curettage, 92. *Also see* Abortion

Dilation of cervix. *See* Opening (stage 1 of labor)

Dirt. *See* Cleanliness

Dirt cravings, 74

Disabilities

affecting thinking or the brain, 45, 46
alcohol drinking by mother and, 46
birth defects, 45, 46, 95, 266–267
helping parents of children with, 266–267
medicines and, 45
rubella (German measles) and, 45

Disabled Village Children, 267

Discharge (wetness from vagina)

during pregnancy, 77
germs in, 50
normal versus infected, 323
sexually transmitted infections (STIs),
323–328
show versus, 151
yeast infection, 101, 115, 326–327

Disease. *See* Illness; Infections; *specific diseases*

Disinfectants, 57, 59, 64

Disposing of wastes safely, 67–69

Dizziness

late in pregnancy, 81
shock and, 239
as warning sign, 81, 109, 116

Doctors

Also see Hospital or medical center
baby taken from mother by, 240
bag of waters broken by, 435
cesarean surgery overused by, 436
checking baby with 2-vessel cord,
234
nutritional advice from, 250
unnecessary practices by, 433, 441
working with, 438–440

Dopplers, 434

Double vision, 125

Dreams, strange, 82

Drinking alcohol

avoiding during pregnancy or
breastfeeding, 46
infertility and, 31
small baby and, 134

Drinking liquids. *See* Water and liquids

Drip, the (gonorrhea), 50, 323–325

Drops. *See* Medicines

Drug resistance, 464

Drugs

Also see Medicines
avoiding during pregnancy or
breastfeeding, 46
small baby and, 134

Due date

Also see Early birth
delayed labor, 88
predicting, 88–89, 130, 133
tool for calculating, 527,

Duration of pregnancy. *See* Length of pregnancy

E**Early birth,** 221

Also see Small baby
breastfeeding and, 292
medical help needed for, 221
more than 5 weeks early, 221
normal and safe range, 88
not starting after breaking of waters,
176
in past pregnancies, 94
sex during pregnancy and, 83
twins and, 219

Early end to pregnancy. *See* Abortion;
Miscarriage

Ears

checking baby's, 260
cleft lip or cleft palate and infections,
262

Eating and food, 33–42, 73–75

Also see Bottle feeding;
Breastfeeding; Water and
liquids

after birth, 250
avoiding foods, dangers of, 40
bladder infection and, 129
breastfeeding and, 283
calcium-containing foods, 38
changes during pregnancy, 73–75
cooking food, 35, 36, 39, 42
cravings for foods, 74
during labor, 160
eating enough, 33, 34, 39
eating well with little money, 41–42
feeding men first, 9
first weeks after birth, 269
folic acid-containing foods, 37
girls' needs equal to boys', 22, 39
glow foods (vitamins and minerals),
34, 35, 36–39
go foods (fats, oils, and sugar), 34, 35
grow foods (proteins), 34, 35, 250
for a healthy pregnancy, 33–42
high blood pressure and, 124–125
ideas affecting health, 39–40
iodine-containing foods, 38
iron-containing foods, 36
main foods (carbohydrates), 34, 35
nausea and food dislikes, 73–74
packaged and processed foods, 39
poor nutrition, 33, 117, 134
talking to women about food, 34–39
tooth protection and diet, 43
variety of foods, 33, 34–35, 40
vitamin A-containing foods, 39
vitamins and minerals to eat every
day, 36–39
womb growing too slowly and, 134
women's needs equal to men's, 9

Eclampsia. *See* Convulsions (fits)

Edema. *See* Swelling

Education. *See* Learning by midwives;
Teaching

Egg (human), 29

Eggs (fowl), 42

Emergencies

Also see Hospital or medical center;
Medical help; Signs (baby);
Signs (mother during
pregnancy); Signs (mother in
labor, birth, and after)
from abortion or miscarriage,
406–414
being ready for, in labor and birth,
163–164
contraception for, 316
from female genital cutting
(circumcision or FGC), 368–369
tools at hospitals or medical centers,
435–436
working with hospitals and doctors,
438–441

Emotions and feelings

Also see specific feelings
after birth, giving support for, 274
anger or irritability, 82
changes during pregnancy, 82–83
death of baby and, 135, 243
depression, 82, 95, 121, 274
difficulty sleeping and, 75
menopause and, 31
mother not interested in her baby,
251
pelvic exam and, 375
signs of labor starting soon, 150
support after early end to
pregnancy, 403–404
worry and fear, 82

Emptying the womb. *See* Manual
vacuum aspiration (MVA)

Encouraging labor, 191–193, 341–344

Also see Long labor
avoiding, if medical help needed,
191
castor oil drink for, 343
dangers of methods for, 341
enemas for, 342–343
medicines for, 175, 191, 341
plant medicines for, 344
second baby of twins and, 220, 221
signs of need for, 341
things to avoid, 191, 205
time after breaking of waters and,
175–176

Ending pregnancy. *See* Abortion;
Miscarriage

Enemas (giving rectal fluids)

avoiding during pregnancy, 77
 dangers of, 342
 for starting labor, 342–343
 uses for, 342

Energy

Also see Anemia; Weakness
 foods for, 35
 sleepiness during pregnancy, 75, 86
 tiredness, 93, 116, 159

Engorged breasts, 76, 288**Enjoyment**

of pregnancy, 44
 working for, 11

Episiotomy (cutting the vaginal opening), 354–355

circumcision scar and, 206, 354
 dangers of, 354
 how to do, 354–355
 sewing after, 358–366
 times when necessary, 354

Equipment. *See* Sterilizing equipment; Tools and supplies**Ergometrine**

dangers if placenta not born yet, 224
 to empty the womb after
 incomplete abortion, 408
 to help the womb contract, 224
 to stop bleeding from the womb,
 231, 232, 237

Estrogen, women who should not use, 306**Ethanol**. *See* Alcohol (medical)**Ethyl alcohol**

alcohol and glycerine hand cleaner,
 54
 soaking thermometers in, 65

Examinations. *See* Prenatal checkups**Exercise during pregnancy**, 43–44**Exercises**

angry cat, 80
 squeezing (Kegels), 44

Eyes

blurred vision (mother), 109, 125
 checking baby's, 260
 chlamydia or gonorrhea and (baby),
 324
 color (baby), 279
 double vision (mother), 125
 genital herpes and, 332
 preventing blindness (baby),
 260–261, 324
 sunken (mother), 159

F**Face**

baby coming face first, 190
 swollen in mother (warning sign), 76,
 81, 126, 127

Factory chemicals, 47**Fainting or faintness**

after birth, 226
 during pregnancy, 116
 shock and, 239

Family

Also see Community; Partners
 abusive partners, 105
 answering questions of, 267
 feeding first, 39
 food advice from, 250
 helper for birth, 151
 as people who affect a woman's
 health, 8–9
 permission for care from, 107
 support from, 105–106
 time alone after birth, 252
 women's health affected by, 8–9

Family planning

Also see specific methods
 choosing a method, 300–317
 community and, 318–319
 emergency contraception, 316
 helping women have more choices,
 299
 manual vacuum aspiration (MVA)
 and, 431
 methods that do not work, 318
 reasons for, 299

Fast heartbeat (baby), 173, 184, 243, 255**Fast pulse (mother)**

problems indicated by, 121, 178
 as sign of anemia, 116
 as sign of dehydration, 159
 as sign of infection, 251
 as sign of shock, 239

Fat mother, 115, 118**Fats (go foods)**, 34, 35**FGC**. *See* Female genital cutting (circumcision or FGC)**Fear**

during pregnancy, 82
 of not having enough milk, 286–287
 pelvic exam and, 375

Feeding tube, 437**Feelings**. *See* Emotions and feelings; *specific feelings***Feet**

burning sensations or numbness,
 117
 checking baby's, 265
 swollen, 76

Female genital cutting (circumcision or FGC)

caring for woman after, 367–369
 cutting the scar, 206, 354–355, 367
 dangers of, 367
 emergency care for, 368–369
 repairing the cut, 367
 warning signs, 368

Fertility awareness (natural family planning), 312–315

counting days method, 314–315
 mucus method, 313
 other methods compared to, 301
 overview, 312–313

Fetoscope, 139, 434**Fever**

causes of, 120
 checking the baby's temperature,
 255–256
 checking the mother's temperature,
 119, 178–179, 251
 dehydration and, 120, 159, 178
 during labor, 178–179
 hot feeling during pregnancy, 78
 in past pregnancies, 95
 pregnancy problems and, 97
 treating, 120
 as warning sign (mother), 109, 119,
 178

Fibroids, IUD dangers and, 390**Finger method for measuring the womb**, 131–132**First few hours after birth**, 247–267

Also see First weeks after birth
 answering family's questions, 267
 breathing rate of baby, 254
 checking body of baby, 256–267
 checking mother's genitals for tears
 and problems, 248–249
 checking physical signs of mother,
 247
 cleaning mother's genitals, belly, and
 legs, 247
 cleaning up, 267
 examining the baby (overview),
 252–253
 general appearance of baby,
 253–254
 giving BCG immunizations (baby),
 267
 heartbeat of baby, 255
 helping mother to eat and drink,
 250
 helping mother to urinate, 249
 helping with breastfeeding, 252
 overview, 157
 preventing heavy bleeding (mother),
 248
 recording baby's signs, 253

temperature of baby, 255–256
 watching mother for infection, 251
 watching mother's feelings about her baby, 251
 what to do for the baby, 252–267
 what to do for the mother, 246–252

First weeks after birth, 269–279
Also see First few hours after birth
 baby not gaining weight or growing normally, 276
 baby not urinating or passing stool in first day, 275
 caring for the baby's cord, 277
 color of baby's skin and eyes, 279
 dehydration (baby), 275
 giving emotional support, 274
 helping mother care for herself, 269
 leaking urine or stool (mother), 273
 legs red, hard, swollen, or painful (mother), 273
 signs of infection (baby), 277–279
 vomit “shoots” out (baby), 276
 what to do for the baby, 274–279
 what to do for the mother, 269–274
 womb and bleeding, watching mother's, 270
 womb infection, signs of, 271

Fish, 35, 42

Fistula (hole in the vagina)
 leaking urine or stool and, 273
 long labor and, 186
 in past pregnancies, 94
 preventing, 22, 273

Fits. *See* Convulsions (fits)

Flat nipples, 287

Floor
 underpadding for birth on, 58
 washing, 57

Fluids. *See* Water and liquids

Folding scale, homemade, 445–446

Folic acid (folate), 37

Folk medicine, 17

Fontanels (soft spots in baby's head), 259

Food. *See* Bottle feeding; Breastfeeding; Eating and food

Foot. *See* Feet

Footling breech (feet first), 215, 218–219. *Also see* Breech baby (bottom down)

Forceps, 142, 435

Foreskin. *See* Circumcision (male)

Forgetfulness during pregnancy, 83

Formaldehyde, 64

Formula. *See* Bottle feeding

Frank breech (straight legs), 215, 216–218. *Also see* Breech baby (bottom down)

Friends. *See* Community

Fruits, 35, 42
Fumes, 47
Fungus. *See* Yeast infection

G

Garbage dumps, 69

Gardnerella (BV or bacterial vaginosis), 328

Gas pains (colic), 291

Generic names of medicines, 467

Genital herpes, 331–332

Genitals
Also see Pelvic exam; Sexually transmitted infections (STIs); Vagina
 bulging during contractions, 195
 checking baby's, 263–264
 checking mother's after birth, 248–249
 cleaning mother's after birth, 247
 illustrated, 27, 376
 itching, 77, 326, 327, 328
 swollen veins around, 76
 torn during birth, 248

Genital ulcers (sore on genitals), 329–333
 avoiding sex if present, 329
 chancroid, 330, 331
 genital herpes, 331–332
 HPV (genital warts), 333, 380
 syphilis, 329–330

Genital warts (HPV), 333, 380

German measles (rubella), 45, 95

Germ
 defined, 49
 how they get into the body, 50
 infection caused by, 49–51
 keeping away, 52–56, 175
 sterilization and, 60

Getting up and down during pregnancy, 78

Girls' need for food, 39

Gloves
 disposing of, 68
 how to put on sterile gloves, 55
 plastic bags as, 54
 for preventing infection, 51
 reusing, 66
 sterile packets of, 55, 65
 sterile, using, 54–55
 sterilizing, 66

Glow foods, 34, 35, 36–39. *Also see* Minerals; Vitamins

Glutaraldehydes, 64

Glycerine and alcohol hand cleaner, 54

Go foods (fats, oils, and sugar), 34, 35

Goiter, 38, 117

Gonorrhea (gono), 50, 323–325

Gourd model for womb, 454

Grains, 35, 42

Greed and medicine, 19

Grow foods (proteins), 34, 35, 250

Guarding the labor, 158

Guiding the labor, 159–163

Gums

pale, 116
 sore or bleeding, 117

H

Hands

Also see Touching inside the vagina
 checking baby's, 262
 swollen in mother (warning sign), 76, 81, 126, 127
 washing, 53–54, 153, 168

Hard stools. *See* Constipation

Harelip (cleft lip), 261–262

Harmful diet beliefs, 39–40

Headaches

during pregnancy, 81
 migraines, 81
 as warning sign, 81, 109, 125

Head of baby

Also see Breech baby (bottom down)
 beginning to show in birth, 196–197
 caputs and hematomas, 260
 checking after birth, 259–260
 clearing nose and mouth, 208–210
 finding in pregnant mother, 137–138

to one side in womb (asynclitic), 204
 shape, suture lines, and fontanels, 259

slowing the birth of, 207–208

Head up position. *See* Breech baby (bottom down)

Health care in pregnancy, 33–47

Also see Prenatal checkups
 cleanliness, 42–43
 eating well, 33–42
 exercise, 43–44
 illness during pregnancy, 97–101
 importance of, 70
 pregnancy health history, 85–107

prenatal checkups, 108–145

preventing infection, 49–69

purposes of, 70

record of prenatal care, 145

sleep, rest, and relaxation, 44

things to avoid, 45–47

warning signs (medical help needed), 106, 109

woman's body in pregnancy, 27–30, 73–83

for women with HIV, 101, 335

- Health history**, 85–107
 age, 90
 health problems at present, 97–101
 medicines she is taking, 103
 miscarriages or abortions, 91–92
 months pregnant and due date, 88–90
 number of previous babies, 90–91
 other things affecting pregnancy and birth, 104–107
 overview, 85
 past problems with pregnancy or birth, 93–96
 problems with medicines, 103
 signs of pregnancy, 86–87
 tetanus vaccinations, 101–102
- Health workers.** *See* Doctors; Midwives
- Heartbeat (baby)**, 139–141, 172–173, 243
 checking after birth, 243, 255
 checking during labor, 172–173
 checking speed of, 141
 equipment for listening to, 139
 fast, 173, 184, 243, 255
 finding, 139
 finding baby's position by, 140, 172
 listening to, 139–141, 172
 listening to heart sounds, 262
 missing (molar pregnancy sign), 134
 pulse in cord, 139, 177
 quiet, 141
 as sign of pregnancy, 87
 slow, 141, 172–173, 177, 184, 208, 243, 255
 stopped, 134
 swishy sound, 139
 twins, 143–144
 warning signs versus healthy signs, 141, 172–173
- Heartbeat (mother).** *See* Pulse (mother)
- Heartburn**, 74–75
- Heart (meat)**, 42
- Heart monitors**, 437
- Heart problems**
Also see High blood pressure
 pregnancy problems and, 97
 signs of, 78
- Heat.** *See* Fever; Temperature
- Hee breathing**, 170
- Helper for birth**, 151, 223
- Helping Children Who Are Blind**, 267
- Helping Children Who Are Deaf**, 267
- Helping Health Workers Learn**, 5, 41
- Hematoma (blood blister)**
 in baby's head, 260
 in vagina after birth, 248–249
- Hemorrhage.** *See* Bleeding
- Hemorrhoids (piles)**, 77
- Hepatitis**, 336
 HIV and, 492
 immunization for hepatitis B, 267
 pregnancy problems and, 97, 336
 signs of hepatitis B, 336
 stopping spread of, 50, 51
 treating hepatitis B, 336
- Herbal supplements in health history**, 103
- Herbicides**, 47
- Heroin**, 46
- Herpes, genital**, 331–332
- High blood pressure**
 bleeding and, 231
 caring for, 124–125
 during labor, 180–181
 family planning and, 306
 late in pregnancy, with headaches, 81
 in past pregnancies, 93
 pre-eclampsia and, 125, 126, 180–182
 pregnancy problems and, 81, 97
 protein in the urine and, 125, 126, 180
 as warning sign, 122, 180
 womb growing too slowly and, 134
- High Level Disinfection (HLD)**, 59. *Also see* Sterilizing equipment
- Hips**
 checking baby's, 264–265
 deformity in mother, 97
 dislocated (baby), 265
- HIV**, 99–101, 334–335
Also see Sexually transmitted infections (STIs)
 AIDS, 99
 breastfeeding and, 286, 293–294
 care for pregnant women with, 101
 CD4 test, 335, 492
 cesarean surgery and, 436
 family planning methods and, 300–301
 germs and, 50, 51
 helping to stop, 100
 how it is spread, 99–100, 286
 instrument birth and, 435
 medicines for, 101, 335, 492–498
 pregnancy and, 335
 pregnancy problems and, 97, 101
 preventing after accidental exposure or rape, 493
 preventing mother to child transmission of, 495
 protecting against, 99–101, 334
 signs of, 334
 spermicides and, 305
 tests for, 99, 100, 334
- HLD (High Level Disinfection)**, 59. *Also see* Sterilizing equipment
- Homemade equipment**, 443–446
 due date calculator, 527
 scales, 445–446
 stethoscopes, 445
 timers, 443–444
- Homemade sponge method for family planning**, 317
- Homemade teaching materials**
 basic methods for making, 447
 model of birth, 461
 model of pelvis, 448–449
 model of pregnancy, 454–460
 model of vagina, 452–453
 model of womb, 450–451
- Hookworm, anemia caused by**, 37
- Hormonal methods for family planning**, 305–310
 birth control pills, 307–308
 other methods compared to, 301
 overview, 305–306
 side effects, 306
 women who should not use, 306
- Hospital or medical center**
 access to, 437
 anemia and birth in, 116
 baby taken from mother in, 240
 benefits and risks of, 16–17
 breech baby and, 142
 cleaning, 57, 58
 distance from care, 104
 infection danger and, 52
 lab tests, 434
 medicines from, 434
 midwives at, 440–441
 for pre-eclampsia treatment, 126, 127
 sonograms, dopplers, and X-rays at, 434
 tools for helping sick babies, 437
 tools for labor and birth emergencies, 435–436
 transfusion at, 436
 transport plan for getting there, 10, 106–107, 164, 438
 for twins' birth, 144
 types of help provided by, 433–437
 unnecessary practices and, 433, 441
- House conditions**, 104
- Household bleach.** *See* Bleach
- HPV (Human Papilloma Virus)**, 333, 380
 and cancer of the cervix, 380
 genital warts, 333, 380
 test for, 380, 383
- Human Immune Deficiency Virus.** *See* HIV/AIDS
- Human Papilloma Virus.** *See* HPV
- Hurrying labor.** *See* Encouraging labor
- Husband.** *See* Partners

Hydrogen peroxide

- for sterilizing tools, 64
- washing floor with, 57

Hypodermic syringes. *See* Injections; Needles (hypodermic)

Hypothyroidism, 38, 117

I**Ideas about food, health and, 39–40****Illness**

- Also see* Infections; Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after); *specific illnesses*
- breastfeeding by sick mother, 292
- keeping away from, during pregnancy, 45
- keeping sick people away from births, 50–51
- medical help needed for, 97
- medicines listed by, 472
- pregnancy health history, 97–101

Immunizations. *See* Vaccinations

Implants for family planning, 309–310

Incomplete abortion, 407–408, 417, 419

Incubator, 437

Indigestion. *See* Stomach problems

Inducing labor. *See* Encouraging labor

Infections

- Also see* Sexually transmitted infections (STIs)
- after abortion or miscarriage, 406, 409–411, 419
- after birth, 251
- in baby, 255, 256, 277–279
- bacterial vaginosis (BV) or gardnerella, 328
- basic rules for preventing, 52
- bladder, 77, 97, 120, 128–129, 179
- breast (mastitis), 289
- chancroid, 330, 331
- chlamydia, 50, 323–325
- during labor, 178–179
- from female genital cutting, 368–369
- fever from, 120
- germs and, 49–51
- gonorrhea, 50, 323–325
- hepatitis, 336
- herpes, genital, 331–332
- HIV and, 101
- HPV (Human Papilloma Virus), 333, 379, 380, 383
- IUD dangers for, 49, 390, 399
- kidney, 97, 128–129, 179
- labor not starting and signs of, 176

- medical help needed for, 106
- in past pregnancies, 95
- pregnancy problems and, 97
- preventing, 42, 49–69
- preventing, for people with HIV, 101, 335, 478
- rescue breathing and, 243
- syphilis, 329–330
- thrush (yeast infection), 290
- trichomonas (trich), 326
- urethra, 128, 129
- vaginal, 272
- womb, 120, 179, 185, 271, 399
- yeast, 101, 115, 290, 326–327

Infertility, 30–31

Injectable contraceptives, 309

Injections, 345–349

- Also see* Medicines; Needles (hypodermic); Vaccinations
- allergic reactions to, 345
- dangers of, 345
- drawing up the medicine, 346–348
- how to give, 346–349
- infection danger and, 50, 51, 56, 345
- numbing torn area before sewing, 360–361
- numb the cervix during MVA, 424
- times when helpful or necessary, 345
- using ampules of medicine, 346, 347
- using liquid in a bottle, 346, 347
- using only when necessary, 344
- using powder in a bottle, 346, 348
- vitamin, 42
- where to inject, 348

Injury inside the body (internal injury), 413

Insomnia, 75

Instrument birth, 435–436

Instruments. *See* Sterilizing equipment; Tools and supplies

Intrauterine devices (IUDs), 389–399

- advantages and disadvantages of, 390
- after inserting, checking, 398–399
- before inserting, explaining about, 392
- before inserting, sterilizing tools, 392
- before inserting, things to check, 391
- before inserting, things to know, 389
- Dalkon Shield*, removing, 399
- dangers for some women, 390
- described, 389
- disadvantages and risks of, 311
- for emergency contraception, 316
- for family planning, 301, 310–311
- helping a woman decide about, 390–391
- infection from, 49, 390, 399

- inserting, 392–398
- loading the *Copper T* IUD, 393–394
- removing, 399
- tools for inserting, 392
- warning signs, 311

Intravenous solution (IV), 350–351

Inverted nipples, 287

Iodine, 38, 117

Iron, 36, 74, 116

Irritability during pregnancy, 82

Isopropyl alcohol

- alcohol and glycerine hand cleaner, 54
- soaking thermometers in, 65
- for sterilizing tools, 64
- washing floor with, 57

Itching genitals, 77, 326, 327, 328

IUDs. *See* Intrauterine devices (IUDs)

IV (intravenous solution), 350–351

J

Jaundice signs in baby, 266, 279

Joint aches and pains, 79, 81

Judgment, avoiding, 6

K

Kegels (squeezing exercise), 44

Kicking by baby

- months pregnant and, 87
- painful, 80
- position of baby and, 138
- as sign of pregnancy, 87
- stopped, 80, 134

Kidney infection, 128–129

- labor and, 179
- pregnancy problems and, 97
- signs of, 128
- treating, 129

Kidney (meat), 42

Knots

- 4-layer, 364
- square, 214

L**Labor and birth**

- Also see* Contractions; Encouraging labor; First few hours after birth; First weeks after birth; *specific stages of labor*
- baby does not fit through pelvis, 189, 204
- baby not born after 1 or 2 hours of pushing, 203–205
- baby stuck at shoulders, 210–212
- basic pattern, 146
- bladder of mother full and, 203, 352
- bleeding during, 183, 205

caring for the mother during labor, 157–163, 169–170, 200–202

cesarean surgery (birth by operation), 96

changing bedding under mother, 163

changing position every hour in labor, 162

clearing baby's nose and mouth, 208–209, 213–214

cord around baby's neck, 209

dead baby and, 135, 243

delivering baby's body and giving baby to mother, 212

delivering baby's shoulders, 210–212

drinking during labor, 159–160

early birth, 83, 88, 94, 221, 292

eating during labor, 160

first few hours after birth, 157, 247–267

guarding the labor, 158

guiding the labor, 159–163

helper for, 151

helping the mother relax, 169–170

home methods for starting labor, 341–344

keeping sick people away, 50–51

late, 88

long labor, 91, 94, 186–191

not lying flat on back, 162, 200

overview, 155–157

pain, easing, 169–170, 187–188, 193

in past pregnancies, 94

pelvic exam and, 374

preventing problems, 163

record keeping, 164–165, 170

resting between contractions, 161

signs of labor starting soon, 149–151

signs of stage 2 near or starting, 195

slowing the birth of the head, 207–208

speed of birth, watching, 202–205

stage 1 (opening), 146, 155–156, 167–193

stage 2 (pushing), 146, 156, 195–221

stage 3 (birth of the placenta), 146, 157, 223–245

supplies to have, 152–153

supporting labor, 158, 169–170, 200–202

swollen veins around genitals and, 76

transport plan for medical help, 10, 106–107, 164, 438

urinating during labor, 161

vaginal exams during, 186, 339–340

warning signs (medical help needed), 147, 163, 204–205

when to go to birth, 151

Labsticks, 126

Lab tests, 379, 380, 434

Large baby, 258

medical help needed for, 258

in past pregnancies, 94, 115

tired, weak, or sick, 254, 258

Late labor

Also see Encouraging labor described, 167

long labor and, 189

normal and safe range, 88

Laughter during pregnancy, 82

Laxatives, avoiding, 77

Leafy vegetables, 36, 37, 39, 42

Leaking breasts, 76

Learning by midwives

about medicines, 466

before doing dangerous procedures, 21

at hospitals, 440, 441

as lifelong process, 1–2

Legal concerns

for inserting IUDs, 389

for manual vacuum aspiration (MVA), 417

Legs

checking baby's, 264–265

cleaning mother's after birth, 247

clot, warning signs, 273

constant pain in one leg, 81, 113

cramps, 80–81

pain in, 113–114

red, hard, swollen, or painful (mother), 273

relaxing when pushing, 201

Legumes, 35, 41

Length of labor. *See* Encouraging labor; Long labor

Length of pregnancy

due date prediction, 88–89, 130, 133, 527

early birth, 83, 88, 94, 221, 292

figuring months or weeks pregnant, 88, 89, 90

late labor, 167, 189

normal duration, 88

Lentils, 35, 41

Ligaments, pain in, 79

Light color. *See* Pale color; White color

Light labor, 167, 188

Limits, knowing yours, 20–21

Lips

cleft (harelip) in baby, 261–262

dry (mother), 159

Liquids. *See* Water and liquids

Listening in pregnancy care, 7, 70

Liver disease. *See* Hepatitis

Liver (meat), 42

Living conditions, 104

Loading the Copper T IUD, 393–394

Lockjaw. *See* Tetanus (lockjaw)

Long labor, 186–191, 202–205

Also see Encouraging labor

active labor, 188

baby does not fit through pelvis, 189, 204

baby in difficult or impossible position, 190–191, 204

baby not born after 1 or 2 hours of pushing, 203–205

bladder of mother full and, 203, 352

exhaustion from, 188–189

fear or tension and, 187–188

late labor, 189

light labor, 188

medical help needed for, 106, 204–205

number of previous babies and, 91

in past pregnancies, 94

position of mother and, 203

problems from, 186

twins and, 220

watching the speed of birth, 202–205

Loose stool. *See* Diarrhea (loose stool)

Lugol's iodine, 38

Lump (abscess) in breast, 288

Lung problems (baby)

chlamydia or gonorrhea and, 324

infection (pneumonia), 278

Lying down

Also see Rest; Sleep

during labor, changing position every hour, 162

during labor, not flat on back, 162, 200

during labor, on side, 200

during pregnancy, 78

M

Macrolides, 471

Magnesium for leg cramps, 81

Main foods (carbohydrates), 34, 35

Maize, 35, 38

Malaria, 98–99

anemia caused by, 37

infertility and, 31

labor and, 179

miscarriage from, 91

pregnancy problems and, 97

preventing, 98–99

rapid test for, 99

treating, 98–99

Malnutrition. *See* Poor nutrition

Manual vacuum aspiration (MVA), 417–421
 before doing, things to know, 417
 cannula becomes clogged during, 429
 cannula comes out of womb during, 428
 checking on woman after, 430–431
 choosing a cannula, 425
 family planning and, 431
 getting ready, 419–421
 helping the woman be comfortable, 419
 how to do, 422–428
 infection danger and, 49
 injection to numb the cervix, 424
 overview, 417
 preventing pain, 421, 424
 problems that can be caused by, 430
 problems with, 428–430
 safety concerns, 92, 417, 418
 staying healthy after, 431
 sterilizing tools, 420–421
 syringe is full during, 429
 tools and supplies, 419–421
 uses for, 417
 vagus nerve and, 426
 warning signs versus healthy signs after, 430–431
 when to do, 418–419
 womb is too big to empty, 430

Mask of pregnancy, 79

Massage between contractions, 169

Mastitis (breast infection), 289

Materials for teaching. *See* Models for teaching

Maternity center. *See* Hospital or medical center

Measles, German (rubella), 45, 95

Measuring medicines, 468–469

Measuring the womb, 130–135
 for checking baby's growth, 130
 cloth tape measure for, 132
 determining months pregnant, 90, 130
 for due date prediction, 130, 133
 feeling the womb, 130–131
 finger method for, 131–132
 warning signs, 132–135
 ways of measuring, 90, 130–132
 womb growing too fast, 133–134
 womb growing too slowly, 134–135

Meat, 35, 42

Meconium (baby's first stool)
 defined, 174
 in waters, 174–175, 209, 213

Medical alcohol. *See* Alcohol (medical)

Medical center. *See* Hospital or medical center

Medical Mission Sisters, 63

Medical pregnancy test, 87

Medication abortion, 92

Medicines, 462–497
Also see Injections; Vaccinations
specific medicines, 473–497
 for allergic reactions, 465
 allergic reactions to, 103, 465–466
 amount to take, 464, 466, 468–469
 antibiotics, 470–471
 avoiding during pregnancy or breastfeeding, 45, 463
 for bacterial vaginosis (BV or gardnerella), 328
 benefits and risks of, 16
 for birth of the placenta (stage 3), 224, 225, 228, 231, 233, 237
 for bladder infection, 129
 breastfeeding and, 292
 for breast infection (mastitis), 289
 for chancroid, 331
 for chlamydia, 324, 325
 choosing safe and helpful medicine, 19
 combinations, avoiding, 464
 dosage, 464, 466, 468–469
 for emptying womb after incomplete abortion, 408
 "families" of, 103
 for fever, 119
 forms of, 467
 for genital herpes, 332
 for gonorrhea, 324, 325
 greed and, 19
 health history, 103
 to help the womb contract, 224
 hepatitis B and, 336
 for HIV and AIDS, 101, 335, 492–498
 from hospitals or medical centers, 434
 how to take safely, 464–466
 how to take, 467–470
 for HPV (genital warts), 333
 for infection after abortion or miscarriage, 410
 for kidney infection, 129
 knowing about, 466
 listed by problem treated, 472
 for malaria, 98–99
 measuring, 468–469
 for medical abortion, 92
 for meningitis (brain infection), 279
 for migraines during pregnancy, 81
 names of, 467
 non-Western systems, 17
 for numbing torn area before sewing, 360
 for pelvic inflammatory disease (PID), 325

plant medicines for starting labor, 344
 for pneumonia (lung infection), 279
 poisoning from, 466
 for pre-eclampsia, 181–182
 to prevent infection after birth of the placenta, 231, 233
 for preventing pain during MVA, 421
 for sexually transmitted infections, 322
 side effects, 464–465
 signs of problems with, 464–466
 for starting labor, 175, 191
 to stop bleeding from the womb, 231, 237
 for syphilis, 330
 for tetanus (lockjaw), 278, 411
 traditional medicine, 17, 463
 for trichomonas (trich), 326
 types of, 17–19, 470
 Western medicine, 17, 18
 when to take, 469–470
 when to use, 463
 for womb infection, 179
 for yeast infection, 327

Meningitis (brain infection) in baby, 278

Menopause (end of monthly bleeding), 31, 86

Menstruation. *See* Monthly bleeding

Mercury in fish, 35

Midwives, 1–11
 emotional support after early end to pregnancy, 403–404
 helping to stop HIV, 100
 at hospitals, 440–441
 knowing your limits, 20–21
 learning lifelong for, 1–2
 prenatal care and, 70–71
 protecting yourself from infection, 56
 sharing what you know, 3–6
 supplies to have at birth, 152–153
 unnecessary practices at hospitals and, 433, 441
 working for the joy of it, 11
 working to improve women's health, 8–10
 working with hospitals and doctors, 438–441

Migraine headaches, 81

Milk. *See* Bottle feeding; Breastfeeding

Minerals

calcium, 37–38, 74, 81
to eat every day, 36–38
glow foods, 34, 35
iodine, 38, 117
iron, 36, 74, 116
magnesium, 81
potassium, 81
preventing leg cramps, 81

Miscarriage, 401–415

Also see Manual vacuum aspiration (MVA)
bleeding too much after, 406, 412–414
defined, 91
diabetes and, 93
emergency care for problems, 406–414
emotional support after, 403–404
finding care after, 401–403
helping a woman after, 401–415
history of, 91
HIV and, 101
infection after, 406, 409–411
IUD dangers after, 390
physical care after, 404–405
preventing, 91
problems from, 401–405
shock after, 409, 414
spotting during cramps and, 79
tetanus (lockjaw) after, 411
warning signs, 79, 112
warning signs versus healthy signs, 404

Misoprostol

to empty womb after
incomplete abortion, 408
to help the placenta come out, 224, 228
to stop bleeding from the womb, 231, 232, 234, 237

Models for teaching

baby, 459
basic methods for making, 447
birth, 461
cord, 458–459
pelvis, 448–449
placenta, 456–457
pregnancy, 454–460
sources for other teaching materials, 461
vagina, 452–453, 454
womb, 450–451, 454–457

Molar pregnancy (tumor), 134**Money**

eating well with little, 41–42
pregnancy problems and, 104

Monthly bleeding (menstruation)

and tests for cancer, 379

defined, 29
heavy, IUD dangers and, 390
menopause and, 31
predicting due date using, 88–89, 133
stopped, as sign of pregnancy, 86
stopped, with birth control pills, 307

Months pregnant, figuring, 88, 89, 90.

Also see Length of pregnancy

Moon, figuring due date by, 89**Morning sickness, 73–74, 86, 110–111.**

Also see Nausea

Mouth

checking baby's, 261
cleft lip (harelip) or cleft palate, 261–262

Mouth care, 43**Movements by baby**

months pregnant and, 87
painful kicking, 80
position of baby and, 138
as signs of pregnancy, 87
stopped, 80, 134

Moving to encourage labor, 192**Mucus**

plugging cervix, 28, 150, 155
show (mucus tinged with blood), 150–151

Mucus bulb (bulb syringe), 66, 209**Mucus method of fertility awareness, 313****Mumps, infertility and, 31****Muscle tone (baby), 244****MVA. See** Manual vacuum aspiration (MVA)**N****Nausea**

Also see Vomiting
causes other than pregnancy, 86
drinking during labor and, 159
liquids easier to drink, 159
morning sickness, 73–74, 86, 110–111
warning signs versus healthy signs, 110–111

Neck, checking baby's, 262**Needles for sewing tears, 56, 362, 366****Needles (hypodermic)**

Also see Injections
caring for, 66–67
disposing of, 68, 69
drawing up medicine into, 346–348
HIV spread and, 99, 334
preparing for injections, 346
reusable and disposable syringes, 66
safe handling of, 56
sterilizing, 66–67
used, dangers of, 349

Newborn. See Baby; First few hours after birth; First weeks after birth

Nightmares, 82**Nipples**

Also see Breastfeeding
during breastfeeding, 282
flat or inverted, 287
fluid leaking from, 76
sore or cracked, 290
stimulating to encourage labor, 192
thrush (yeast infection), 290

Nitrazine papers, 174**Nitrous oxide, 383a****Non-Western systems of medicine, 17****Nose, checking baby's, 261****Numbing**

cervix during MVA, 424
torn area before sewing, 360–361

Numbness of feet, 117

Nutrition. See Bottle feeding;
Breastfeeding; Eating and food

Nuts, 35, 38**O****Observing in pregnancy care, 70****Ointments. See** Medicines**Opening of the vagina, enlarging. See** Episiotomy (cutting the vaginal opening)**Opening (stage 1 of labor), 167–193**

Also see Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)
active labor, 167
baby does not fit through pelvis, 189
baby's heartbeat, checking, 172–173
baby's position, checking, 170–171
baby's position, difficult or impossible, 190–191
bag of waters, 174–177
bleeding during labor, 183
blood pressure, checking mother's, 180–182
breathing by the mother, 170
convulsions (fits) during, 181–182
cord coming in front of baby (prolapsed), 176–177
helping the mother relax, 169–170
keeping germs out of vagina, 175
labor patterns in, 168
late labor, 167
light labor, 167
long labor, 186–191
overview, 146, 155–156, 167–168
pain in the womb, 183–185
parts, 167
pre-eclampsia and, 180–182
pulse, checking mother's, 178
pushing, avoiding, 186, 196

signs for the midwife to check, 170–193

signs of progress, 185

size of fully open cervix, 156

sounds that are helpful, 169

temperature, checking mother's, 178–179

touching the mother, 169

vaginal exam, 186

when you first arrive, 168

Operation, birth by. *See* Cesarean surgery (birth by operation)

Opium, 46

Organ meats, 42

Ovaries

- bimanual (2-hand) exam, 387
- illustrated, 28, 29

Overweight mother, 115, 118

Oxygen, giving to baby, 241, 437

Oxygen tent, 437

Oxytocin

- in “active management” of stage 3, 225
- to help the placenta come out, 224, 228
- to help the womb contract, 236
- not giving at home, 434
- to stop bleeding from the womb, 230, 231, 232, 234

P

Packaged foods, 39

Pain

Also see Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)

baby kicking, 80

back, 80, 113–114

belly, 79, 109, 113–114, 125

changes and discomforts in pregnancy, 76–81

between contractions, 184

easing during labor, 169–170, 187–188, 193

gas pains (colic) in baby, 291

headaches, 81, 109

joints, 79, 81

legs, 113–114

lower belly, 128

lump (abscess) in breast, 288

in one leg, constant, 81, 113

preventing during MVA, 421, 424

stomach (heartburn), 74–75

unusual pains during pregnancy, 81

on urination, 77, 128

vagina, after birth, 248–249

warning signs versus healthy signs, 113–114

in womb during labor, 183–185

Pains, labor. *See* Contractions

Palate, cleft, 261–262

Pale color

- baby, 244–245, 266
- cord white after birth, 157
- inside of eyelids, fingernails, and gums, 116
- shock and, 239

Panting, 170, 201

Pap test for cancer or pre-cancer, 379, 381–383

Paper mache models, 447

Paper pelvis model, 448–449

Parasites, 37, 74, 86, 111, 118

Partners

- abusive, 105
- family planning and, 318
- feeding first, 9
- helper for birth, 151
- for improving women's health, 9
- as people who affect a woman's health, 8–9
- permission for care from, 107
- sex during pregnancy and, 83
- support from, 105, 106
- women's health affected by, 8–9

Patterns. *See* Models for teaching

Peas, 35, 41

Peeing. *See* Urinating

Pelvic exam, 373–387

- asking about history before, 375
- before the exam, 375–376
- bimanual (2-hand) exam, 373, 384–387
- making safe, 374–375
- Pap test for cancer or pre-cancer, 379, 381–383
- parts of, 373
- speculum exam, 373, 377–383
- tools for, 376
- uses for, 373
- vinegar test for cancer or pre-cancer, 379, 380, 383b
- visual exam, 373, 376
- when to do and not to do, 374

Pelvic infection

(pelvic inflammatory disease or PID), 325, 383a

Pelvis

Also see Pelvic exam; Pubic bone

- baby does not fit through, 189, 204
- baby moving down through, 137, 171
- baby stuck at shoulders, 211–213
- illustrated, 27
- model for teaching about, 448–449
- not formed well in mother, 96
- small, symphysiotomy for, 436
- squeezing exercise for (Kegels), 44

Penicillins, 471

Penis

Also see Sexually transmitted infections (STIs)

- baby's, 263, 264
- partner's, 29, 83

People. *See* Community; Family; Partners

Pesticides, 31, 47

Pharmaceutical drugs. *See* Medicines

Physical discomforts during pregnancy, 76–81

Physicians. *See* Doctors; Hospital or medical center

PID (pelvic inflammatory disease), 325, 383a

Piles (hemorrhoids), 77

Pills. *See* Medicines

“Pill, the,” 307–308

Placenta

Also see Birth of the placenta (stage 3 of labor)

- birth of (stage 3 of labor), 146, 157, 223–245
- checking after birth, 233–234
- covering the cervix (placenta previa), 112, 183, 374
- detached (abruption), 114, 180, 184, 205, 219, 354
- disposing of, 67, 235
- guiding out by the cord, 228–229
- heavy bleeding before birth of, 226
- helping the mother push it out, 227–231
- helping the womb contract after birth of, 224, 231, 236–238
- illustrated, 30
- model for teaching about, 456–457, 460
- piece left inside womb, 234–235
- problems in past pregnancies, 95
- pushing on mother's belly and, 205
- separation from womb after birth, 157
- signs of separation from womb, 226–227
- taking out by hand, 230–231
- womb comes out with, 232–233

Placenta previa, 112, 183, 374

Plant medicines for starting labor, 344

Plastic bags as gloves, 54

Plastic waste, safe disposal of, 68

Pneumonia (lung infection) in baby, 278

Poisoning from medicine, 466

Poisonous chemicals, 47

Polyvidone iodine, 38

Poor nutrition, 33, 117, 134

- Position of the baby**, 135–144,
170–171, 190–191, 215–219
breech (bottom down), 137, 138,
142–143, 190, 215–219,
369–371
checking early in labor, 170–171
difficult or impossible position,
190–191, 204
face first or forehead first, 190, 204
facing back, 136, 171
facing stomach (posterior), 136, 171,
190, 204
feeling the mother's belly, 135–138
finding by listening to heartbeat, 140
finding the head, 137–138
head to one side (asynclitic), 204
heartbeat of baby and, 139–141
kicking or other movements and,
138
medical help needed and, 190–191
moving down through pelvis, 171
recording, 140
sideways, 143, 191, 219, 220–221,
369, 371
turning a breech or sideways baby,
369–371
twins and, 219, 220–221
vertical (up and down), 136
warning signs versus healthy signs,
135
- Position of the mother during birth**
baby stuck at shoulders and, 212
changing every hour, 162
delivering baby's shoulders and, 211
good for pushing, 200
letting her choose, 200
long labor and, 203
not lying flat on back, 162, 200
- Posters, making from slides**, 447
- Potassium for leg cramps**, 81
- Poverty**. *See* Money
- Practice contractions**, 150, 155
- Pre-cancer**, 379–380
- Pre-eclampsia**
caring for, 127
checking for, 126–127, 180
convulsions (fits) from, 93, 126,
181–182
during labor, 180–182
medical help needed for, 106, 125,
126, 127, 180–181
in past pregnancies, 93, 97
signs of, 76, 81, 122, 125–126, 180
- Pregnancy**
Also see Abortion; Family planning;
Health care in pregnancy;
Miscarriage; Prenatal checkups
age and, 90
antibiotics and, 471
breastfeeding during, 292
caring for body during, 42–44
changes and discomforts, 76–81
distance from care and, 104
due date, 88–89, 130, 133, 527
eating and digestion changes in,
73–75
eating well, 33–42
family support during, 105–107
feelings and emotions in, 82–83
figuring months or weeks pregnant,
88, 89, 90
harmful diet beliefs, 39–40
health history, 85–107
hepatitis B and, 336
herpes and, 332
HIV and, 335
how the baby grows, 30
how women get pregnant, 29
illness during, 97–101
living conditions and, 104, 104
mask of, 79
medicines and, 45, 103, 463, 471
menopause and, 31
model for teaching about, 454–460
molar (tumor), 134
money and, 104
number of previous babies and,
90–91
problems with medicines and, 103
problems with past pregnancies or
births, 93–97
sex during, 83
sexual and reproductive parts, 27–28
signs of, 86–87
sleeping changes in, 75
syphilis and, 330
tetanus vaccination and, 101–102
things to avoid during, 45–47
transport plan for medical help, 10,
106–107, 164, 438
woman's body in, 27–30, 73–83
work and, 105
- Pregnancy health history**. *See* Health
history
- Premature birth**. *See* Early birth
- Prenatal care**. *See* Health care in
pregnancy
- Prenatal checkups**, 109–145
Also see Signs (baby); Signs (mother
during pregnancy)
after the checkup, 144
checking the baby, 130–144
checking the mother's body,
116–129
importance of, 70–71
pregnancy health history, 85–107
record of prenatal care, 145
scheduling, 144
talking with the mother, 109–115
- Pressure steaming, sterilizing tools
by**, 61–62
- Preventing**
Also see Family planning
abortions, unsafe, 415
anemia, 36
bladder infection, 129
blindness (baby), 260–261, 324
cancer of the cervix, 379, 383
constipation, 76
fistula (hole in the vagina), 22, 273
goiter, 38
health problems, community
changes for, 23–25
heavy bleeding after birth, 248
HIV, 99–100, 335
infection, 42, 49–69
labor problems, 163
leg cramps, 81
malaria, 98
miscarriages, 91
sexually transmitted infections (STIs),
336–337
tears, 206–208, 356
tetanus (lockjaw), 102, 278, 411
yeast infection, 327
- Primaquine**, 98
- Privacy**, 7
- Processed foods**, 39
- Prolapsed cord (coming in front
of baby)**
episiotomy for, 354–355
footling breech (feet first) and, 218
slowing birth not recommended for,
208
twins and, 219
watching for, 176–177
what to do about, 177
- Protective clothing for preventing
infection**, 56
- Protein in the urine**
as bladder infection sign, 128
as pre-eclampsia sign, 125, 126–127,
180
- Proteins (grow foods)**, 34, 35, 250
- Pubic bone**
Also see Pelvis
baby stuck at shoulders, 211–213
illustrated, 27
symphysiotomy (cutting in middle),
436
using to feel for baby's head, 137

Pulling out (withdrawal) during sex, 301, 317

Pulse in cord, 139, 177. *Also see* Heartbeat (baby)

Pulse (mother)

in belly, 139
checking during labor, 178
checking during pregnancy, 120–121
fast, 116, 121, 159, 178, 239, 251
shock and, 239
slow, 178
warning signs versus healthy signs, 120

Purgatives, avoiding, 77

Purple color

line between buttocks as stage 2 approaches, 195
spots on skin, 79

Pus, draining from vaginal infection, 272

Pushing (stage 2 of labor), 195–221

Also see Contractions; Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)

baby does not fit through pelvis, 204
baby not born after 1 or 2 hours of pushing, 203–205
baby stuck at shoulders, 211–213
bladder of mother full and, 203, 352
breathing by the mother, 201
checking physical signs of mother and baby, 199
clearing baby's nose and mouth, 208–210
cord around baby's neck, 210
crowning, 197
cutting the birth opening (episiotomy), 206, 354–355
delivering baby's body and giving baby to mother, 214
delivering the baby's shoulders, 211–213
head of baby begins to show, 196–197
helping the mother give birth, 206–215
helping the mother push, 201–202
how the baby moves through the vagina, 197–198
overview, 146, 156, 196–198
position of the mother, 200
safe birth, helping, 199–202
signs that stage 2 is near or starting, 195
signs to watch for, 202–205
slowing the birth of the head, 207–208

supporting the mother, 200–202
supporting the vaginal opening, 206
too early, before cervix is dilated, 186, 196
warm cloths around the vaginal opening, 207

Q

Quarter-circle scale, homemade, 446
Questions

Also see Talking
about eating habits, 34
answering family's questions, 267
finding root causes of health problems, 21–22
in pregnancy health history, 85–107
in prenatal checkup, 109–115
midwives asking “why”, 2, 21–22

R

Rashes

avoiding during pregnancy or breastfeeding, 45
from medicine, 103
poor nutrition and, 117

Razor blades, 65

Records

baby's position, 140
baby's physical signs in first few hours, 253
of labor, 164–165, 170
prenatal care, 144–145
womb measurement, 131, 132

Rectal fluids, giving, 342

Rectal sphincter, sewing, 366

Red color

baby, 266
legs (mother), 273

Reflexes

baby, 244
over-active (mother), 125

Rehydration drink, 159–160

Relaxation

Also see Rest
between contractions, 161
helping mother during labor, 187–188

Removing

intrauterine devices (IUDs), 399
milk from breasts, 284–285

Rescue breathing, 242–243

Respirator, 437

Rest

Also see Relaxation; Sleep; Tiredness
between contractions, 161
during pregnancy, 44
first weeks after birth, 269

getting up and down during pregnancy, 78
heartburn and, 75
for high blood pressure, 124
sleepiness during pregnancy, 75, 86

Rh incompatibility, 504

Role playing, 4

Root causes of health problems

finding, 21–22
making changes in community, 23–25

Rubella (German measles), 45, 95

S

Salt, high blood pressure and, 125

Sand timers, 443–444

Scales

homemade, 445–446
weighing baby using, 258

Scars

circumcision (female genital cutting), 206, 354–355, 367–369
on womb from abortion, 92
on womb from cesarean surgery, 96

Schedules

prenatal checkups, 144
signs to check during stage 1 of labor, 170
tetanus vaccinations, 102

Seeds, 35, 37

Seeing. *See* Eyes

Seizures. *See* Convulsions (fits)

Semen. *See* Sperm (semen)

Sewing a tear or episiotomy, 356–366

general rules, 361
getting ready, 359
how to sew, 362–365
judging whether stitches are needed, 356–358
medical help needed for, 358
numbing the torn area, 360–361
preventing tears, 356
rectal sphincter, 366
safe handling of needles, 56
sewing within 12 hours, 358
testing for torn muscle around anus, 357
tools for, 358–359
tying stitches, 364

Sex

Also see Family planning; Sexually transmitted infections (STIs)
abusive partners, 105
after birth, 269
during pregnancy, 83
HIV spread and, 99, 334
pulling out (withdrawal) during, 301, 317
without intercourse, 301, 312

Sexually transmitted infections (STIs)

Also see HIV
 affecting whole body, 334–336
 bacterial vaginosis (BV or gardnerella), 328
 chancroid, 330, 331
 chlamydia, 323–325
 community and, 337
 discharge (wetness from vagina), 323–328
 genital herpes, 331–332
 germs and, 50
 gonorrhea (gono), 50, 323–325
 hepatitis B, 336
 how they are passed, 322
 HPV, 333, 380, 383
 infertility and, 31
 itching of the genitals, 328
 IUD dangers and, 390
 labor not starting after breaking of waters and, 176
 miscarriage from, 91
 overview, 321
 pelvic inflammatory disease (PID), 325
 preventing, 336–337
 sex during pregnancy and, 83
 signs of, 321
 sores on the genitals, 329–333
 syphilis, 329–330
 treating, 321, 322
 trichomonas (trich), 326
 yeast infection, 326–327

Shame, pelvic exam and, 375**Sharing knowledge**

Also see Teaching
 with the community, 4–6
 with other health workers and midwives, 3–4

Sharp wastes, disposing of, 67**Shit.** *See* Stool**Shock**

after abortion or miscarriage, 409
 414
 after female genital cutting (circumcision or FGC), 368
 after heavy bleeding, 239
 allergic reaction to medicine, 465–466
 signs and treatment, 239

Shortening labor. *See* Encouraging labor**Short labor in past birth, 94****Shortness of breath (mother), 78, 103, 114****Shots.** *See* Injections**Shoulders (baby)**

checking, 262
 delivering, 210–212
 episiotomy for stuck shoulders, 354–355

Show (mucus tinged with blood), 150–151**Sickness.** *See* Illness; Infections; *specific sicknesses***Side effects**

of hormonal methods for family planning, 306
 of medicines, 464–465

Sideways baby

checking for, 136
 dangers of turning, 369
 medical help needed for, 136, 191
 turning, 369, 371
 twins and, 219, 220–221
 what to do about, 143

Sight. *See* Eyes**Signs (baby), 252–267**

Also see specific conditions
 breathing problems, 240–241, 254, 262
 breathing rate, 254
 breech (bottom down), 137, 138, 142–143, 190, 215–219
 checking after birth, 240–245, 252–267
 checking in womb, 130–144
 chlamydia and, 324
 cleft lip (harelip) or cleft palate, 261–262
 color, 244–245, 266, 279
 cord around neck, 210
 cord coming in front (prolapsed), 176–177, 208, 218, 219, 354
 dehydration, 275
 dislocated hip, 265
 drops lower in belly, 149
 first hours after birth, 252–267
 first weeks after birth, 274–279
 gas pains (colic), 291
 general appearance, 253–254
 gonorrhea and, 324
 heartbeat (checking), 139–141, 172–173, 243, 262
 heartbeat fast, 173, 243, 255
 heartbeat slow, 141, 172–173, 177, 184, 208, 243, 255
 infection, 255, 256, 277–279
 kicking stopped, 80, 134
 length, 259
 limp, weak, or does not wake up, 253–254
 low blood pressure, 122, 180
 measuring the womb, 90, 130–135
 moving less or not at all, 184

not breathing, 241–243
 not gaining weight or growing normally, 276
 not urinating or passing stool in first day, 275
 physical signs during 2nd stage, 199
 position, 135–144, 170–171, 190–191, 215–219
 prenatal checkup, 130–144
 recording signs in first few hours, 253
 reflexes, 244
 stuck at shoulders, 211–213
 temperature low, 255–256
 thrush (yeast infection), 290
 twins, 133, 138, 143–144
 vomit “shoots” from mouth, 256
 weight, 256–258
 womb growing too fast, 133–134
 womb growing too slowly, 134–135

Signs (mother during pregnancy)

Also see Infections; Pain; Signs (mother in labor, birth, and after); *specific conditions*
 after abortion or miscarriage, 404, 406, 409, 411, 412, 413, 414
 allergic reactions to medicine, 103, 465–466
 anemia, 78, 81, 116
 back pains, 80, 113–114
 bladder infection, 77, 128
 bleeding from vagina, 109, 112
 bleeding, heavy, 106
 bleeding in early pregnancy, 79
 blurred vision, 109, 125
 breasts leaking, 76
 burning sensations, 74–75, 77
 changes and discomforts in pregnancy, 76–81
 constipation, 36, 76–77
 cramps (womb), 79
 dehydration, 111
 depression, 82
 detached placenta, 114, 219
 diabetes (blood sugar disease), 93, 115, 133
 diarrhea, 50, 111
 discharge (wetness from vagina), 50, 77
 dizziness, 81, 109
 double vision, 125
 fever, 97, 101, 109, 112, 113, 119, 120
 general health, 110
 headaches, 81, 109, 125
 high blood pressure, 81, 93, 122, 124–125, 134, 97
 iodine lack, 117
 itching, 77
 kidney infection, 128

leg cramps, **80–81**
 measuring the womb, **90, 130–135**
 medical help needed (most important signs), **106, 109, 147**
 medicines, problems with, **464–466**
 miscarriage, **79, 112**
 nausea or vomiting, **73–74, 86, 110–111**
 pain in belly, back or legs, **113–114**
 pain in one leg, constant, **81, 113**
 placenta previa, **112, 374**
 poor nutrition, **117**
 pre-eclampsia, **76, 81, 125–126, 127**
 of pregnancy, **86–87**
 prenatal checkup, **109–129**
 pulse fast, **120, 121**
 purple spots on skin, **79**
 scars on womb, **92, 96**
 sexually transmitted infections (STIs), **321, 323–335**
 shortness of breath, **78, 103, 114**
 sleepiness, **75, 86**
 spotting, **79, 112**
 stools black, **36**
 sweating during pregnancy, **78**
 swollen face and hands, **76, 81, 126, 127**
 swollen feet, **76**
 tiredness, **35, 75, 86, 93**
 tubal pregnancy, **79, 113**
 tumor (molar pregnancy), **134**
 urethra infection, **128**
 urination frequent, **77, 86**
 urination painful or burning, **77**
 vaginal infection, **77**
 vagina smells bad, **77**
 weakness, **111**
 womb growing too fast, **133–134**
 womb growing too slowly, **134–135**

Signs (mother in labor, birth, and after)
Also see Contractions; Signs (mother during pregnancy); *specific conditions*
 allergic reactions to medicine, **465–466**
 baby does not fit through pelvis, **189, 204**
 baby stuck at shoulders, **211**
 bag of waters, **174–177**
 being ready for emergencies, **163–164**
 bleeding after birth, preventing, **248**
 bleeding before placenta is born, **226**
 bleeding during labor, **183, 205**
 blood pressure, **180–182**
 breast infection (mastitis), **289**

cervix visible at vaginal opening after birth, **249**
 checking genitals for tears and problems, **248–249**
 checking physical signs after birth, **247**
 clot in leg, **273**
 convulsions (fits), **181–182**
 cord coming in front of baby (prolapsed), **176–177, 208, 218, 219, 354**
 dehydration, **159, 178**
 detached placenta (abruption), **184, 205, 219, 354**
 eating and drinking, cannot or will not after birth, **250**
 episiotomy needed, **354**
 fever, **178–179**
 first few hours after birth, **247–252**
 fistula (hole in the vagina), **273**
 genitals torn after birth, **248**
 hematoma (blood blister) in vagina after birth, **248–249**
 infected womb, **185**
 infection after birth, **251**
 labor starting soon, **149–151**
 leaking urine or stool, **273**
 legs red, hard, swollen, or painful, **273**
 medical help needed, **176, 177, 179, 180–181, 204–205**
 medicines, problems with, **464–466**
 nausea or vomiting after drinking, **159**
 not interested in her baby, **251**
 pain in the womb, **183–185**
 placenta previa, **183, 374**
 placenta separated from womb, **226–227**
 position of the baby, **170–171, 190–191**
 pre-eclampsia, **180**
 progress of labor, **185**
 pulse, **178**
 sexually transmitted infections (STIs), **321, 323–335**
 shock, **239**
 speed of birth, watching, **202–205**
 in stage 1 (opening), **170–193**
 in stage 2 (pushing), **202–205**
 stage 2 (pushing) near or starting, **195**
 temperature, **178–179**
 thrush (yeast infection), **290**
 torn womb, **185, 205**
 vaginal infection, **272**
 watching for, **163**
 when to go to birth, **151**
 womb infection, **179, 185, 271**

Single mothers, **105**

Sitting up when pregnant, **78**

Size

Also see Weight
 large baby, **254, 258**
 large baby in past, **94, 115**
 measuring the womb, **90, 130–135**
 small baby, **125, 221, 254, 256–257, 292**
 small baby in past birth, **94**
 womb bigger than normal, **115**

Skin

Also see Color (mother)
 checking baby's, **265**
 color (baby), **244–245, 266, 279**
 dark patches, **79**
 loss of stretchiness, **159**
 pale, shock and, **239**
 purple spots, **79**

Sleep

Also see Rest; Tiredness
 during pregnancy, **44, 75**
 getting up and down during pregnancy, **78**
 heartburn and, **75**
 strange dreams and nightmares, **82**

Sleepiness

Also see Tiredness
 causes other than pregnancy, **86**
 during pregnancy, **75, 86**

Slides, making posters from, **447**

Slow birth. *See* Encouraging labor; Long labor

Slow heartbeat (baby), **141, 172–173, 177, 184, 208, 243, 255**

Slow pulse (mother), **178**

Small baby, **221, 256–257**

Also see Early birth
 breastfeeding and, **292**
 causes of, **257**
 limp, weak, or does not wake up, **254**
 medical help needed for, **221, 256**
 in past pregnancies, **94**
 problems possible for, **256**
 what to do for, **257**

Smelly vagina, **77, 321**

Smoke, avoiding during pregnancy, **104**

Smoking. *See* Tobacco

Sodium hypochlorite solution.

See Bleach

Soft spots in baby's head (fontanels), **259**

Sonogram, **90, 433, 434**

Sore nipples, **290**

Sores

on genitals (genital ulcers), **329–333**
 poor nutrition and, **117**

Sounds

Also see Heartbeat (baby)
helping the mother push, 201
making in stage 1 (opening), 169

Speculum exam, 377–383

described, 373
giving, 377–379
Pap test for cancer or pre-cancer,
379, 381–383
vinegar test for cancer or pre-cancer,
379, 380, 383b

Speeding labor. *See* Encouraging labor;
Long labor**Spermicides, 301, 304, 305****Sperm (semen)**

germs in, 49, 50
reproduction and, 29, 30

**Sponge method for family planning,
317****Spontaneous abortion.** *See* Miscarriage
Spots

rubella (German measles), 45, 95
on skin, 79

Spotting, 79, 112. *Also see* Bleeding**Spring scale, homemade, 446****Square knot, 214****Squeezing exercise (Kegels), 44****Stage 1 of labor.** *See* Opening (stage 1
of labor)**Stage 2 of labor.** *See* Pushing (stage 2
of labor)**Stage 3 of labor.** *See* Birth of the
placenta (stage 3 of labor)**Starting labor.** *See* Encouraging labor
Steaming

gloves, 66
sterilizing tools by, 61–63

Sterile gloves. *See* Gloves**Sterile packets, 65****Sterilization for family planning, 301,
315****Sterilizing equipment**

Also see Cleanliness
by baking, 61
bedding, 58
before birth, 153, 168
before inserting IUDs, 392
before manual vacuum aspiration
(MVA), 420–421
by boiling, 62
chemicals for, 63–64
defined, 59
gloves, 66
High Level Disinfection (HLD) and, 59
infection prevented by, 51
items requiring sterilization, 60
mucus bulb (bulb syringe), 66
needles, 66
by pressure steaming, 61–62

razor blades, 65
by steaming, 62–63
storing tools and supplies, 64–65
thermometers, 65
tools, 59–64

Stethoscopes, 139, 445**STIs.** *See* Sexually transmitted infections
(STIs)**Stitches.** *See* Sewing a tear or
episiotomy**Stomach problems**

nausea (morning sickness), 73–74,
86, 110–111
pain (heartburn), 74–75
poor nutrition and, 117

Stool

baby does not pass in first day, 256
black, 36
constipation, 36, 76–77
diarrhea (loose stool) in baby, 275
diarrhea (loose stool) in mother, 50,
111, 150, 343
disposing of, 67
enemas, avoiding during pregnancy,
77
germs in, 49
leaking freely after birth (mother),
273
meconium (baby's first stool),
174–175, 209, 213
in waters, 174–175, 209, 213
Stopping pregnancy. *See* Abortion;
Miscarriage

Storing

bedding, 58
tools and supplies, 64–65

Strengthening labor. *See* Encouraging
labor**Suction trap, 213****Sugars (go foods), 34, 35****Sulfas (sulfanomides), 471****Supplements in health history, 103****Supplies.** *See* Tools and supplies**Supporting labor, 158, 169–170,
200–202****Surgical birth.** *See* Cesarean surgery
(birth by operation)**Suture lines in baby's head, 259****Sutures, 358****Sweating**

during pregnancy, 78
shock and, 239

Swelling

breasts (engorged), 76, 288
face and hands (warning sign), 76,
81, 109, 126, 127
feet, 76
with headaches, 81
legs red, hard, or swollen, 273

from medicine, 103
veins (varicose veins), 76

Symphiotomy, 436**Symptoms.** *See* Signs (baby); Signs
(mother during pregnancy); Signs
(mother in labor, birth, and after)**Syphilis, 329–330****Syringes**

Also see Injections; Needles
(hypodermic)
bulb syringe, 66, 209, 213
for manual vacuum aspiration (MVA),
419, 420

T**Tablets.** *See* Medicines**Talking**

about difficult subjects, 7
keeping things private, 7
listening more than, 7
with mother in prenatal checkup,
109–115
to women about food, 34–39

TB. *See* Tuberculosis**Teaching**

classes in the community, 4–5
finding materials for, 461
helper for birth, 151
homemade materials for, 447–461
how to prevent STIs, 336
to prevent health problems, 23–25
as purpose of pregnancy care, 70
sharing knowledge, 3–6

Tears

Also see Fistula (hole in the vagina);
Sewing a tear or episiotomy
degrees of, 356–358
genitals, checking after birth, 248
judging whether stitches are
needed, 356–358
medical help needed for, 184, 205
preventing, 206–208, 356
pushing on mother's belly and, 205
sewing, 356–366
testing for torn muscle around anus,
357
time for sewing, 358
vagina, 239
vaginal infection, 272
vaginal opening, during birth, 206
womb during labor, 184–185, 205

Teas

for bladder infection, 129
to help sleep, 75
for migraines during pregnancy, 81
for nausea relief, 74

Teeth, caring for, 43

Temperature

Also see Fever

checking baby after birth, 255–256

checking mother after birth, 251

checking mother during labor,

178–179

checking mother during pregnancy, 119

hot feeling during pregnancy, 78

low (baby), 255–256

warning signs (mother), 109, 119,

178

Tension

helping mother relax, 169–170

187–188

long labor and, 187–188

when pushing, avoiding, 201, 202

Testicles

Also see Sexually transmitted

infections (STIs)

baby's, 263, 264

father's, 29

Tests

for anemia, 116

blood pressure, checking the

mother's, 122–124, 180–182

CD4, 335, 492

for cancer of the cervix, 379–383

for diabetes, 115

for HIV, 99, 100

for HPV, 380

lab tests, 434

for malaria, 99

measuring the womb, 90, 130–135

for pregnancy, 87

for protein in the urine

(pre-eclampsia sign), 126–127

pulse, checking mother's, 120–121

temperature, checking the mother's,

119

for too much water in the womb,

134

Tetanus (lockjaw)

after abortion or miscarriage, 411

cutting the cord and, 214

means of infection with, 102

protecting against, 102, 278, 411

signs in baby, 278

signs in mother, 411

vaccinations, 102

Tetracyclines, 471**Thermometers**, 65, 119. *Also see*

Temperature

Thin mother, 118**Three-minute hand wash**, 53–54**Thrush (yeast infection)**, 290**Thump test for water in the womb**,

134

Time

Also see Early birth; First few hours

after birth; First weeks after

birth; Long labor; Schedules

for cutting the cord, 157

delayed labor, 88

due date, 88–89, 130, 133

early end to pregnancy, 401–415

to go to birth, 151

homemade timers, 443–444

between labor start and

breaking of waters, 175–176

months or weeks pregnant, 88, 89,

90

for sewing tears, 358

short labor in past, 93

signs of labor starting soon, 149–151

to take medicines, 469–470

Timers, homemade, 443–444**Tiredness**

Also see Anemia; Weakness

dehydration and, 159

go foods for energy, 35

in past pregnancies, 93

sleepiness during pregnancy, 75, 86

as warning sign, 116

Tobacco

avoiding during pregnancy or

breastfeeding, 46

avoiding smoke during pregnancy,

104

infertility and, 31

small baby and, 134, 257

Tonics, 103**Tools and supplies**

Also see Homemade equipment;

Sterilizing equipment; *specific*

tools and supplies

blood pressure, 122

bulb syringe, 66, 209

caring for, 65–67

cloth tape measure for womb, 132

cryoprobe, 383a–383b

disposing of wastes safely, 67–69

at hospitals or medical centers,

435–437

for inserting IUDs, 392

items requiring sterilization, 60

for listening to heartbeat, 139

low-cost and homemade, 443–446

for manual vacuum aspiration (MVA),

419–421

for pelvic exam, 376

for sewing tears, 358–359

sterile packets of, 65

storing, 64–65

suction trap, 209

supplies to have at birth, 152–153

Toothbrush, homemade, 43**Tooth care**, 43**Torn flesh**. *See* Tears**Touching inside the vagina**

Also see Intrauterine devices (IUDs);

Pelvic exam

avoiding during birth, 195, 206

baby stuck at shoulders and, 213

cryotherapy, 383a–383c

pelvic exam, 373–387

piece of placenta left inside womb,

234–235

pressure to stop bleeding after birth,

238

taking out the placenta by hand,

230–231

vaginal exams during labor, 186,

339–340

womb comes out with the placenta,

232–233

Touch in stage 1 (opening), 169**Toxemia of pregnancy**.

See Pre-eclampsia

Traditional medicine, 17, 463**Training**. *See* Learning by midwives;

Teaching

Transfusion (giving blood through an

IV), 436

Transport plan for medical help, 10,

106–107, 164, 438

Treating health problems, 13–25

Also see specific health problems

avoiding unnecessary procedures, 20

benefits and risks, 16–17

finding root causes, 21–25

finding the best treatment, 16–21

finding the causes, 13–15

knowing your limits, 20–21

steps for solving problems, 13–15

types of medicine, 17–19, 470

Trichomonas (trich), 326**Tubal ligation (sterilization**

for women), 315

Tubal pregnancy, 79, 113**Tuberculosis**

HIV and, 492

infertility and, 31

pregnancy problems and, 97

vaccination (BCG), 267

Tubes

illustrated, 28, 29

tubal ligation (sterilization for

women), 315

tubal pregnancy, 79, 113

Tumor (molar pregnancy), 134**Turning a breech or sideways baby**,

369–371

Twins, 143–144

- breastfeeding and, 291
- dangers of twin births, 219
- delivering, 220–221
- listening to heartbeats, 143–144
- medical help needed for, 144
- signs of, 133, 138, 143

U**Ulcers.** See Sores**Ultrasound, 90****Umbilical cord.** See Cord; Cutting the cord**Upset stomach.** See Stomach problems**Urethra**

- caring for infection, 129
- illustrated, 27, 376
- signs of infection, 128

Urinating

- Also see Sexually transmitted infections (STIs)
- baby does not urinate in first day, 256
- blood in urine, 128
- catheter (tube to help urinating), 249, 352–353
- during labor, 161
- frequent, 77, 86, 115
- helping mother after birth, 249
- to help the womb contract, 236
- leaking freely after birth, 273
- painful or burning, 77, 128
- protein in the urine, 125, 126–127, 128, 180
- squeezing exercise (Kegels) and, 44
- ways of encouraging, 249, 352

Uristicks, 126**Uterus.** See Womb (uterus)**V****Vaccinations**

- Also see Injections
- about, 276
- hepatitis B, 267
- tetanus, 102, 411
- tuberculosis (BCG), 267

Vacuum aspiration, 92. Also see Manual vacuum aspiration (MVA)**Vacuum extractors, 435****Vagal reaction, 426****Vagina**

- Also see Bleeding; Genitals; Pelvic exam; Sexually transmitted infections (STIs); Touching inside the vagina
- cervix visible at opening after birth, 249

fistula (hole in the vagina), 22, 94, 186

hard lump under skin, 272

hematoma (blood blister) in, 248–249

how the baby moves through, 197–198

illustrated, 27, 28, 29, 376

infection, 272

keeping germs away, 175

menopause and, 31

models for teaching about, 452–453, 454, 460

pain after birth, 248–249

preventing tears, 206–208, 356

show (mucus tinged with blood), 150–151

smells bad, 77, 321

spotting, 79, 112

squeezing exercise for (Kegels), 44

supporting opening during birth, 206

torn, 239

touching during birth, avoiding, 195, 206

vaginal exams during labor, 186, 339–340

warm cloths around opening, 207

wetness from (discharge), 77

Vaginal exams during labor, 186, 339–340

Vaginal infection, 272

Vagus nerve, 426

Varicose veins, 76

Vasectomy (sterilization for men), 315

VD (gonorrhea), 50, 323–325

Vegetables, 35, 36, 37, 42

Vehicles or transportation, 10, 106–107, 164, 438

Veins

- giving fluid through (IV), 350–351
- swollen (varicose), 76

Vicryl sutures, 358

Vinegar test for cancer or pre-cancer, 379, 380, 383b

Vision

- Also see Eyes
- blurred, 109, 125
- double, 125

Visual pelvic exam, 373, 376

Vitamin A, 39

Vitamin B-6, 73

Vitamin C, 116

Vitamins

- Also see specific vitamins
- buying, avoiding, 42
- to eat every day, 37, 39
- glow foods, 34, 35
- injections, 42
- pills, 36, 42

Vomiting

- Also see Nausea
- drinking during labor and, 159
- “shooting” from baby, 276
- warning signs versus healthy signs, 110–111

Vulva. See Genitals**W**

Walking to encourage labor, 192

Warning signs. See Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)

Warts, genital (HPV), 333, 380

Washing

- Also see Cleanliness; Sterilizing equipment
- bedding, 58
- hands, 53–54, 153, 168
- mother after birth, 247
- tools, 59

Waste disposal

- placenta, 67, 235
- safe, 67–69

Water and liquids

- Also see Dehydration
- after birth, 250
- boiling to kill germs, 54
- breastfeeding and, 283
- constipation and, 76
- dirty, germs in, 50
- drinking during labor, 159–160
- for fever, 178
- first weeks after birth, 269
- giving fluid through a vein (intravenous solution or IV), 350–351
- in healthy diet, 39
- high blood pressure and, 125
- rehydration drink, 159–160

Water in the womb. See Bag of waters

Water retention. See Swelling

Waters. See Bag of waters

Water timers, 444

Water weight. See Swelling

Weakness

- Also see Anemia; Tiredness
- in past pregnancies, 93
- poor nutrition and, 117
- as warning sign, 111, 116

Weeks pregnant, figuring, 88, 89, 90.

Also see Length of pregnancy

Weight

Also see Size
 baby not gaining, 276
 checking the baby's, 256, 258
 checking the mother's, 118–119
 large baby, 254, 258
 large baby in past, 94, 115
 overweight mother, 115, 118
 small baby, 221, 254, 256–257, 292
 small baby in past birth, 94
 sudden gain by mother, 118, 119
 thin mother, 118

Western medicine, 17, 18

Wetness from vagina. *See* Discharge
 (wetness from vagina)

Where There Is No Doctor, 41, 115, 328

Where Women Have No Doctor, 46,
 105, 111, 322

White color. *See* Pale color

White discharge. *See* Yeast infection

Womb (uterus)

Also see Contractions; Manual
 vacuum aspiration (MVA);
 Measuring the womb; Placenta;
 Position of the baby; Touching
 inside the vagina
 bigger than normal, 115
 bimanual (2-hand) exam, 385–386
 comes out with the placenta,
 232–233

cramps in early pregnancy, 79
 feeling baby inside, 87
 first weeks after birth, 270–271
 growing too fast, 133–134
 growing too slowly, 134–135
 helping contract after the placenta is
 born, 224, 236–238
 how a baby grows, 30
 how women get pregnant, 29
 illustrated, 28, 29
 infection, 120, 179, 185, 271, 399
 infection in past pregnancies, 95
 measuring, 90, 130–135
 models for teaching about, 450–451,
 454–457, 460
 pain during labor, 183–185
 piece of placenta left inside,
 234–235
 position of the baby, 135–144,
 170–171, 190–191
 pushing on mother's belly and, 205
 rubbing after the placenta is born,
 224, 236
 scar from cesarean surgery, 96
 scars from abortion, 92
 signs that the placenta has
 separated, 226–227
 sore after birth, 159
 staying soft after placenta is born,
 236–238

tissue coming out, after abortion,
 408
 torn, 184–185, 205
 water in, too little, 134
 water in, too much, 133

Work

breastfeeding and, 284–286
 in pregnancy health history, 105

Working with chemicals, 47

Worms. *See* Parasites

Worry during pregnancy, 82



X-rays, 434



Yeast infection, 326–327

frequent, diabetes and, 115
 preventing, 327

signs of, 326

thrush, 290

treatment, 327

Yellow color (baby), 266, 279

Young mothers, 22, 105