

Index

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

A

- Abdomen** (See Belly)
Abortion, 243, 284, **414–415**
 (Also see Miscarriage)
Abscess, 419
 breast, 278
 caused by injecting, 67, 69, 74
 liver, 144–145
 of the teeth, 230–231
 under the skin, 202
Acid indigestion, 128–129
Acne (pimples), **211**, 394, 419
Acquired Immune Deficiency Syndrome (See HIV and AIDS)
Acupuncture, 74, 401
Acute abdomen, 15, **93–94**, 419
 (Also see Gut, Swollen belly)
Addiction, 416–417
Afterbirth (placenta), **262–264**, 269, 426
AIDS, **399–401** (Also see HIV and AIDS)
Alcoholic drinks
 and heat stroke, 81
 problems caused by, 119, 148–149, 325, 326, 400, 416
Alcoholics Anonymous, 149, 417, 429
Alcoholism, **148–149**, 416–417, 419
Allergic reaction, 23, 54, **166**
 in the skin, 203, 285, 290
 medicines for, 337, 385–386
 to medicines, 54, 56, 68, 70–71, 350
Allergic rhinitis (hay fever), **165**, 427
Allergic shock, **70**, 105, 350, 385–386, 410
Aloe vera, 13, 129
Amebas, **144–145**, 336, 367–368, 419
Amputation, 409, 419
Anabolic steroids, 51
Analgesics (painkillers), 378–380
Anemia, **124**, 419
 causes of, 113, 124
 during pregnancy, 248–249
 in children, 307, 321
 treatment, 335, 391–393
Anesthetics, 379–380
Angel's Trumpet, 12
Angina pectoris, 325
Antacids, 52, 64, **129**, 248, 324, 380–381
Antibiotics, 52, **55–58**, 156, 350–363
Anti-diarrhea medicines, 156
Antihistamine, 70, 165, 204, **385–386**, 419
Antiretroviral medicines, 396, 398
Antispasmodic, 235, 329, **380**
Antitoxins, **387–388**, 419
 and allergic shock, 70, 105
 for tetanus, 388
 (Also see Antivenom)
Antivenom, 70, 387–388
 for scorpion sting, 387
 for snakebite, 105, 387–388
Anus, **233**, 419
 hemorrhoids in it, 175
 sores in it, 238, 400, 402, 403
Apoplexy, 37, 78, 288, **327**
Appendicitis, 36, **94–95**
Appendix, **94**
Arms
 muscles and nerves in, 37
 numbness or pain in, 23, 325
Arteriosclerosis, 326
Arthritis (joint pain), **173**, 324
 medicines for, 51, 378–379
Ascaris (roundworm), **140–141**, 420
 and asthma, 167
Asthma, **167**, 337, 384–385
Athlete's foot, 205

B

- Babies**
 examining, 34
 feeding, 120–121
 with diarrhea, 159, 358
 with skin problems, 215
 (Also see Children, Newborns)
Back pain, **173–174**, 248
Bacteria, **19**, 55, 420
Bacterial dysentery, 145
Bacterial infection of the blood, 273–275
Bag of waters, 256, 258, **259–260**, 420
Bandages, 85, 87, **101–102**, 336
Bathing
 and hygiene, 133
 newborns and babies, 7, 215, 263
 postpartum mothers, 8, 276
 sick persons, 7, 39
B.C.G. vaccination, **147**, 180, 185

Beaded lizard bite, 106

Bedbugs, 200

Bed sores, 13, **214**, 420

Beliefs

harmful, 4, 5, 10–11

healing power of, 2

Bell's Palsy, 327

Belly

acute abdomen, 93–94

examination of, 35–36

lumps in, 280

pain in lower belly, 243

(Also see Gut, Swollen Belly)

Bewitchment, 2, **6**, 420

Bilharzia, 146

Biliousness, 329

Birth (See Childbirth)

Birth control (See Family planning)

Birth control pills, 285, **288–289**, 393–394

Birth defects, 6, 247, 272, 289, **318–321**, 412

Birth kits, 254–255

Birth opening (See Vagina)

Bites

of wild animals (rabies), 181

poisonous, 104–106

that may cause infection, 89

treatment, 86

Bitot's spots, 226

Black flies, 227–228

Blackheads, **211**, 420

Black magic, **5**, 24

Black widow spider bite, 106

Bladder, 233

infection, 234, 243

stones, 234, 235

Bleach, 74, 401

Bleeding

and anemia, 124

during menopause, 246

during pregnancy, 249, 281

gums, 107, 231

how to control, 13, 82–83

in an unconscious person, 78

in the whites of the eyes, 225

of the newborn, 272, 337, 392

severe, 82, 243, 246, 264, 281, 404, 410, 414

stopping after birth, 263–266, 337, 390–391

(Also see Blood)

Blindness, **221–222**, 412

from injuries to the eye, 218

night blindness, 113, 226–227

protection for babies, 221, 237, 378

river blindness, 227–228, 377

Blisters

from medicines, 356, 359

from touching certain plants, etc., 204

with burns, 96

with chickenpox, 311

with eczema, 216

Blood

and AIDS, 75, 82–84, 399, 401

clots, 288

coughing up blood, 168

flukes, 146

in stools, 128, 144–146, 157–158, 306, 401

in the urine, 146, 234

in vomit (cirrhosis), 328

in vomit (ulcer), 128

(Also see Bleeding)

Blood pressure, 420

high, 125, 249, 289, 326–327, 410–411

how to measure, 410–411

low, 77, 411

(Also see Shock)

Blood transfusion, 399, 401

Blueness of skin, lips, and nails, 30

Body-building foods, 110

Boil (abscess), **202**, 420

Bones

calcium for, 246

deformities of, 125, 319

hit by a bullet, 90

that have come out of place at a joint, 101

(Also see Broken bones)

Bottle feeding, 120, 154, 296

Bowel movement, **242**, 420

(Also see Feces, Stools)

Braces, 315

Brain damage, 319–320

and seizures, 319

from high fever, 76

from tapeworm cysts, 143

Bran, 16, 126, 382

Brand-name medicines, 55, 333, **339**, 420

Breakbone fever (See Dengue)

Breast abscess (mastitis), **278**, 424

Breast cancer, 279

Breast feeding, w 12, **120–122**

and birth control, 285, 289, 294, 394

and good nutrition, 114, 116, 304

and preventing diarrhea, 154, 156

of newborns, 271, 277, 405

traditional beliefs about, 2, 7

(Also see Breasts)

Breasts

care of, 277, 279

swelling of, 278–279

Breathing (respiration), 426

difficulties, 23, 57, 168, 181, 274, 325, 410

hot water vapors 47, 168

of a sick person, 32

rate, 32

stopped, 80

(Also see Lung diseases, Mouth-to-mouth

breathing)

Breech delivery, **257**, **268**

Broad-spectrum antibiotics, **56**, 58, 352, 355–358

Broken bones, 14, **98–99**

Bronchitis, 170

Brucellosis (Malta fever), **27**, **188**

Bubos, **238**, 403, 420

Bullet wound

- in arms or legs, 90
- in the belly, 15, 92–93
- in the head, 91

Burns, 13, 96–97

- and leprosy, 192
- of the eye, 219

C**Calcium**

- and rickets, 125
- danger of injecting, 53, 67
- for spider bite, 106
- for weak bones, 246
- in eggshells, 116

Callus, 210**Cancer, 25, 412, 420**

- and oral contraceptives, 288–289
- and smoking, 119, 149, 168
- of the breast, 279
- of the eyes, 33, 217
- of the skin, 197, 211, 399
- of the womb, 280

Candida (thrush), 232, 242, 400**Canker sores, 232****Carbohydrates (energy foods), 110, 121, 420****Carbonated drinks, 115, 150****Cardon cactus, 13, 232****Cascara, 16****Cassava, 117, 130, 420**

- for constipation, 16, 126, 382

Cast, 14, 98, 319, 420**Castor oil, 16****Cataract, 33, 217, 225, 323, 420****Catheter, 239–240, 336, 420****Causes of illness, w6–w7, w10, w27, 17–19****Cavities in teeth, 229–230, 420****Cellulitis, 212****Cereal, 152, 381****Cerebral malaria, 30, 178, 186, 366****Cerebral palsy, 320****Cerebro-vascular accident (CVA), 37, 78, 288, 327****Cervix, 286, 291, 420****Chance, 237****Chancroid, 236, 238, 403****Chemical burns of the eye, 219****Chest wounds, 91****Chickenpox, 204, 311****Chiggers, 201, 420****CHILD-to-child program, 322****Child Health Chart, w20, w24, 297–304, 420****Childbirth**

- bleeding after, 264–265
- correct use of oxytocics, 265–266
- cutting the cord, 262–263
- difficult births, 267–269, 319
- infection, 260, 276position of the baby, 257, 261, 267
- position of the mother, 260
- premature, 262

- preparing for, 254–256
- signs of labor, 258
- tearing of the birth opening, 269

Childbirth fever, 27, 276, 283, 420**Children**

- and diarrhea, 151–153, 159
 - foods for, 112, 113, 120–122, 295
 - giving injections to, 73
 - growth of, 107, 297–304
 - having the number you want, 283–294
 - infectious diseases of, 311–315
 - malnourished, 112–114, 154, 303, 305–306
 - mentally slow, deaf, or deformed, 318
 - problems they are born with, 316–321
 - severely ill, 214
 - vaccinations for, 147, 296
- (See also Babies, Newborns)

Chlamydia, 221, 234, 236–237, 355, 359, 378**Choking, 79, 314****Cholera, 158****Cigarettes (See Smoking)****Circulation, poor (See Varicose veins)****Circumcision, 74, 401, 404****Cirrhosis of the liver, 108, 148, 328****Cleanliness, 131–139**

- basic guidelines of, 133–139
- in childbirth, 260, 263
- of children, 136, 296
- of equipment, 74, 401
- of mouth and teeth, 229–231
- personal cleanliness, 39, 41, 133–135
- public cleanliness, 137–139
- to prevent infection, 74, 84, 401, 414
- when injecting, 68, 74, 401

Cleft palate, 318–319, 421**Climacteric (menopause), 246****Clitoris, 233****Clubbed feet, 319****Cocaine, 416–417****Coitus interruptus, 285, 294****Cold and hot sicknesses, 119****Cold compresses, 193–194****Colds and the 'flu', 45, 57, 163, 308**

- diet with, 123

Cold sores or fever blisters, 48, 171, 232, 402**Cold weather, 408–409****Colic (gut cramps), 35, 145, 157, 421****Colostrum, 277, 421****Coma, 78, 421****Combination medicines, 52, 397****Combined methods of birth control, 285, 292****Comfort of a sick person, 39****Complications from abortion, 243, 414–415****Compresses, 193–195, 421****Condom, 239, 285, 287, 395, 401****La Congestión, 23****Conjunctivitis, 219–221, 308****Constipation, 16, 126**

- as a sign of acute abdomen, 94
- during pregnancy, 248
- treatment and prevention, 126, 382

Consumption (See Tuberculosis)
Contact dermatitis, 204, 421
Contraception, 283–294, 393–396
Contraceptive foam, 290, 395
Contractures, 314, 421
Convulsions, (See Seizures, Spasms)
Cooperatives, w24
Cornea, 217, 218, 224, 225, 226, 228
Corn silk, 12
Corns, 210, 421
Cortico-steroids, 51, 129, 370
Cortisone, 51
Cough, 168–169
 chronic, 168, 324, 400
 common causes, 168
 cough with blood, 140, 171, 174, 179
 medicines for, 52, 383
 smoker's, 149
Counting days method, 291–292
Cradle cap, 215
Cramps, 421
 gut, 12, 35, 106, 145, 147, 243, 380
 heat, 81
Cretinism (See Hypothyroidism)
Crop rotation, w13, 115, 117, 427
Cross eyes, 223, 318
Crutches, how to make, 315
Cupping, 22, 421
Cuts, 84–86
CVA (Cerebro-vascular accident), 37, 78, 288, 327
Cyst, 143, 243, 280, 421

D

Dacryocystitis, 223
Dandruff, 215, 421
Dandy fever (See Dengue)
Dangerous illnesses, w28, 42, 179–192
Dangerous use of medicine, 50
Date of expiration, 332
Deafness
 home cure for, 11
 in children, 318
 with ringing and dizziness, 327
Death, accepting, 330
Decongestants, 164, 165, 421
Defects, birth, 7, 289, 316–321, 421
Deformities, 421
 from birth, 289, 316–321
 with leprosy, 191–192
Dehydration, 151–152, 421
 and diarrhea, 46, 155
 causing sunken fontanel, 9, 274
 danger of laxatives with, 15, 382
 medicine not to take, 52–53, 156
 prevention and treatment, 152, 156, 381
Delhi boil (See Leishmaniasis)
Delirium, 24, 421
 and malaria, 186
 and typhoid, 189

Dengue, 187
Dermatitis, contact, 204, 421
Diabetes, 127, 251, 329, 410
Diaper rash, 215, 422
Diaphragm, 285, 291, 395
Diarrhea, 151–160
 and dysentery, 144–145, 153, 306
 babies with, 159, 271
 causes of, w7, 17, 107, 132–33, 135, 153, 399, 400
 causing sunken fontanel, 9
 home cures for, 11
 prevention of, w7, 46–47, 154
 severe, 151, 160
 treatment of, 58, 152, 155–158, 383
 with blood, 144–145, 157–158, 306, 401
 with vomiting, 151, 157
 with worms, 142
Diet, 421
 congestion and, 23
 for fever, 8
 for postpartum mothers, 8, 123, 276
 for sick persons, 40, 123
 for small children, 120–122
 for specific diseases, 40, 124–130, 154–156
 harmful ideas about, 123
 things to avoid, 119
 what to eat to stay healthy, 110–111
 while taking medicines, 123
 with oral contraceptives, 286
 (Also see Foods, Nutrition)
Diets for specific diseases, 40, 124–130
 acid indigestion, heartburn, and ulcers, 128–129
 anemia, 124
 constipation, 16, 126, 382
 diabetes, 40, 127
 diarrhea, 155–156, 159
 goiter, 130
 high blood pressure, 125
 people who are too heavy, 126
Digestion, 13
Diphtheria, 147, 296, 313–314
Direct pressure, 82
Disability
 how injections cause, 74, 314
 in children, 74, 314, 318–321
Diseases (see sicknesses)
Dislocations, 38, 101, 316, 422
Dizziness, 327, 249
Dolor de ijar, 22
Dosage information, 340
Double vision, 227
Douche, 241, 247, 258, 281, 293, 422
Down syndrome (mongolism), 318, 425
D.P.T. vaccination, 147
Drinking (alcohol), 148–149, 318, 325, 326, 328
 400, 416
Drowning, 79, 422
Drug abuse, 399, 401, 416–417
Dry eyes, 107, 113, 226, 391
Dry malnutrition (marasmus), 112–113

Dumdum fever (See Leishmaniasis)
Dysentery, 144–145, 422 (Also see Diarrhea)

E

Ears

how to examine a sick person's, 34
 infections of, 309
 nodes behind, 88
 ringing of, 107, 327

Earwax, 405

Eclampsia, 249, 390, 422

Ectopic pregnancy, 22, 36, 93, 243, 249, 280, 414

Eczema, 216

Emergency

contraception, 288, 394–395
 problems of the gut, 93–95
 supply of medicines, 332
 use of injections, 66

Emergencies caused by cold, 408–409

Emergencies caused by heat, 81

Empacho, 22

Emphysema, 170

Enema, 15, 76, 92, 422

Energy foods, 110–111

Enterobius (pinworm, threadworm), 141

Epilepsy, 38, 178, 319, 388–390

Epsom salts, 16

Erysipelas, 212

Evaluation, w20, 422

Evil eye, 5, 422

Examining

a pregnant woman, 250–253
 a sick person, 29–38
 breasts, 279
 eyes, 33, 217
 eyesight, 223
 for appendicitis, 36, 95
 for hernia, 94, 317
 for knee reflexes, 183

Excision, 404

Exhaustion, heat, 81

Expectorants, 52, 383, 422

Experimenting, w15

Extra finger or toe, 318–319

Eyes, 217–228

cross eyes, 223
 danger signs, 33, 217, 227
 dryness of, 107, 113
 examining the eyes, 33
 eye problems of older people, 227, 323
 eye problems with leprosy, 192
 foreign objects in eyes, 48, 218
 of newborns, 221, 270, 378, 391
 red and painful, 219, 225
 spots and “floaters”, 227, 323
 yellow, 30, 172, 274, 328, 329

Eyesight testing, 223

F

Face

dull, 318
 lumpy skin on, 191
 paralysis of, 37, 327

Fainting, 78, 79, 81, 325, 327

Falciparum malaria, 158, 186, 363

False labor, 258

Family planning, w16, 246, 283–294, 393–396
 and infertility, 244

Farming, w13, 412–413

Farsightedness, 323, 422

Fatigue, 23, 124, 323, 400

Fats, 111, 121

Feces, 422

and infections, 84, 96, 131
 in home remedies, 11
 in newborn's mouth and nose, 268
 (Also see Stools)

Feces-to-mouth, disease spread from, 131–133,
 140, 188

Feet

clubbed, 319
 loss of feeling in, 127, 162, 173, 191–192
 swelling of, 113, 124, 144, 176, 248 249, 323

Fertile days, 244, 291

Fetoscope, 252, 255, 422

Fever

childbirth, 27, 276, 283
 diet with, 8
 high, 15, 75–76, 335
 how to bring down, 75, 76, 335
 in children, 306
 in the newborn, 270, 273
 patterns in different diseases, 26–27, 30, 31

Fever blisters or cold sores, 48, 171, 232

La Fiebre, 26

Filmstrips, w22

Fire wood, 135

First aid, 75–106, 422

Fits (See Seizures)

Flannel-graphs, w22

Fleas, 190

Flies

and disease, w23, 135, 227–228, 406

Flu, 45, 57, 163, 308, 422

Flukes, blood, 146, 376, 422

Fluoride, for teeth, 229

Foam, contraceptive, 285, 290, 395

Folic acid, 118, 321, 392, 422

Folk beliefs, 3, 6–8, 123

(Also see Home remedies)

Folk disease, 21–26

Follicles inside the eyelids, 220

Fontanel (soft spot)

sunken, 6, 9, 151, 274
 swollen, 274

(Also see Dehydration)

Food poisoning, 23, 103, 135, 153, 161

Foods

- at low cost, 116–118
- for a person with diarrhea, 155–156
- for sick persons, 41
- for small children, 120–122
- nutritious, 110–111, 295
- plant, 116
- producing, w11
- spoiled, 103, 135
- (Also see Diet, Nutrition)

Fractions, 59–60, 340**Fractures** (See Broken bones)**Fright, 24, 422****Frostbite, 409****Frozen skin, 409****Fungus infection, 19, 58**

- ringworm, tinea, 205–206, 371–372
- thrush, 232
- vaginal yeast, 242, 369

G**Gallbladder, 422**

- home cure for, 12
- pain in, 36
- problems, 329

Gangrene, 213**Garlic, 12, 241, 242****Gastritis, 128–129***Gelusil, 173***Generic medicines, 333, 339, 423****Genital herpes, 402–403****Genital warts, 373, 402****Genitals, 205, 232, 233–244, 423**

- sores on, 237, 402–403

German measles (Rubella), 247, 312, 320**Germs, 19, 423****Giardia, 145, 336, 367–369, 423**

- and diarrhea, 153, 158

Gila monster bite, 106**Glaucoma, 33, 222, 323****Gloves, rubber or plastic, 255, 262, 264, 401****Glue sniffing, 416****Goiter, 10, 130, 423****Gonorrhea, 221, 236–237, 359**

- (Also see Sexually transmitted infections)

Grams, measuring in, 59–60, 423**Groin, lymph nodes in, 88, 238, 423**

- (Also see Hernia)

Group discussions, w24 w27**Growth, children's, 107, 297–304***Guaco, 3***Guinea worm, 406–407****Gums, 229–232**

- bleeding of, 107, 231
- pale, 124
- swelling caused by medicine, 231

Gut

- cramps, 12, 106, 145, 157, 243, 380
- emergency problems of, 35, 93–94
- infection, 47, 131, 144–145, 153, 189
- obstructed, 22, 94

- out of anus (prolapse), 142
- outside a wound, 92
- wounds in, 92
- (Also see Abdomen, Swollen belly)

H**Hair**

- changes with malnutrition, 107
- examination for lice, 200
- loss of, 107

Hansen's disease (See Leprosy)**Hare lip, 318, 423****Hay fever, 34, 165, 427****Head**

- fungus infections of, 205
- injury, 37, 78, 91
- swollen lymph nodes on, 88

Headaches, 162, 249, 410**Health, w7, w11****Health worker, w1 w7, w29, 43, 246, 340****Heart**

- attacks, 23, 325
- confusion with heartburn, 128
- trouble, 33, 310, 325, 410

Heartbeat, 32–33, 77**Heartburn, 423**

- diet for, 128–129
- during pregnancy, 248
- medicines for, 380–381
- medicines to avoid, 54, 64

Heat

- cramps, 81
- exhaustion, 81
- stroke, 78, 81

Hemorrhage (See Bleeding)**Hemorrhoids** (See Piles)**Hepatitis, 26, 172, 416****Herbal teas, 1, 8****Herbs, curative, 12–13, 423****Hereditary problems, 18, 318–319, 321, 423****Hernia, 177, 423**

- during pregnancy, 256
- in groin of newborn, 317
- obstructing the gut, 94

Heroin, 416–417**Herpes simplex or labialis** (See Cold sores)**Herpes zoster, 204, 373, 400****Hexing, 2****High blood pressure, 125, 249, 325–326, 411****History, taking, 20, 25, 29, 44, 250–253, 423****HIV and AIDS, 20, 75, 153, 171, 236, 245, 286,**

- 290, 396, 399–401, 416
- and medicines, 396–398
- and pregnancy, 249, 398
- and shingles, 204
- and thrush, 232
- and tuberculosis, 179
- and vaccinations, 147
- caring for someone with, 401
- HIV test, 400
- preventing, 401

Hives, 68, 166, **203**, 423
Home remedies, 1–3
 enemas and purges, 15
 for infertility, 244
 how to tell if they work, 10–11
 questions and answers about, 6–8
 sensible use of, w2, 24
Home visits, w24
Hookworm (Uncinaria), 133, **142**, 296, 307
Hordeolum (sty), 224
Hormones, 224, 287, 393, 423
Hot and cold sicknesses, 119
Hot compresses, 193–195, 406
Housing, w10
Human immunodeficiency virus (See HIV and AIDS)
Hydrocele, 317
Hygiene (See Cleanliness)
Hypertension (See High blood pressure)
Hyperventilation, 24, 423
Hyphema, 225
Hypochondria, 329
Hypopyon, 225
Hypothermia, 408
Hypothyroidism, 318, 423
Hysteria, 2, 24, **423**

I

Illnesses (See Sicknesses)
Imferon, 51, 67
Immunizations (vaccinations), 19, **147**, 296, 337
Impetigo, 25, **202**
Implants (birth control), 285, **289–290**, 396
Indigestion
 diet for, 128–129
 during pregnancy, 248
 medicines for, 380–381
 medicines to avoid, 54, 64
Infantile paralysis (See Polio)
Infants (See Babies, Newborns)
Infection, 423
 after giving birth, 276
 and diarrhea, 154, 157
 in newborns, 182–183, 275
 in wounds, 88–89, 96, 213
 medicines for, 55–58, 335–336
 minor, 58
 of the appendix, 94–95
 of the eyes, 217, 219, 220, 221
 of the genitals, 236–239, 241–242
 of the gut, 94–95, 135, 140–146, 243
 of the tear sac, 223
 of the urinary tract, 234–235
 resisting, 108, 120, 271
 signs of a serious, 88, 194, 272–275
Infectious diseases, 18–19, 135, 423
Infertility, 244
Inflamed tonsils (tonsillitis), 309
Inhalers, for asthma, 167, 384

Injections, 65–73
 dangerous reactions from injections, 54, 70–71
 emergencies needing, 66
 faith in, w19, 4, 50
 family planning, 289–290
 medicines not to inject, 51, 56, 67
 of vitamins, 118
 risks and precautions, 68–69
 supplies for, 336
 that can disable children, 74, 314
 to prevent pregnancy, 285, 293, 395
 when to inject, 65, 67

Injury

moving an injured person, 99–100
 of an unconscious person, 78
 severe, 33
 to the eye, 218

Insecticides, 19, 103, 187, 372, **412–413**, 423

Insomnia (loss of sleep), **328**, 423

Intestinal worms, 13, **140–145**, 423

Intestines (See Gut)

Intrauterine device (IUD), 281, 285, **290**, 395–396

Intravenous solution (I.V.), 40, **53**, 67, 152

Intussusception, **94**, 424

Iodized salt, **130**, 318

Iritis, 33, 219, **221**

Iron

cooking pots, 117
 foods rich in, 124
 from nails in lemon juice, 118
 pills, 51, 118, 124, 307, 335, 392, 405

Itching

caused by fungus, 205, 242
 caused by medicines, 68, 70–71, 166
 caused by plants, 204
 medicines for, 335, 385
 of hands with syphilis, 238
 of the anus (pinworm), 141
 rashes, allergies, 68, 166, 203, 236, 238
 with chickenpox, 311
 with scabies, 199
 with worm infections, 140–142, 228

IUD (See Intrauterine device)

J

Jaundice, 30, **172**, 274, 318, 321, 328–329, 392, 424

Jock itch, 205

Joints, painful, 101–102, 173, 310, 324

K

Kala azar (See Leishmaniasis)

Kangarooing, **405**, 408

Kidneys, **233–234**, 424

Kidney stones, **235**, 424

Kilograms, measuring in, **62**, 424

Kwashiorkor (wet malnutrition), 30, **113**, 424

L

Labor, 258–262, 264, 424

- false labor, 258
- problems with labor, 267
- signs that show labor is near, 258
- stages of, 259–262
- (Also see Childbirth)

Land

- distribution of, w7, w11, 413
- use of, w11, w13–w16, 115

Latido, 23**Latrines**, 137–139, 153**Laxatives, 15–16**, 382

- misuse of, 126

Lazy eye, 223**Leadership**, w5**Learning**, w4, w21–w28, **322****Legs**

- crossed like scissors, 320
- examination of legs, 37
- pain in, 288, 321

Leishmaniasis, 406**Lepra reaction**, 191, 362**Leprosy**, 10, 38, **191–192**, 206, 337, 362–363

- or *lepra*, 25

Lice, 134, 190, **200**, 372**Limits, knowing**, w4**Liquids, 39–40**, 151**Liters, measuring in**, 61, 424**Liver, 36**, 424

- abscesses, 144–145
- diseases, 172, 288, 328
- infection of, 172

Liver extract, 65, **67****Lockjaw** (See Tetanus)**Loss of blood** (See Blood, Bleeding)**Loss of consciousness** (See Unconscious person)**Loss of feeling, 38**, 127, 162, 173, 191, 192, 279**Loss of sight**, 225, 412**Loss of sleep (insomnia)**, 328**Loss of weight** (See Weight loss)**Low body temperature**, 409**Low back pain, 173**, 248**Low blood pressure**, 411**Lumps**

- in the abdomen, 35, 243, 280
- in the breast, 279
- on face and body, 191, 228
- that keep growing, 196, 280
- (Also see Lymph nodes)

Lung diseases

- and smoking, 149
- asthma, 167
- bronchitis, 170
- pneumonia, 171
- tuberculosis, 179

Lymph nodes, swollen, 88, 317, 424

- caused by an abscess, 202
- in the groin, 238, 403
- signs of infection, 194

TB of, 212

- with AIDS, 400
- with breast cancer, 279
- with brucellosis, 188 or typhus, 190
- with German measles, 312
- with scabies or lice, 199, 200

Lymphogranuloma venereum, 238, 420

M

Maalox, 173**Malaria, 186–187**

- falciparum, 158, 363
- fever pattern, 26
- medicines for, 337, 363–367
- with seizures, 307
- with sickle cell disease, 321

Malnutrition

- and diarrhea, 153–155
- causes of, 115, 283, 412
- checking for, 109, 112–113, 297–304
- during pregnancy, 248
- in children, 107, 114, 305–306
- kinds of, 112–114
- prevention and treatment of, 108, 109, 112–113, 155–156, 391–393
- problems caused by, 107, 306
- signs of, 30, 37, 108, 112, 113, 208–209, 305

Malta fever (brucellosis), 27, **188****Marasmus (dry malnutrition)**, 112**Marijuana**, 416**Mask of pregnancy**, 207**Massaging**

- sprains or fractures, 99, 102
- the birth opening, 269
- the womb, 264–265

Mastitis (breast abscess), **278**, 424**Measles (Rubeola)**, 30, 108, 226, **311**, 391

- vaccination, 147, 312, 321

Measuring

- blood pressure, 410–411
- in pounds and kilos, 62
- medicine, 59–61, 340

Medical attention

- illnesses that always need, 179–192
- when to seek, 43, 159

Medicinal plants, 12–13**Medicine kit**, 331–337**Medicines**

- brand name, 55, 333, 339
- care in giving to the newborn, 54, 272
- dangerous misuse of medicine, 50–53
- during or after birth, 266
- during pregnancy, 54, 247, 398
- for small children, 62
- generic, 333, 339
- guidelines for use, w18–w19, 49–73, 339–396
- healing without medicines, 45–48
- how to measure and give, 59–64, 340
- how to write instructions for, 63–64
- limited use of medicines, w18–w19, 49
- medicines not to inject, 56

reactions to, 68, 70–71, 350
 uses, dosage, and precautions, 339–398
 when not to take them, 54–64

Ménière's disease, 327

Meningitis, 185, 275, 307

Menopause, 246, 424

Menstrual period, 245–246, 281, 291–292, 393–396

Mental problems, 18, 318

Mental slowness, 114, 306, 318, 320–321, 426

Microscope, 19, 144

Midwives

danger signs in pregnancy, 249
 information for, 245–282
 prenatal care, 250
 special risk at birth, 256
 things not to do, 260
 things to have ready before birth, 254–255

Migraine, 162, 424

Milk

and brucellosis, 188
 and diarrhea, 156
 and ulcers, 129
 powdered, 391
 (Also see Breastfeeding)

Milk of magnesia, 16, 382

Mineral oil, 16, 382

Minerals, 111, 116–118, 425

Minipill, 285, 288, 394

Miscarriage (spontaneous abortion), 246, 249, 266, 281, 414

Models for teaching, w22

Mongolism (See Down syndrome)

Morning sickness, 248, 287

Mosquitos, 186–187

Mothers

health after childbirth, 276, 280
 health and sicknesses of children, 295–321
 information for, 245–282
 prenatal care, 250–253
 (Also see Family planning)

Mouth, 107, 229–232

Mouth-to-mouth breathing, 78–80, 413

with newborns, 262

Moving an injured person, 99–100

Mucus, how to drain, 169, 425

Mucus method, 285, 292

Mumps, 312

Muscles

examining, 37–38
 lack of control of, 320

N

Narrow-spectrum antibiotics, 56, 425

Natural balance, 58

Nausea (See Vomiting)

Navel (umbilicus), 425

cutting the cord, 262–263
 hernia of navel, 317, 318
 infection of navel, 182, 272

Neck

broken, 99
 stiff, 38, 182–185, 274

Needs, felt and long-term, w8–w12

Needles, 74, 399, 401

Neonatal conjunctivitis, 221
 (Also see Newborns)

Nerves, 425

muscles and, 37–38

Nevirapine, 249, 400

Newborns

and tetanus, 182–183
 bacterial infection of the blood, 275
 bathing, 7, 263, 270
 eyes, 221, 237, 270
 feeding, 120, 263, 271
 hernia, 317
 illnesses of, 272–275
 medicines for, 54, 272, 337
 problems with delivery, 268
 small, early, and underweight, 405
 the cord, 262–263, 270
 twins, 269
 (Also see Dehydration)

Night blindness, 113, 226–227, 337

Nodes (See Lymph nodes)

Non-infectious diseases, 18

Nose, stuffy or runny, 164–165, 383

Nosebleed, 11, 83

Numbness (See Loss of feeling)

Nutrition, w11, w13–w16, 107–130, 295
 (Also see Malnutrition)

O

Obstructed gut, 22, 94

(Also see Gut)

Older persons, 83, 214, 235, 323–330

Onchocerciasis, 227–228, 377

Opium, 416

Oral contraceptives, 285–289, 393–394

Outhouses, 137–139

Ovarian cyst, 280

Ovaries, 36, 280, 425

Oxytocics, 50, 265–266, 319, 390

Oxyuris (pinworm, threadworm), 141

P

Pain

asking about, 29
 back, 173–174, 248
 chest, 179, 325
 in the belly, 12, 35–36, 94–95, 128, 146, 243
 in the eye, 217, 219, 221, 222
 in the joints, 101–102, 173, 310, 324
 in the leg, 288
 in the teeth, 165, 231
 in urination, 146, 235–236, 239, 242–243
 medicines for, 19, 52, 75–76, 162, 335, 378–380
 (Also see Cramps, Headaches)

Pannus, 220

Pap smear, 280**Papaya**, 13**Paralysis**

- examining for, 37
- from pesticides, 412
- from ticks, 201
- in a spastic child, 320
- in leprosy, 191
- in polio, 314–315
- in stroke, 37, 327
- in TB of backbone, 180
- of face, 37, 327

Parasites, 19, 425

- intestinal, 19, 140–145, 308
- on skin, 19, 199–201

Patient report, 44**Pellagra**, 114, **208–209****Pelvic inflammatory disease**, 237, **243**, 244, 395**Penis**, 199, 232, 233, 235–240, 286, 402–403**Peritonitis, 94–95**, 129, 189, 425**Pertussis** (See Whooping cough)**Pesticides**

- burns in eyes, 219
- causing birth defects, 247
- misuse of, 412–413

Pharmacist, words to, 338**Phlebitis**, 288**PID** (See Pelvic inflammatory disease)**Piles (hemorrhoids)**, 16, **175**, 423

- during pregnancy, 248
- medicine for, 391

the Pill (for birth control), 285, **288–289**, 393–394**Pimples, 211**, 419

(Also see Chickenpox)

Pink eye, 219–221, 308**Pinta**, 207**Pinworm (threadworm, Enterobius)**, 12, **141****Placenta (afterbirth)**, **262–264**, 269, 426**Placenta previa, 249**, 426**Plantar warts**, 210**Plants**

- medicinal, 12–13
- that cause itching, 204

Play acting, w23**Pneumonia**, 27, 41, **171**, 399, 400**Poisoning, 103**

- food, 23, 135, 153, 161
- urine, 239–240

Poisonous

- bites, 104–106
- plants, 204

Poliomyelitis (infantile paralysis), 314

- signs of, 37
- vaccination, 147, 296, 314

Population, w10, 115**Posters**, w22**Postpartum**, 426

- diet, 123
- hemorrhage, 266, 390

Postural drainage, 169**Power of belief or suggestion, 2–5**, 24, 426**Pre-eclampsia**, 176, **249**, 251, 422**Pregnancy**, 247–255, 286

- anemia during, 124, 248–249, 391–392
- bleeding during, 249, 264, 281
- check ups during, w24, 250–253, 410
- danger signs in, 249–251
- difficulty becoming pregnant, 244
- ectopic, 22, 36, 93, 243, 249, 280, 414
- German measles during, 247, 312
- growth and position of baby, 251–252, 257
- how to prevent, 283–295
- how to stay healthy during, 247
- how to tell the baby's birth date, 252
- medicines during, 6, 54, 247, 398
- minor problems of, 174, 248, 251
- nutrition during, 118, 250
- record of prenatal care, 253
- signs of, 247
- supplies to have ready before birth, 254–255
(Also see Family planning)

Pregnancy mask, 207**Prenatal care**, 250–253**Presentation of an arm, 268**, 426**Pressure points**, 82**Pressure sores** (See Bed sores)**Preventive medicine**, w17, 17, **131–150**

- cleanliness, 131–136
- how to avoid many sicknesses, 108, 148–150, 242, 326
- sanitation, 137–139
- sexually transmitted infection, 239, 401–403
- vaccinations (immunizations), 147
- worms and other intestinal parasites, 140–146

Prolapse of the rectum, 142, 426**Prophylactic (condom)**, 239, 285, **290**, 395, 401–403**Prostate gland**, 233, 235–236, 426**Protective foods, 110**, 426**Proteins**, 110, 111, 112, 113, 116–118, 121**Psoriasis**, 216**Pterygium, 224**, 426**Pulling out (to prevent pregnancy)**, 285, **293****Pulse, 32–33**, 41, 410–411, 426, inside back cover**Pulsing or throbbing of stomach**, 23**Pupils, examining**, 217**Purges**, 15–16

- misuse of, 92, 126

Pyorrhea, 231**Q****Questions to ask a sick person**, 29, 44**R****Rabies**, 181**Rash on the skin**, 216, 236, 400

- diaper rash, 215, 421
- like tiny bruises (typhus), 190
- of allergic reaction, 68, 166, 203–204, 356
- of chickenpox, 311

- of German measles, 312
- of measles, 30, 311
- of syphilis, 238
- of typhoid, 189
- preventing, 133
- with itching, 199–200, 203
- Reactions** (See Allergic reactions)
- Rebound pain**, 35, **95**, 426
- Rectum**
 - prolapse of, 142, 426
- Reflexes, testing**, **183**, 426
- Rehydration Drink**, **152**, 311, 381, 400, 426
 - and vomiting, 161
 - as an enema, 15
 - for acute abdomen, 95
 - for dehydration, 9, 46, 158, 306
 - for newborns, 273
 - for very sick persons, 40, 53
- Remedies** (See Home remedies)
- Resistance**, 426
 - to antibiotics, w19, 57–58, 237, 350
 - to infection, 108, 120, 271
- Resources**, w8, w12, 115, 283, 426
- Respiration** (See Breathing)
- Retardation, mental** (See Mental slowness)
- Rheumatic fever**, 27, **310**
- Rheumatoid arthritis**, 324
- Rhinitis, allergic (hay fever)**, **165**, 426
- Rhythm method**, (See Counting days method)
- Ribs, broken**, 99
- Rickets**, 125
- Ringings of the ears, deafness, and dizziness**, 107, **327**, 358, 361, 378
- Ringworm**, 11, **205–206**, 371
- River blindness**, **227–228**, 377
- Road to health chart** (See Child Health Chart)
- Rotating crops, w13**, 115, 117, 427
- Roundworm (ascaris)**, 140–141
- Rubber (condom)**, 239, 285, **290**, 395, 401–403
- Rubella** (See German measles)
- Rubeola** (See Measles)
- Rupture** (See Hernia)

S

- Salt**
 - iodized, 130, 247, 318
 - purges, 16
 - using little, 120, 125, 176, 249, 325, 326
- Sanitation**, w10, **137–139**, 153, 427
- Scabies**, 34, **199–200**, 335, 372
- Scales (to weigh babies)**, 297
- Scars**
 - on the cornea, 224, 226, 228
 - on the eyelids, 220
 - preventing burn scars, 97
- Schistosomiasis**, 146, 337, 376
- Scorpion sting**, 11, 70, **106**, 337, 387
- Scrofula**, 212
- Scrotum**, 233, 427
 - small sores on, 199
 - swollen, 317
- Seborrhea**, 215
- Seizures**, 23, **178**, 422
 - caused by high fever, 76
 - from birth defects, 273, 319
 - in cerebral malaria, 186, 366
 - in children, 307, 319
 - in meningitis, 185
 - in pregnant women, 249, 390
 - medicines for, 336, 388–390
 - (Also see Spasms)
- Senna leaf**, 16
- Septicemia**, 275, 427
- Serious illnesses**, w28, 42, **179–192**
- Seven year itch**, 199–200, 335, 372
- Sexually transmitted infections (STI)**, 236–239, 285–286, 290, **399–403**, 427, 428
- Sheath** (See Condom)
- Shigella**, 145, 158, 353, 358
- Shingles**, **204**, 373, 400
- Shock**, 30, **77**, 325, 427
 - allergic, 70, 105, 166, 350
 - from serious burns, 97
 - heartbeat during, 33, 410–411
 - in postpartum mother, 265
- Shoulder, dislocated**, 101
- Sickle cell disease**, 30, 321, 392
- Sicknesses**
 - causes of, 17–20, 107
 - common, 151–178
 - dangerous, w28, 42, 179–192
 - “home,” 21
 - “hot” and “cold,” 119
 - infectious, 18–19
 - non infectious, 18
 - of children, 215, 272–275, 311–314
 - of older people, 323–330
 - of women, 241
 - prevention of, 131–150
 - spread of, 131–137, 140, 188–189, 237–239, 399
 - telling apart, 20–21, 26–27
- Side pains**, 22
- Signs**, 20, **29**, 427
- Sinus trouble (sinusitis)**, 165, 427
- Skin**
 - cancer of, 211, 399
 - chart of different diseases, 196–198
 - diseases, 193–216, 406, 421
 - dryness of, 107, 208
 - how to examine, 34
 - in children, 215, 308
 - medicines for, 334–335, 370–373
 - painless sores, 191, 237, 279
 - TB of, 179, 212
 - ulcers, 212–213
- Slipped disc**, 173
- Slowness** (See Defects, Mental problems)
- Smallpox**, 147
- Small sores with pus**, 201, 211
- Smoking**
 - during pregnancy, 318, 416
 - problems caused by, 119, 129, 149–150, 289, 325, 326, 400, 416

Snails, 146**Snakebite**, 104–105

- antitoxin, 70, 105, 337, 387
- home cure for, 3

Soaks, 102**Social conditions**, 283, 401, 415, 417**Soft drinks**, 155, 161, 229**Soft spot** (See Fontanel)**Solda con solda**, 14**Sores**

- bed sores, 41, 214
 - chronic, 20, 127, 212, 213, 236, 324, 406
 - large, open, 127, 213–214
 - mouth, 232
 - of the feet, 324
 - on penis or genitals, 199, 205, 232, 237, 238, 242, 400, 402–403
 - sugar or honey treatment for, 213, 214
 - that keep growing, 127, 191, 211, 213, 214
 - without feeling, 191, 237, 279
 - with pus, 199, 201, 406
- (Also see Skin)

Sore throat, 163, 309–310**Spasms**, 183, 427

- in spider bite, 106
 - in tetanus, 182–184
- (Also see Seizures)

Spastic, 38, 319–320**Sperm**, 233, 244**Spermicide**, 285, 290, 395**Sphygmomanometer**, 410**Spider bite**, 106**Spleen, large**, 158, 186, 392, 427**Sponge method**, 294**Spontaneous abortion** (See Miscarriage)**Spots before the eyes**, 227**Sprains**, 102, 427**Spread of disease, 131–137**, 140, 190, 237–239, 399–403**Squint**, 223**Starches**, 110, 203, 408, 427**Starvation** (See Malnutrition)**Sterile**, 427

- bandages, 87
- men and women, 236, 244, 412

Sterilization, 427

- of equipment, 74, 401
- of syringes, 69, 72, 74
- to prevent pregnancy, 285, 293

Steroids, 51**Stethoscope**, 410**Sting**

- bee, 70
- scorpion, 106

Stitches (sutures), 86, 255, 269, 423

- anesthetics for, 379

Stomach ache, 12, 93, 427

- (Also see Belly, Cramps)

Stomach ulcers, 128–129, 149, 380–381**Stools**

- in acute abdomen (obstruction), 94
 - in diarrhea (dysentery), 144–145
 - like rice water, 158
 - white or pale, 172
 - with blood, 128, 146, 189
 - with schistosomiasis, 146, 376
 - with typhoid, 189–190
 - with ulcer (black, tarry stools), 128
- (Also see Constipation, Feces)

Story telling, w23**Strabismus**, 223**Strains**, 102**Strep throat**, 310**Stretcher**, 100**Stroke**, 37, 78, 288, 327, 410

- (Also see Heat stroke)

Sty (hordeolum), 224, 427**Suction bulb**, 84, 255, 262, 268**Sugars**, 110, 111, 427**Sulfonamides**, 55, 356**Sunken fontanel** (See Fontanel)**Sunlight**

- and acne, 211
- and rickets, 125
- and skin problems, 195

Supplies

- for childbirth, 254–255
- for the medicine kit, 334, 336

Suppressants, 427

- cough, 52, 383

Surgery

- immediate need for, 91–95, 177, 222, 267
- possible need for, 102, 175, 177, 211, 222, 225, 235, 243, 279, 280, 293, 317, 319, 329

Susto, 24**Suture** (See Stitches)**Sweets**, 115, 119, 122, 229, 408**Swelling**

- breast swelling and lumps, 278–279
 - caused by medicine, 68, 70–71, 231
 - home cure for, 12
 - in old age, 323
 - of broken arms or legs, 14
 - of hands and face, 108, 239, 249
 - of strains and sprains, 102
 - of the eyes, 144, 221, 313
 - of the feet, 113, 124, 144, 176, 248–249, 321
 - of the scrotum or testicles, 312, 317
 - with infection, 194
- (Also see Lymph nodes, Swollen belly, Varicose veins)

Swollen belly

- different causes of, 20
 - in children, 107, 112, 114, 321
 - in giardia infection, 145
 - in gut obstruction, 94
 - in malnutrition, 112, 114
 - in pregnancy, 248, 249
- (Also see Gut)

Symptoms, 29
Syphilis, 10, **237–238**, 403
Syringe, **72**, 74, 336, 339, 401, 405

T

Taboo, **23**, 428
T.A.L.C., 297, 431
Tapeworm, **143**, 375
TB (See Tuberculosis)
Teaching, w2, w4–w5, **w21–w28**, 321
 materials, addresses for, 429–432
Tear sac, infection of, 217, **223**
Teaspoons, for measuring, 61
Teeth, 133, **229–232**
Temperature, **30–31**, 272, 409, inside back cover
 (Also see Fever)
Tepeguaje, 14
Testicles, 233, 286
 swellings of testicles, 312, 317
Tetanus (lockjaw), 182–184
 from a wound, 84, 89, 105–106, 388, 407
 in the newborn, 182–183, 273
 medicine for, 184, 336–337, 388
 vaccination, 147, 184, 296
Thalassemia, **392**, 428
Thermometer, **31**, 334
Threadworm (pinworm, Enterobius), 141
Throat
 lump on the throat, 10, 130, 423
 object stuck in, 79
 sore throat, 163, 309–310
Throwing up (See Vomiting)
Thrush (Candida), 232, 400
Ticks, 190, **201**, 428
Tinea, 205–206
Tinea versicolor, 206
Tobacco, 129, 416–417
Tongue, 232
Tonsillitis (Inflamed tonsils), 309
Toothache, 231
Toothbrush, homemade, 230
Toothpaste, 230
Toxemia of pregnancy (See Pre-eclampsia)
Trachoma, 220
Traditions, w3, w11, 1, 2, 21
Trichinosis, 144
Trichocephalus (whipworm, Trichuris), 142
Trichomonas, 241
Trichuris (whipworm, Trichocephalus), 142
Tropical sore (See Leishmaniasis)
Tubal ligation, 294
Tuberculosis, 108, **179–180**, 337
 and AIDS, 396, 400
 and children, 136
 and measles, 311
 medicines for, 359–361
 of the lymph nodes, 212
 of the skin, 212
 of the spine, 173
 signs of, 30, 37

vaccination, 147

Tumors (See Cancer)
Twins, 251, 256, **269**, 289
Twisted joint (sprain), 102
Typhoid fever, **188–190**
 fever pattern, 26
 medicines for, 356
 pulse with, 33
 resistance to medicines, 58
Typhus, 26, **190**

U

Ulcer, 428
 on the cornea (eye), 224–225
 skin, 20, 212, 213, 324
 stomach, 13, 36, 53, 128–129, 149, 381
Umbilical cord, 428
 and tetanus, 182
 how to cut, 262–263
 infection of, 270, 272
 wrapped around the baby's neck, 268
Umbilical hernia, 317, 318, 428
Umbilicus (See Navel)
Uncinaria (hookworm), 133, **142**
Unconscious person, **78**, 424
 breathing of, 32
 difference in pupil size, 33
 in shock, 77
Under-Fives Program, w20, w24, **297**, 428
Undulant fever (brucellosis), 27, **188**
Units, measuring in, 60
Uremia, 239–240
Ureters, 233
Urethra, 233, 235, 286, 428
Urination, difficulties with, 234–236, 239–240,
 324, 403, 410
Urinary tract, 36, **233–234**, 428
Urine
 blood in, 146, 234, 376
 brown, 172
 dark yellow, 151
 less than normal, 151, 236
 too much or often, 127, 234
 pus in, 236
Using this book, inside front cover, w28
Uta (See Leishmaniasis)

V

Vaccinations, 19, **147**, 180, 250, 296, 321, 337,
 405
Vagina, **233**, 286, 428
 infections of, 241–242, 369
 placenta blocking, 249
 tearing during birth, 269
Vaginal discharge, **241–242**, 369
Vapors, breathing hot water vapors, 47, **168**
Varicose veins, **175**, 213, 288, 410, 428
 and chronic sores, 20, 212, 213, 324
 during pregnancy, 248
Vasectomy, **294**

Venereal diseases (VD) (See Sexually transmitted infection)

Venereal lymphogranuloma, 238, 420

Ventilated improved pit latrine, 139

Verrucase (warts), 210

Village health committee, w24

Village health worker, w1–w7, w29, 43, 340

Village medicine kit, 336–337

VIP latrine, 139

Virus, 19, 399–401

Vision (See Eyes)

Vital signs, 41, inside back cover

Vitamins, 110, 111, 116–118, 391–393, 405

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 391

vitamin B, 208

vitamin C, 248, 335,

vitamin B₆, 360, 393

vitamin B₁₂, 51, 65, 392

vitamin K, 265, 272, 337, 392

(Also see Iron, Zinc)

Vitiligo, 207

Vomiting, 161

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 388

in the newborn, 273

medicines for, 161, 335, 385–386

violent vomiting, 151

with blood, 128, 328

with diarrhea, 151, 157

with urine poisoning (uremia), 239

W

Wandering eyes, 223

Warm compresses, 193–195

Warts, 210, 212, 400, 402

Water, healing with, 45–48

and cleanliness, 46, 131, 135, 137–139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 383

Weakness, fatigue, 23, 124, 323, 400

Weight

and diet, 110–111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125–127, 325–326

in pounds and kilos, 62

measuring medicines, 59–61

weight gain, in children, 297–304

weight gain in pregnancy, 247, 250

Weight loss

chronic, 179, 180, 400

different causes, 20

how to lose weight, 126

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

Welts (hives), 68, 203, 238

Wet malnutrition (kwashiorkor), 113

Whipworm (Trichuris, Trichocephalus), 142

White spots and patches on the skin, 206–207, 232

Whooping cough (pertussis), 168, 313

medicines for, 313

vaccination, 147, 296

Witchcraft, 5, 24

Withdrawal

from drug addiction, 417

to prevent pregnancy, 285, 294

Womb, 286, 428

cancer of, 280

contractions of, 258, 266

infection (See Childbirth fever)

massaging, 264–265

position of the baby in, 251, 257

Women's health care, 241

Working together, w5, w24

Worms, 140–146, 227–228, 406–407

causing obstructed gut, 94

in children, 308

medicines for 335, 373–375

prevention of, 47, 131–134

Wounds

abdomen, 92

bullet, 90–93

chest, 91

controlling bleeding of, 82

deep, 89–92

from a broken bone, 99

how to close them, 85–86

infected, 88–89, 213, 401

knife and bullet, 89–93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217–218

X

Xerophthalmia, 113, 226, 306, 337, 391, 428

Xerosis (See Xerophthalmia)

X ray, 102

Y

Yaws, 198, 202, 238

Yeast infection, 19, 58, 232, 242, 369–370, 372

Yesca, 11

Yogurt, 57, 155, 232, 242

Z

Zinc, 155, 159, 393