

# Index

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.  
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

## A

- Abdomen** (See Belly)  
**Abortion**, 243, 284, **414–415**  
 (Also see Miscarriage)  
**Abscess**, 419  
 breast, 278  
 caused by injecting, 67, 69, 74  
 liver, 144–145  
 of the teeth, 230–231  
 under the skin, 202  
**Acid Indigestion**, 128–129  
**Acne (pimples)**, 211, 394, 419  
**Acquired Immune Deficiency Syndrome** (See HIV and AIDS)  
**Acupuncture**, 74, 401  
**Acute abdomen**, 15, **93–94**, 419  
 (Also see Gut, Swollen belly)  
**Addiction**, 416–417  
**Afterbirth (placenta)**, **262–264**, 269, 426  
**AIDS**, **399–401** (Also see HIV and AIDS)  
**Alcoholic drinks**  
 and heat stroke, 81  
 problems caused by, 119, 148–149, 325, 326, 400, 416  
**Alcoholics Anonymous**, 149, 417, 429  
**Alcoholism**, **148–149**, 416–417, 419  
**Allergic reaction**, 23, 54, **166**  
 in the skin, 203, 285, 290  
 medicines for, 337, 385–386  
 to medicines, 54, 56, 68, 70–71, 350  
**Allergic rhinitis (hay fever)**, **165**, 427  
**Allergic shock**, **70**, 105, 350, 385–386, 410  
**Aloe vera**, 13, 129  
**Amebas**, **144–145**, 336, 367–368, 419  
**Amputation**, 409, 419  
**Anabolic steroids**, 51  
**Analgesics (painkillers)**, 378–380  
**Anemia**, **124**, 419  
 causes of, 113, 124  
 during pregnancy, 248–249  
 in children, 307, 321  
 treatment, 335, 391–393  
**Anesthetics**, 379–380  
**Angel's Trumpet**, 12  
**Angina pectoris**, 325  
**Antacids**, 52, 64, **129**, 248, 324, 380–381  
**Antibiotics**, 52, **55–58**, 156, 350–363  
**Anti-diarrhea medicines**, 156  
**Antihistamine**, 70, 165, 204, **385–386**, 419  
**Antiretroviral medicines**, 396, 398  
**Antispasmodic**, 235, 329, **380**  
**Antitoxins**, **387–388**, 419  
 and allergic shock, 70, 105  
 for tetanus, 388  
 (Also see Antivenom)  
**Antivenom**, 70, 387–388  
 for scorpion sting, 387  
 for snakebite, 105, 387–388  
**Anus**, **233**, 419  
 hemorrhoids in it, 175  
 sores in it, 238, 400, 402, 403  
**Apoplexy**, 37, 78, 288, **327**  
**Appendicitis**, 36, **94–95**  
**Appendix**, **94**  
**Arms**  
 muscles and nerves in, 37  
 numbness or pain in, 23, 325  
**Arteriosclerosis**, 326  
**Arthritis (joint pain)**, **173**, 324  
 medicines for, 51, 378–379  
**Ascaris (roundworm)**, **140–141**, 420  
 and asthma, 167  
**Asthma**, **167**, 337, 384–385  
**Athlete's foot**, 205

## B

- Babies**  
 examining, 34  
 feeding, 120–121  
 with diarrhea, 159, 358  
 with skin problems, 215  
 (Also see Children, Newborns)  
**Back pain**, **173–174**, 248  
**Bacteria**, **19**, 55, 420  
**Bacterial dysentery**, 145  
**Bacterial infection of the blood**, 273–275  
**Bag of waters**, 256, 258, **259–260**, 420  
**Bandages**, 85, 87, **101–102**, 336  
**Bathing**  
 and hygiene, 133  
 newborns and babies, 7, 215, 263  
 postpartum mothers, 8, 276  
 sick persons, 7, 39  
**B.C.G. vaccination**, **147**, 180, 185

**Beaded lizard bite**, 106

**Bedbugs**, 200

**Bed sores**, 13, **214**, 420

### Beliefs

harmful, 4, 5, 10–11

healing power of, 2

**Bell's Palsy**, 327

### Belly

acute abdomen, 93–94

examination of, 35–36

lumps in, 280

pain in lower belly, 243

(Also see Gut, Swollen Belly)

**Bewitchment**, 2, **6**, 420

**Bilharzia**, 146

**Biliousness**, 329

**Birth** (See Childbirth)

**Birth control** (See Family planning)

**Birth control pills**, 285, **288–289**, 393–394

**Birth defects**, 6, 247, 272, 289, **318–321**, 412

**Birth kits**, 254–255

**Birth opening** (See Vagina)

### Bites

of wild animals (rabies), 181

poisonous, 104–106

that may cause infection, 89

treatment, 86

**Bitot's spots**, 226

**Black flies**, 227–228

**Blackheads**, **211**, 420

**Black magic**, **5**, 24

**Black widow spider bite**, 106

**Bladder**, 233

infection, 234, 243

stones, 234, 235

**Bleach**, 74, 401

### Bleeding

and anemia, 124

during menopause, 246

during pregnancy, 249, 281

gums, 107, 231

how to control, 13, 82–83

in an unconscious person, 78

in the whites of the eyes, 225

of the newborn, 272, 337, 392

severe, 82, 243, 246, 264, 281, 404, 410, 414

stopping after birth, 263–266, 337, 390–391

(Also see Blood)

**Blindness**, **221–222**, 412

from injuries to the eye, 218

night blindness, 113, 226–227

protection for babies, 221, 237, 378

river blindness, 227–228, 377

### Blisters

from medicines, 356, 359

from touching certain plants, etc., 204

with burns, 96

with chickenpox, 311

with eczema, 216

### Blood

and AIDS, 75, 82–84, 399, 401

clots, 288

coughing up blood, 168

flukes, 146

in stools, 128, 144–146, 157–158, 306, 401

in the urine, 146, 234

in vomit (cirrhosis), 328

in vomit (ulcer), 128

(Also see Bleeding)

**Blood pressure**, 420

high, 125, 249, 289, 326–327, 410–411

how to measure, 410–411

low, 77, 411

(Also see Shock)

**Blood transfusion**, 399, 401

**Blueness of skin, lips, and nails**, 30

**Body-building foods**, 110

**Boil (abscess)**, **202**, 420

### Bones

calcium for, 246

deformities of, 125, 319

hit by a bullet, 90

that have come out of place at a joint, 101

(Also see Broken bones)

**Bottle feeding**, 120, 154, 296

**Bowel movement**, **242**, 420

(Also see Feces, Stools)

**Braces**, 315

**Brain damage**, 319–320

and seizures, 319

from high fever, 76

from tapeworm cysts, 143

**Bran**, 16, 126, 382

**Brand-name medicines**, 55, 333, **339**, 420

**Breakbone fever** (See Dengue)

**Breast abscess (mastitis)**, **278**, 424

**Breast cancer**, 279

**Breast feeding**, w 12, **120–122**

and birth control, 285, 289, 294, 394

and good nutrition, 114, 116, 304

and preventing diarrhea, 154, 156

of newborns, 271, 277, 405

traditional beliefs about, 2, 7

(Also see Breasts)

### Breasts

care of, 277, 279

swelling of, 278–279

**Breathing (respiration)**, 426

difficulties, 23, 57, 168, 181, 274, 325, 410

hot water vapors 47, 168

of a sick person, 32

rate, 32

stopped, 80

(Also see Lung diseases, Mouth-to-mouth breathing)

**Breech delivery**, 257, **268**

**Broad-spectrum antibiotics**, **56**, 58, 352, 355–358

**Broken bones**, 14, **98–99**

**Bronchitis**, 170

**Brucellosis (Malta fever)**, 27, **188**

**Bubos**, **238**, 403, 420

**Bullet wound**

- in arms or legs, 90
- in the belly, 15, 92–93
- in the head, 91

**Burns, 13, 96–97**

- and leprosy, 192
- of the eye, 219

**C****Calcium**

- and rickets, 125
- danger of injecting, 53, 67
- for spider bite, 106
- for weak bones, 246
- in eggshells, 116

**Callus, 210****Cancer, 25, 412, 420**

- and oral contraceptives, 288–289
- and smoking, 119, 149, 168
- of the breast, 279
- of the eyes, 33, 217
- of the skin, 197, 211, 399
- of the womb, 280

**Candida (thrush), 232, 242, 400****Canker sores, 232****Carbohydrates (energy foods), 110, 121, 420****Carbonated drinks, 115, 150****Cardon cactus, 13, 232****Cascara, 16****Cassava, 117, 130, 420**

- for constipation, 16, 126, 382

**Cast, 14, 98, 319, 420****Castor oil, 16****Cataract, 33, 217, 225, 323, 420****Catheter, 239–240, 336, 420****Causes of illness, w6–w7, w10, w27, 17–19****Cavities in teeth, 229–230, 420****Cellulitis, 212****Cereal, 152, 381****Cerebral malaria, 30, 178, 186, 366****Cerebral palsy, 320****Cerebro-vascular accident (CVA), 37, 78, 288, 327****Cervix, 286, 291, 420****Chancere, 237****Chancroid, 236, 238, 403****Chemical burns of the eye, 91****Chest wounds, 91****Chickenpox, 204, 311****Chiggers, 201, 420****Chikungunya, 187****CHILD-to-child program, 322****Child Health Chart, w20, w24, 297–304, 420****Childbirth**

- bleeding after, 264–265
- correct use of oxytocics, 265–266
- cutting the cord, 262–263
- difficult births, 267–269, 319
- infection, 260, 276position of the baby, 257, 261, 267
- position of the mother, 260

- premature, 262
- preparing for, 254–256
- signs of labor, 258
- tearing of the birth opening, 269

**Childbirth fever, 27, 276, 283, 420****Children**

- and diarrhea, 151–153, 159
- foods for, 112, 113, 120–122, 295
- giving injections to, 73
- growth of, 107, 297–304
- having the number you want, 283–294
- infectious diseases of, 311–315
- malnourished, 112–114, 154, 303, 305–306
- mentally slow, deaf, or deformed, 318
- problems they are born with, 316–321
- severely ill, 214
- vaccinations for, 147, 296
- (See also Babies, Newborns)

**Chlamydia, 221, 234, 236–237, 355, 359, 378****Choking, 79, 314****Cholera, 158****Cigarettes (See Smoking)****Circulation, poor (See Varicose veins)****Circumcision, 74, 401, 404****Cirrhosis of the liver, 108, 148, 328****Cleanliness, 131–139**

- basic guidelines of, 133–139
- in childbirth, 260, 263
- of children, 136, 296
- of equipment, 74, 401
- of mouth and teeth, 229–231
- personal cleanliness, 39, 41, 133–135
- public cleanliness, 137–139
- to prevent infection, 74, 84, 401, 414
- when injecting, 68, 74, 401

**Cleft palate, 318–319, 421****Climacteric (menopause), 246****Clitoris, 233****Clubbed feet, 319****Cocaine, 416–417****Coitus interruptus, 285, 294****Cold and hot sicknesses, 119****Cold compresses, 193–194****Colds and the 'flu', 45, 57, 163, 308**

- diet with, 123

**Cold sores or fever blisters, 48, 171, 232, 402****Cold weather, 408–409****Colic (gut cramps), 35, 145, 157, 421****Colostrum, 277, 421****Coma, 78, 421****Combination medicines, 52, 397****Combined methods of birth control, 285, 292****Comfort of a sick person, 39****Complications from abortion, 243, 414–415****Compresses, 193–195, 421****Condom, 239, 285, 287, 395, 401****La Congestión, 23****Conjunctivitis, 219–221, 308****Constipation, 16, 126**

- as a sign of acute abdomen, 94
- during pregnancy, 248

- treatment and prevention, 126, 382
- Consumption** (See Tuberculosis)
- Contact dermatitis, 204, 421**
- Contraception, 283–294, 393–396**
- Contraceptive foam, 290, 395**
- Contractures, 314, 421**
- Convulsions, (See Seizures, Spasms)**
- Cooperatives, w24**
- Cornea, 217, 218, 224, 225, 226, 228**
- Corn silk, 12**
- Corns, 210, 421**
- Cortico-steroids, 51, 129, 370**
- Cortisone, 51**
- Cough, 168–169**
  - chronic, 168, 324, 400
  - common causes, 168
  - cough with blood, 140, 171, 174, 179
  - medicines for, 52, 383
  - smoker's, 149
- Counting days method, 292**
- Cradle cap, 215**
- Cramps, 421**
  - gut, 12, 35, 106, 145, 147, 243, 380
  - heat, 81
- Cretinism** (See Hypothyroidism)
- Crop rotation, w13, 115, 117, 427**
- Cross eyes, 223, 318**
- Crutches, how to make, 315**
- Cupping, 22, 421**
- Cuts, 84–86**
- CVA (Cerebro-vascular accident), 37, 78, 288, 327**
- Cyst, 143, 243, 280, 421**

## D

- Dacryocystitis, 223**
- Dandruff, 215, 421**
- Dandy fever** (See Dengue)
- Dangerous illnesses, w28, 42, 179–192**
- Dangerous use of medicine, 50**
- Date of expiration, 332**
- Deafness**
  - home cure for, 11
  - in children, 318
  - with ringing and dizziness, 327
- Death, accepting, 330**
- Decongestants, 164, 165, 421**
- Defects, birth, 7, 289, 316–321, 421**
- Deformities, 421**
  - from birth, 289, 316–321
  - with leprosy, 191–192
- Dehydration, 151–152, 421**
  - and diarrhea, 46, 155
  - causing sunken fontanel, 9, 274
  - danger of laxatives with, 15, 382
  - medicine not to take, 52–53, 156
  - prevention and treatment, 152, 156, 381
- Delhi boil** (See Leishmaniasis)
- Delirium, 24, 421**
  - and malaria, 186
  - and typhoid, 189
- Dengue, 187**
- Dermatitis, contact, 204, 421**
- Diabetes, 127, 251, 329, 410**
- Diaper rash, 215, 422**
- Diaphragm, 285, 291, 395**
- Diarrhea, 151–160**
  - and dysentery, 144–145, 153, 306
  - babies with, 159, 271
  - causes of, w7, 17, 107, 132–33, 135, 153, 399, 400
  - causing sunken fontanel, 9
  - home cures for, 11
  - prevention of, w7, 46–47, 154
  - severe, 151, 160
  - treatment of, 58, 152, 155–158, 383
  - with blood, 144–145, 157–158, 306, 401
  - with vomiting, 151, 157
  - with worms, 142
- Diet, 421**
  - congestion and, 23
  - for fever, 8
  - for postpartum mothers, 8, 123, 276
  - for sick persons, 40, 123
  - for small children, 120–122
  - for specific diseases, 40, 124–130, 154–156
  - harmful ideas about, 123
  - things to avoid, 119
  - what to eat to stay healthy, 110–111
  - while taking medicines, 123
  - with oral contraceptives, 286
  - (Also see Foods, Nutrition)
- Diets for specific diseases, 40, 124–130**
  - acid indigestion, heartburn, and ulcers, 128–129
  - anemia, 124
  - constipation, 16, 126, 382
  - diabetes, 40, 127
  - diarrhea, 155–156, 159
  - goiter, 130
  - high blood pressure, 125
  - people who are too heavy, 126
- Digestion, 13**
- Diphtheria, 147, 296, 313–314**
- Direct pressure, 82**
- Disability**
  - how injections cause, 74, 314
  - in children, 74, 314, 318–321
- Diseases** (see sicknesses)
- Dislocations, 38, 101, 316, 422**
- Dizziness, 327, 249**
- Dolor de ijar, 22*
- Dosage information, 340**
- Double vision, 227**
- Douche, 241, 247, 258, 281, 293, 422**
- Down syndrome (mongolism), 318, 425**
- D.P.T. vaccination, 147**
- Drinking (alcohol), 148–149, 318, 325, 326, 328**
  - 400, 416
- Drowning, 79, 422**
- Drug abuse, 399, 401, 416–417**
- Dry eyes, 107, 113, 226, 391**
- Dry malnutrition (marasmus), 112–113**

**Dumdum fever** (See Leishmaniasis)  
**Dysentery, 144–145, 422** (Also see Diarrhea)

**E****Ears**

how to examine a sick person's, 34  
 infections of, 309  
 nodes behind, 88  
 ringing of, 107, 327

**Earwax, 405****Eclampsia, 249, 390, 422****Ectopic pregnancy, 22, 36, 93, 243, 249, 280, 414****Eczema, 216****Emergency**

contraception, 288, 394–395  
 problems of the gut, 93–95  
 supply of medicines, 332  
 use of injections, 66

**Emergencies caused by cold, 408–409****Emergencies caused by heat, 81****Empacho, 22****Emphysema, 170****Enema, 15, 76, 92, 422****Energy foods, 110–111****Enterobius (pinworm, threadworm), 141****Epilepsy, 38, 178, 319, 388–390****Epsom salts, 16****Erysipelas, 212****Evaluation, w20, 422****Evil eye, 5, 422****Examining**

a pregnant woman, 250–253  
 a sick person, 29–38  
 breasts, 279  
 eyes, 33, 217  
 eyesight, 223  
 for appendicitis, 36, 95  
 for hernia, 94, 317  
 for knee reflexes, 183

**Excision, 404****Exhaustion, heat, 81****Expectorants, 52, 383, 422****Experimenting, w15****Extra finger or toe, 318–319****Eyes, 217–228**

cross eyes, 223  
 danger signs, 33, 217, 227  
 dryness of, 107, 113  
 examining the eyes, 33  
 eye problems of older people, 227, 323  
 eye problems with leprosy, 192  
 foreign objects in eyes, 48, 218  
 of newborns, 221, 270, 378, 391  
 red and painful, 219, 225  
 spots and “floaters”, 227, 323  
 yellow, 30, 172, 274, 328, 329

**Eyesight testing, 223****F****Face**

dull, 318  
 lumpy skin on, 191  
 paralysis of, 37, 327

**Fainting, 78, 79, 81, 325, 327****Falciparum malaria, 158, 186, 363****False labor, 258****Family planning, w16, 246, 283–294, 393–396**  
 and infertility, 244**Farming, w13, 412–413****Farsightedness, 323, 422****Fatigue, 23, 124, 323, 400****Fats, 111, 121****Feces, 422**

and infections, 84, 96, 131  
 in home remedies, 11  
 in newborn's mouth and nose, 268  
 (Also see Stools)

**Feces-to-mouth, disease spread from, 131–133,**  
 140, 188**Feet**

clubbed, 319  
 loss of feeling in, 127, 162, 173, 191–192  
 swelling of, 113, 124, 144, 176, 248, 249, 323

**Female condom, 287****Fertile days, 244, 291–292****Fertility awareness, 291–292****Fetoscope, 252, 255, 422****Fever**

childbirth, 27, 276, 283  
 diet with, 8  
 high, 15, 75–76, 335  
 how to bring down, 75, 76, 335  
 in children, 306  
 in the newborn, 270, 273  
 patterns in different diseases, 26–27, 30, 31

**Fever blisters or cold sores, 48, 171, 232***La Fiebre, 26***Filmstrips, w22****Fire wood, 135****First aid, 75–106, 422****Fits** (See Seizures)**Flannel-graphs, w22****Fleas, 190****Flies**

and disease, w23, 135, 227–228, 406

**Flu, 45, 57, 163, 308, 422****Flukes, blood, 146, 376, 422****Fluoride, for teeth, 229****Foam, contraceptive, 285, 290, 395****Folic acid, 118, 321, 392, 422****Folk beliefs, 3, 6–8, 123**

(Also see Home remedies)

**Folk disease, 21–26****Follicles inside the eyelids, 220****Fontanel (soft spot)**

sunken, 6, 9, 151, 274  
 swollen, 274

(Also see Dehydration)

**Food poisoning**, 23, 103, **135**, 153, 161

**Foods**

- at low cost, 116–118
- for a person with diarrhea, 155–156
- for sick persons, 41
- for small children, 120–122
- nutritious, 110–111, 295
- plant, 116
- producing, w11
- spoiled, 103, 135
- (Also see Diet, Nutrition)

**Fractions**, **59–60**, 340

**Fractures** (See Broken bones)

**Fright**, **24**, 422

**Frostbite**, 409

**Frozen skin**, 409

**Fungus infection**, 19, 58

- ringworm, tinea, 205–206, 371–372
- thrush, 232
- vaginal yeast, 242, 369

**G**

**Gallbladder**, 422

- home cure for, 12
- pain in, 36
- problems, 329

**Gangrene**, 213

**Garlic**, 12, 241, 242

**Gastritis**, 128–129

*Gelusil*, 173

**Generic medicines**, 333, **339**, 423

**Genital herpes**, 402–403

**Genital warts**, 373, 402

**Genitals**, 205, 232, **233–244**, 423

- sores on, 237, 402–403

**German measles (Rubella)**, 247, **312**, 320

**Germs**, **19**, 423

**Giardia**, **145**, 336, 367–369, 423

- and diarrhea, 153, 158

**Gila monster bite**, 106

**Glaucoma**, 33, **222**, 323

**Gloves, rubber or plastic**, 255, 262, 264, 401

**Glue sniffing**, 416

**Goiter**, 10, **130**, 423

**Gonorrhea**, 221, **236–237**, 359

- (Also see Sexually transmitted infections)

**Grams, measuring in**, **59–60**, 423

**Groin, lymph nodes in**, **88**, 238, 423

- (Also see Hernia)

**Group discussions**, w24 w27

**Growth, children's**, 107, **297–304**

*Guaco*, 3

**Guinea worm**, 406–407

**Gums**, 229–232

- bleeding of, 107, 231
- pale, 124
- swelling caused by medicine, 231

**Gut**

- cramps, 12, 106, 145, 157, 243, 380
- emergency problems of, 35, 93–94

infection, 47, 131, 144–145, 153, 189

obstructed, 22, 94

out of anus (prolapse), 142

outside a wound, 92

wounds in, 92

(Also see Abdomen, Swollen belly)

**H**

**Hair**

- changes with malnutrition, 107
- examination for lice, 200
- loss of, 107

**Hansen's disease** (See Leprosy)

**Hare lip**, **318**, 423

**Hay fever**, 34, **165**, 427

**Head**

- fungus infections of, 205
- injury, 37, 78, 91
- swollen lymph nodes on, 88

**Headaches**, **162**, 249, 410

**Health**, w7, w11

**Health worker**, w1 w7, w29, 43, 246, 340

**Heart**

- attacks, 23, 325
- confusion with heartburn, 128
- trouble, 33, 310, 325, 410

**Heartbeat**, **32–33**, 77

**Heartburn**, 423

- diet for, 128–129
- during pregnancy, 248
- medicines for, 380–381
- medicines to avoid, 54, 64

**Heat**

- cramps, 81
- exhaustion, 81
- stroke, 78, 81

**Hemorrhage** (See Bleeding)

**Hemorrhoids** (See Piles)

**Hepatitis**, **26**, **172**, 416

**Herbal teas**, 1, 8

**Herbs, curative**, **12–13**, 423

**Hereditary problems**, **18**, 318–319, 321, 423

**Hernia**, **177**, 423

- during pregnancy, 256
- in groin of newborn, 317
- obstructing the gut, 94

**Heroin**, 416–417

**Herpes simplex or labialis** (See Cold sores)

**Herpes zoster**, **204**, 373, 400

**Hexing**, 2

**High blood pressure**, **125**, 249, 325–326, 411

**History, taking**, 20, 25, 29, 44, 250–253, 423

**HIV and AIDS**, 20, 75, 153, 171, 236, 245, 286,

- 290, 396, **399–401**, 416
- and medicines, 396–398
- and pregnancy, 249, 398
- and shingles, 204
- and thrush, 232
- and tuberculosis, 179
- and vaccinations, 147
- caring for someone with, 401

HIV test, 400  
preventing, 401

**Hives**, 68, 166, **203**, 423

**Home remedies**, 1–3  
enemas and purges, 15  
for infertility, 244  
how to tell if they work, 10–11  
questions and answers about, 6–8  
sensible use of, w2, 24

**Home visits**, w24

**Hookworm (Uncinaria)**, 133, **142**, 296, 307

**Hordeolum (sty)**, 224

**Hormones**, 224, 287, 393, 423

**Hot and cold sicknesses**, 119

**Hot compresses, 193–195**, 406

**Housing**, w10

**Human immunodeficiency virus** (See HIV and AIDS)

**Hydrocele**, 317

**Hygiene** (See Cleanliness)

**Hypertension** (See High blood pressure)

**Hyperventilation, 24**, 423

**HypHEMA**, 225

**Hypochondria**, 329

**Hypopyon**, 225

**Hypothermia**, 408

**Hypothyroidism, 318**, 423

**Hysteria**, 2, 24, **423**

## I

**Illnesses** (See Sicknesses)

*Imferon*, 51, 67

**Immunizations (vaccinations)**, 19, **147**, 296, 337

**Impetigo, 25**, **202**

**Implants (birth control)**, 285, **289–290**, 396

**Indigestion**  
diet for, 128–129  
during pregnancy, 248  
medicines for, 380–381  
medicines to avoid, 54, 64

**Infantile paralysis** (See Polio)

**Infants** (See Babies, Newborns)

**Infection**, 423  
after giving birth, 276  
and diarrhea, 154, 157  
in newborns, 182–183, 275  
in wounds, 88–89, 96, 213  
medicines for, 55–58, 335–336  
minor, 58  
of the appendix, 94–95  
of the eyes, 217, 219, 220, 221  
of the genitals, 236–239, 241–242  
of the gut, 94–95, 135, 140–146, 243  
of the tear sac, 223  
of the urinary tract, 234–235  
resisting, 108, 120, 271  
signs of a serious, 88, 194, 272–275

**Infectious diseases, 18–19**, 135, 423

**Infertility**, 244

**Inflamed tonsils (tonsillitis)**, 309

**Inhalers, for asthma**, 167, 384

**Injections**, 65–73  
dangerous reactions from injections, 54, 70–71  
emergencies needing, 66  
faith in, w19, 4, 50  
family planning, 289–290  
medicines not to inject, 51, 56, 67  
of vitamins, 118  
risks and precautions, 68–69  
supplies for, 336  
that can disable children, 74, 314  
to prevent pregnancy, 285, 293, 395  
when to inject, 65, 67

## Injury

moving an injured person, 99–100  
of an unconscious person, 78  
severe, 33  
to the eye, 218

**Insecticides**, 19, 103, 187, 372, **412–413**, 423

**Insomnia (loss of sleep)**, **328**, 423

**Intestinal worms**, 13, **140–145**, 423

**Intestines** (See Gut)

**Intrauterine device (IUD)**, 281, 285, **290**, 395–396

**Intravenous solution (I.V.)**, 40, **53**, 67, 152

**Intussusception, 94**, 424

**Iodized salt, 130**, 318

**Iritis**, 33, 219, **221**

## Iron

cooking pots, 117  
foods rich in, 124  
from nails in lemon juice, 118  
pills, 51, 118, 124, 307, 335, 392, 405

## Itching

caused by fungus, 205, 242  
caused by medicines, 68, 70–71, 166  
caused by plants, 204  
medicines for, 335, 385  
of hands with syphilis, 238  
of the anus (pinworm), 141  
rashes, allergies, 68, 166, 203, 236, 238  
with chickenpox, 311  
with scabies, 199  
with worm infections, 140–142, 228

**IUD** (See Intrauterine device)

## J

**Jaundice**, 30, **172**, 274, 318, 321, 328–329, 392, 424

**Jock itch**, 205

**Joints, painful**, 101–102, 173, 310, 324

## K

**Kala azar** (See Leishmaniasis)

**Kangarooing, 405**, 408

**Kidneys, 233–234**, 424

**Kidney stones, 235**, 424

**Kilograms, measuring in, 62**, 424

**Kwashiorkor (wet malnutrition)**, 30, **113**, 424

**L**

- Labor, 258–262**, 264, 424
  - false labor, 258
  - problems with labor, 267
  - signs that show labor is near, 258
  - stages of, 259–262
  - (Also see Childbirth)
- Land**
  - distribution of, w7, w11, 413
  - use of, w11, w13–w16, 115
- Latido*, 23
- Latrines**, 137–139, 153
- Laxatives, 15–16**, 382
  - misuse of, 126
- Lazy eye**, 223
- Leadership**, w5
- Learning**, w4, w21–w28, **322**
- Legs**
  - crossed like scissors, 320
  - examination of legs, 37
  - pain in, 288, 321
- Leishmaniasis**, 406
- Lepra reaction**, 191, 362
- Leprosy**, 10, 38, **191–192**, 206, 337, 362–363
  - or *lepra*, 25
- Lice**, 134, 190, **200**, 372
- Limits, knowing**, w4
- Liquids, 39–40**, 151
- Liters, measuring in**, 61, 424
- Liver, 36**, 424
  - abscesses, 144–145
  - diseases, 172, 288, 328
  - infection of, 172
- Liver extract**, 65, **67**
- Lockjaw** (See Tetanus)
- Loss of blood** (See Blood, Bleeding)
- Loss of consciousness** (See Unconscious person)
- Loss of feeling, 38**, 127, 162, 173, 191, 192, 279
- Loss of sight**, 225, 412
- Loss of sleep (insomnia)**, 328
- Loss of weight** (See Weight loss)
- Low body temperature**, 409
- Low back pain, 173**, 248
- Low blood pressure**, 411
- Lumps**
  - in the abdomen, 35, 243, 280
  - in the breast, 279
  - on face and body, 191, 228
  - that keep growing, 196, 280
  - (Also see Lymph nodes)
- Lung diseases**
  - and smoking, 149
  - asthma, 167
  - bronchitis, 170
  - pneumonia, 171
  - tuberculosis, 179
- Lymph nodes, swollen, 88**, 317, 424
  - caused by an abscess, 202
  - in the groin, 238, 403

- signs of infection, 194
- TB of, 212
- with AIDS, 400
- with breast cancer, 279
- with brucellosis, 188 or typhus, 190
- with German measles, 312
- with scabies or lice, 199, 200

**Lymphogranuloma venereum, 238**, 420

**M**

- Malaria, 186–187**
  - falciparum, 158, 363
  - fever pattern, 26
  - medicines for, 337, 363–367
  - with seizures, 307
  - with sickle cell disease, 321
- Malnutrition**
  - and diarrhea, 153–155
  - causes of, 115, 283, 412
  - checking for, 109, 112–113, 297–304
  - during pregnancy, 248
  - in children, 107, 114, 305–306
  - kinds of, 112–114
  - prevention and treatment of, 108, 109, 112–113, 155–156, 391–393
  - problems caused by, 107, 306
  - signs of, 30, 37, 108, 112, 113, 208–209, 305
- Malta fever (brucellosis), 27, 188**
- Marasmus (dry malnutrition), 112**
- Marijuana**, 416
- Mask of pregnancy**, 207
- Massaging**
  - sprains or fractures, 99, 102
  - the birth opening, 269
  - the womb, 264–265
- Mastitis (breast abscess), 278**, 424
- Measles (Rubeola), 30**, 108, 226, **311**, 391
  - vaccination, 147, 312, 321
- Measuring**
  - blood pressure, 410–411
  - in pounds and kilos, 62
  - medicine, 59–61, 340
- Medical attention**
  - illnesses that always need, 179–192
  - when to seek, 43, 159
- Medicinal plants, 12–13**
- Medicine kit, 331–337**
- Medicines**
  - brand name, 55, 333, 339
  - care in giving to the newborn, 54, 272
  - dangerous misuse of medicine, 50–53
  - during or after birth, 266
  - during pregnancy, 54, 247, 398
  - for small children, 62
  - generic, 333, 339
  - guidelines for use, w18–w19, 49–73, 339–396
  - healing without medicines, 45–48
  - how to measure and give, 59–64, 340
  - how to write instructions for, 63–64
  - limited use of medicines, w18–w19, 49
  - medicines not to inject, 56



reactions to, 68, 70–71, 350  
 uses, dosage, and precautions, 339–398  
 when not to take them, 54–64

**Ménière's disease**, 327

**Meningitis**, 185, 275, 307

**Menopause**, 246, 424

**Menstrual period**, 245–246, 281, 291–292, 393–396

**Mental problems**, 18, 318

**Mental slowness**, 114, 306, 318, 320–321, 426

**Microscope**, 19, 144

**Midwives**

danger signs in pregnancy, 249  
 information for, 245–282  
 prenatal care, 250  
 special risk at birth, 256  
 things not to do, 260  
 things to have ready before birth, 254–255

**Migraine**, 162, 424

**Milk**

and brucellosis, 188  
 and diarrhea, 156  
 and ulcers, 129  
 powdered, 391  
 (Also see Breastfeeding)

**Milk of magnesia**, 16, 382

**Mineral oil**, 16, 382

**Minerals**, 111, 116–118, 425

**Minipill**, 285, 288, 394

**Miscarriage (spontaneous abortion)**, 246, 249, 266, 281, 414

**Models for teaching**, w22

**Mongolism** (See Down syndrome)

**Morning sickness**, 248, 287

**Mosquitos**, 186–187

**Mothers**

health after childbirth, 276, 280  
 health and sicknesses of children, 295–321  
 information for, 245–282  
 prenatal care, 250–253  
 (Also see Family planning)

**Mouth**, 107, 229–232

**Mouth-to-mouth breathing**, 78–80, 413

with newborns, 262

**Moving an injured person**, 99–100

**Mucus, how to drain**, 169, 425

**Mucus method**, 285, 292

**Mumps**, 312

**Muscles**

examining, 37–38  
 lack of control of, 320

## N

**Narrow-spectrum antibiotics**, 56, 425

**Natural balance**, 58

**Nausea** (See Vomiting)

**Navel (umbilicus)**, 425

cutting the cord, 262–263  
 hernia of navel, 317, 318  
 infection of navel, 182, 272

**Neck**

broken, 99  
 stiff, 38, 182–185, 274

**Needs, felt and long-term**, w8–w12

**Needles**, 74, 399, 401

**Neonatal conjunctivitis**, 221

(Also see Newborns)

**Nerves**, 425

muscles and, 37–38

**Newborns**

and tetanus, 182–183  
 bacterial infection of the blood, 275  
 bathing, 7, 263, 270  
 eyes, 221, 237, 270  
 feeding, 120, 263, 271  
 hernia, 317  
 illnesses of, 272–275  
 medicines for, 54, 272, 337  
 problems with delivery, 268  
 small, early, and underweight, 405  
 the cord, 262–263, 270  
 twins, 269  
 (Also see Dehydration)

**Night blindness**, 113, 226–227, 337

**Nodes** (See Lymph nodes)

**Non-infectious diseases**, 18

**Nose, stuffy or runny**, 164–165, 383

**Nosebleed**, 11, 83

**Numbness** (See Loss of feeling)

**Nutrition**, w11, w13–w16, 107–130, 295  
 (Also see Malnutrition)

## O

**Obstructed gut**, 22, 94

(Also see Gut)

**Older persons**, 83, 214, 235, 323–330

**Onchocerciasis**, 227–228, 377

**Opium**, 416

**Oral contraceptives**, 285–289, 393–394

**Outhouses**, 137–139

**Ovarian cyst**, 280

**Ovaries**, 36, 280, 425

**Oxytocics**, 50, 265–266, 319, 390

**Oxyuris (pinworm, threadworm)**, 141

## P

**Pain**

asking about, 29  
 back, 173–174, 248  
 chest, 179, 325  
 in the belly, 12, 35–36, 94–95, 128, 146, 243  
 in the eye, 217, 219, 221, 222  
 in the joints, 101–102, 173, 310, 324  
 in the leg, 288  
 in the teeth, 165, 231  
 in urination, 146, 235–236, 239, 242–243  
 medicines for, 19, 52, 75–76, 162, 335, 378–380  
 (Also see Cramps, Headaches)

**Pannus**, 220

**Pap smear**, 280

**Papaya**, 13

**Paralysis**

- examining for, 37
- from pesticides, 412
- from ticks, 201
- in a spastic child, 320
- in leprosy, 191
- in polio, 314–315
- in stroke, 37, 327
- in TB of backbone, 180
- of face, 37, 327

**Parasites, 19**, 425

- intestinal, 19, 140–145, 308
- on skin, 19, 199–201

**Patient report**, 44

**Pellagra**, 114, **208–209**

**Pelvic inflammatory disease**, 237, **243**, 244, 395

**Penis**, 199, 232, 233, 235–240, 286, 402–403

**Peritonitis, 94–95**, 129, 189, 425

**Pertussis** (See Whooping cough)

**Pesticides**

- burns in eyes, 219
- causing birth defects, 247
- misuse of, 412–413

**Pharmacist, words to**, 338

**Phlebitis**, 288

**PID** (See Pelvic inflammatory disease)

**Piles (hemorrhoids)**, 16, **175**, 423

- during pregnancy, 248
- medicine for, 391

**the Pill (for birth control)**, 285, **288–289**, 393–394

**Pimples, 211**, 419

(Also see Chickenpox)

**Pink eye, 219–221**, 308

**Pinta**, 207

**Pinworm (threadworm, Enterobius)**, 12, **141**

**Placenta (afterbirth)**, **262–264**, 269, 426

**Placenta previa, 249**, 426

**Plantar warts**, 210

**Plants**

- medicinal, 12–13
- that cause itching, 204

**Play acting**, w23

**Pneumonia**, 27, 41, **171**, 399, 400

**Poisoning, 103**

- food, 23, 135, 153, 161
- urine, 239–240

**Poisonous**

- bites, 104–106
- plants, 204

**Poliomyelitis (infantile paralysis)**, 314

- signs of, 37
- vaccination, 147, 296, 314

**Population**, w10, 115

**Posters**, w22

**Postpartum**, 426

- diet, 123
- hemorrhage, 266, 390

**Postural drainage**, 169

**Power of belief or suggestion, 2–5**, 24, 426

**Pre-eclampsia**, 176, **249**, 251, 422

**Pregnancy, 247–255**, 286

- anemia during, 124, 248–249, 391–392
- bleeding during, 249, 264, 281
- check ups during, w24, 250–253, 410
- danger signs in, 249–251
- difficulty becoming pregnant, 244
- ectopic, 22, 36, 93, 243, 249, 280, 414
- German measles during, 247, 312
- growth and position of baby, 251–252, 257
- how to prevent, 283–295
- how to stay healthy during, 247
- how to tell the baby's birth date, 252
- medicines during, 6, 54, 247, 398
- minor problems of, 174, 248, 251
- nutrition during, 118, 250
- record of prenatal care, 253
- signs of, 247
- supplies to have ready before birth, 254–255 (Also see Family planning)

**Pregnancy mask**, 207

**Prenatal care**, 250–253

**Presentation of an arm, 268**, 426

**Pressure points, 82**

**Pressure sores** (See Bed sores)

**Preventive medicine**, w17, 17, **131–150**

- cleanliness, 131–136
- how to avoid many sicknesses, 108, 148–150, 242, 326
- sanitation, 137–139
- sexually transmitted infection, 239, 401–403
- vaccinations (immunizations), 147
- worms and other intestinal parasites, 140–146

**Prolapse of the rectum, 142**, 426

**Prophylactic (condom)**, 239, 285, **290**, 395, 401–403

**Prostate gland**, 233, 235–236, 426

**Protective foods, 110**, 426

**Proteins**, 110, 111, 112, 113, 116–118, 121

**Psoriasis**, 216

**Pterygium, 224**, 426

**Pulling out (to prevent pregnancy)**, 285, **293**

**Pulse, 32–33**, 41, 410–411, 426, inside back cover

**Pulsing or throbbing of stomach**, 23

**Pupils, examining**, 217

**Purges**, 15–16

- misuse of, 92, 126

**Pyorrhea**, 231

**Q**

**Questions to ask a sick person**, 29, 44

**R**

**Rabies**, 181

**Rash on the skin**, 216, 236, 400

- diaper rash, 215, 421
- like tiny bruises (typhus), 190
- of allergic reaction, 68, 166, 203–204, 356
- of chickenpox, 311

of German measles, 312  
of measles, 30, 311  
of syphilis, 238  
of typhoid, 189  
preventing, 133  
with itching, 199–200, 203

**Reactions** (See Allergic reactions)

**Rebound pain**, 35, **95**, 426

**Rectum**  
prolapse of, 142, 426

**Reflexes, testing**, **183**, 426

**Rehydration Drink**, **152**, 311, 381, 400, 426  
and vomiting, 161  
as an enema, 15  
for acute abdomen, 95  
for dehydration, 9, 46, 158, 306  
for newborns, 273  
for very sick persons, 40, 53

**Remedies** (See Home remedies)

**Resistance**, 426  
to antibiotics, w19, 57–58, 237, 350  
to infection, 108, 120, 271

**Resources**, w8, w12, 115, 283, 426

**Respiration** (See Breathing)

**Retardation, mental** (See Mental slowness)

**Rheumatic fever**, 27, **310**

**Rheumatoid arthritis**, 324

**Rhinitis, allergic (hay fever)**, **165**, 426

**Rhythm method**, (See Counting days method)

**Ribs, broken**, 99

**Rickets**, 125

**Ringings of the ears, deafness, and dizziness**,  
107, **327**, 358, 361, 378

**Ringworm**, 11, **205–206**, 371

**River blindness**, **227–228**, 377

**Road to health chart** (See Child Health Chart)

**Rotating crops, w13**, 115, 117, 427

**Roundworm (ascaris)**, 140–141

**Rubber (condom)**, 239, 285, **290**, 395, 401–403

**Rubella** (See German measles)

**Rubeola** (See Measles)

**Rupture** (See Hernia)

## S

**Salt**  
iodized, 130, 247, 318  
purges, 16  
using little, 120, 125, 176, 249, 325, 326

**Sanitation**, w10, **137–139**, 153, 427

**Scabies**, 34, **199–200**, 335, 372

**Scales (to weigh babies)**, 297

**Scars**  
on the cornea, 224, 226, 228  
on the eyelids, 220  
preventing burn scars, 97

**Schistosomiasis**, 146, 337, 376

**Scorpion sting**, 11, 70, **106**, 337, 387

**Scrofula**, 212

**Scrotum**, 233, 427  
small sores on, 199  
swollen, 317

**Seborrhea**, 215

**Seizures**, 23, **178**, 422  
caused by high fever, 76  
from birth defects, 273, 319  
in cerebral malaria, 186, 366  
in children, 307, 319  
in meningitis, 185  
in pregnant women, 249, 390  
medicines for, 336, 388–390  
(Also see Spasms)

**Senna leaf**, 16

**Septicemia**, 275, 427

**Serious illnesses**, w28, 42, **179–192**

**Seven year itch**, 199–200, 335, 372

**Sexually transmitted infections (STI)**, 236–239,  
285–286, 290, **399–403**, 427, 428

**Sheath** (See Condom)

**Shigella**, 145, 158, 353, 358

**Shingles**, **204**, 373, 400

**Shock**, 30, **77**, 325, 427  
allergic, 70, 105, 166, 350  
from serious burns, 97  
heartbeat during, 33, 410–411  
in postpartum mother, 265

**Shoulder, dislocated**, 101

**Sickle cell disease**, 30, 321, 392

**Sicknesses**  
causes of, 17–20, 107  
common, 151–178  
dangerous, w28, 42, 179–192  
“home,” 21  
“hot” and “cold,” 119  
infectious, 18–19  
non infectious, 18  
of children, 215, 272–275, 311–314  
of older people, 323–330  
of women, 241  
prevention of, 131–150  
spread of, 131–137, 140, 188–189, 237–239,  
399  
telling apart, 20–21, 26–27

**Side pains**, 22

**Signs**, 20, **29**, 427

**Sinus trouble (sinusitis)**, 165, 427

**Skin**  
cancer of, 211, 399  
chart of different diseases, 196–198  
diseases, 193–216, 406, 421  
dryness of, 107, 208  
how to examine, 34  
in children, 215, 308  
medicines for, 334–335, 370–373  
painless sores, 191, 237, 279  
TB of, 179, 212  
ulcers, 212–213

**Slipped disc**, 173

**Slowness** (See Defects, Mental problems)

**Smallpox**, 147

**Small sores with pus**, 201, 211

**Smoking**  
during pregnancy, 318, 416  
problems caused by, 119, 129, 149–150, 289,  
325, 326, 400, 416

**Snails**, 146**Snakebite**, 104–105

- antitoxin, 70, 105, 337, 387
- home cure for, 3

**Soaks**, 102**Social conditions**, 283, 401, 415, 417**Soft drinks**, 155, 161, 229**Soft spot** (See Fontanel)**Solda con solda**, 14**Sores**

- bed sores, 41, 214
  - chronic, 20, 127, 212, 213, 236, 324, 406
  - large, open, 127, 213–214
  - mouth, 232
  - of the feet, 324
  - on penis or genitals, 199, 205, 232, 237, 238, 242, 400, 402–403
  - sugar or honey treatment for, 213, 214
  - that keep growing, 127, 191, 211, 213, 214
  - without feeling, 191, 237, 279
  - with pus, 199, 201, 406
- (Also see Skin)

**Sore throat**, 163, **309–310****Spasms**, **183**, 427

- in spider bite, 106
  - in tetanus, 182–184
- (Also see Seizures)

**Spastic**, 38, **319–320****Sperm**, 233, 244**Spermicide**, 285, 290, 395**Sphygmomanometer**, 410**Spider bite**, 106**Spleen, large**, 158, **186**, 392, 427**Sponge method**, 294**Spontaneous abortion** (See Miscarriage)**Spots before the eyes**, 227**Sprains**, **102**, 427**Spread of disease, 131–137**, 140, 190, 237–239, 399–403**Squint**, 223**Starches**, 110, 203, 408, 427**Starvation** (See Malnutrition)**Sterile**, 427

- bandages, 87
- men and women, 236, 244, 412

**Sterilization**, 427

- of equipment, 74, 401
- of syringes, 69, 72, 74
- to prevent pregnancy, 285, 293

**Steroids**, 51**Stethoscope**, 410**Sting**

- bee, 70
- scorpion, 106

**Stitches (sutures)**, **86**, 255, 269, 423

- anesthetics for, 379

**Stomach ache**, 12, **93**, 427

- (Also see Belly, Cramps)

**Stomach ulcers, 128–129**, 149, 380–381**Stools**

- in acute abdomen (obstruction), 94
  - in diarrhea (dysentery), 144–145
  - like rice water, 158
  - white or pale, 172
  - with blood, 128, 146, 189
  - with schistosomiasis, 146, 376
  - with typhoid, 189–190
  - with ulcer (black, tarry stools), 128
- (Also see Constipation, Feces)

**Story telling**, w23**Strabismus**, 223**Strains**, 102**Strep throat**, 310**Stretcher**, **100****Stroke**, 37, 78, 288, 327, 410

- (Also see Heat stroke)

**Sty (hordeolum)**, **224**, 427**Suction bulb**, 84, **255**, 262, 268**Sugars**, 110, **111**, 427**Sulfonamides**, **55**, 356**Sunken fontanel** (See Fontanel)**Sunlight**

- and acne, 211
- and rickets, 125
- and skin problems, 195

**Supplies**

- for childbirth, 254–255
- for the medicine kit, 334, 336

**Suppressants**, 427

- cough, 52, 383

**Surgery**

- immediate need for, 91–95, 177, 222, 267
- possible need for, 102, 175, 177, 211, 222, 225, 235, 243, 279, 280, 293, 317, 319, 329

**Susto**, 24**Suture** (See Stitches)**Sweets**, 115, 119, 122, 229, 408**Swelling**

- breast swelling and lumps, 278–279
  - caused by medicine, 68, 70–71, 231
  - home cure for, 12
  - in old age, 323
  - of broken arms or legs, 14
  - of hands and face, 108, 239, 249
  - of strains and sprains, 102
  - of the eyes, 144, 221, 313
  - of the feet, 113, 124, 144, 176, 248–249, 321
  - of the scrotum or testicles, 312, 317
  - with infection, 194
- (Also see Lymph nodes, Swollen belly, Varicose veins)

**Swollen belly**

- different causes of, 20
  - in children, 107, 112, 114, 321
  - in giardia infection, 145
  - in gut obstruction, 94
  - in malnutrition, 112, 114
  - in pregnancy, 248, 249
- (Also see Gut)

**Symptoms**, 29  
**Syphilis**, 10, **237–238**, 403  
**Syringe**, **72**, 74, 336, 339, 401, 405

**T**

**Taboo**, **23**, 428  
**T.A.L.C.**, 297, 431  
**Tapeworm**, **143**, 375  
**TB** (See Tuberculosis)  
**Teaching**, w2, w4–w5, **w21–w28**, 321  
   materials, addresses for, 429–432  
**Tear sac, infection of**, 217, **223**  
**Teaspoons, for measuring**, 61  
**Teeth**, 133, **229–232**  
**Temperature**, **30–31**, 272, 409, inside back cover  
   (Also see Fever)  
*Tepeguaje*, 14  
**Testicles**, 233, 286  
   swellings of testicles, 312, 317  
**Tetanus (lockjaw)**, 182–184  
   from a wound, 84, 89, 105–106, 388, 407  
   in the newborn, 182–183, 273  
   medicine for, 184, 336–337, 388  
   vaccination, 147, 184, 296  
**Thalassemia**, **392**, 428  
**Thermometer**, **31**, 334  
**Threadworm (pinworm, Enterobius)**, 141  
**Throat**  
   lump on the throat, 10, 130, 423  
   object stuck in, 79  
   sore throat, 163, 309–310  
**Throwing up** (See Vomiting)  
**Thrush (Candida)**, 232, 400  
**Ticks**, 190, **201**, 428  
**Tinea**, 205–206  
**Tinea versicolor**, 206  
**Tobacco**, 129, 416–417  
**Tongue**, 232  
**Tonsillitis (Inflamed tonsils)**, 309  
**Toothache**, 231  
**Toothbrush, homemade**, 230  
**Toothpaste**, 230  
**Toxemia of pregnancy** (See Pre-eclampsia)  
**Trachoma**, 220  
**Traditions**, w3, w11, 1, 2, 21  
**Trichinosis**, 144  
**Trichocephalus (whipworm, Trichuris)**, 142  
**Trichomonas**, 241  
**Trichuris (whipworm, Trichocephalus)**, 142  
**Tropical sore** (See Leishmaniasis)  
**Tubal ligation**, 294  
**Tuberculosis**, 108, **179–180**, 337  
   and AIDS, 396, 400  
   and children, 136  
   and measles, 311  
   medicines for, 359–361  
   of the lymph nodes, 212  
   of the skin, 212  
   of the spine, 173  
   signs of, 30, 37

  vaccination, 147  
**Tumors** (See Cancer)  
**Twins**, 251, 256, **269**, 289  
**Twisted joint (sprain)**, 102  
**Typhoid fever**, **188–190**  
   fever pattern, 26  
   medicines for, 356  
   pulse with, 33  
   resistance to medicines, 58  
**Typhus**, 26, **190**

**U**

**Ulcer**, 428  
   on the cornea (eye), 224–225  
   skin, 20, 212, 213, 324  
   stomach, 13, 36, 53, 128–129, 149, 381  
**Umbilical cord**, 428  
   and tetanus, 182  
   how to cut, 262–263  
   infection of, 270, 272  
   wrapped around the baby's neck, 268  
**Umbilical hernia**, 317, 318, 428  
**Umbilicus** (See Navel)  
**Uncinaria (hookworm)**, 133, **142**  
**Unconscious person**, **78**, 424  
   breathing of, 32  
   difference in pupil size, 33  
   in shock, 77  
**Under-Fives Program**, w20, w24, **297**, 428  
**Undulant fever (brucellosis)**, 27, **188**  
**Units, measuring in**, 60  
**Uremia**, 239–240  
**Ureters**, 233  
**Urethra**, 233, 235, 286, 428  
**Urination, difficulties with**, 234–236, 239–240,  
   **324**, 403, 410  
**Urinary tract**, 36, **233–234**, 428  
**Urine**  
   blood in, 146, 234, 376  
   brown, 172  
   dark yellow, 151  
   less than normal, 151, 236  
   too much or often, 127, 234  
   pus in, 236  
**Using this book, inside front cover**, w28  
**Uta** (See Leishmaniasis)

**V**

**Vaccinations**, 19, **147**, 180, 250, 296, 321, 337,  
   405  
**Vagina**, **233**, 286, 428  
   infections of, 241–242, 369  
   placenta blocking, 249  
   tearing during birth, 269  
**Vaginal discharge**, **241–242**, 369  
**Vapors, breathing hot water vapors**, 47, **168**  
**Varicose veins**, **175**, 213, 288, 410, 428  
   and chronic sores, 20, 212, 213, 324  
   during pregnancy, 248

**Vasectomy, 294**

**Venereal diseases (VD)** (See Sexually transmitted infection)

**Venereal lymphogranuloma, 238, 420**

**Ventilated improved pit latrine, 139**

**Verrucae (warts), 210**

**Village health committee, w24**

**Village health worker, w1–w7, w29, 43, 340**

**Village medicine kit, 336–337**

**VIP latrine, 139**

**Virus, 19, 399–401**

**Vision** (See Eyes)

**Vital signs, 41, inside back cover**

**Vitamins, 110, 111, 116–118, 391–393, 405**

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 391

vitamin B, 208

vitamin C, 248, 335,

vitamin B<sub>6</sub>, 360, 393

vitamin B<sub>12</sub>, 51, 65, 392

vitamin K, 265, 272, 337, 392

(Also see Iron, Zinc)

**Vitiligo, 207**

**Vomiting, 161**

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 388

in the newborn, 273

medicines for, 161, 335, 385–386

violent vomiting, 151

with blood, 128, 328

with diarrhea, 151, 157

with urine poisoning (uremia), 239

**W**

**Wandering eyes, 223**

**Warm compresses, 193–195**

**Warts, 210, 212, 400, 402**

**Water, healing with, 45–48**

and cleanliness, 46, 131, 135, 137–139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 383

**Weakness, fatigue, 23, 124, 323, 400**

**Weight**

and diet, 110–111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125–127, 325–326

in pounds and kilos, 62

measuring medicines, 59–61

weight gain, in children, 297–304

weight gain in pregnancy, 247, 250

**Weight loss**

chronic, 179, 180, 400

different causes, 20

how to lose weight, 126

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

**Welts (hives), 68, 203, 238**

**Wet malnutrition (kwashiorkor), 113**

**Whipworm (Trichuris, Trichocephalus), 142**

**White spots and patches on the skin, 206–207, 232**

**Whooping cough (pertussis), 168, 313**

medicines for, 313

vaccination, 147, 296

**Witchcraft, 5, 24**

**Withdrawal**

from drug addiction, 417

to prevent pregnancy, 285, **294**

**Womb, 286, 428**

cancer of, 280

contractions of, 258, 266

infection (See Childbirth fever)

massaging, 264–265

position of the baby in, 251, 257

**Women's health care, 241**

**Working together, w5, w24**

**Worms, 140–146, 227–228, 406–407**

causing obstructed gut, 94

in children, 308

medicines for 335, 373–375

prevention of, 47, 131–134

**Wounds**

abdomen, 92

bullet, 90–93

chest, 91

controlling bleeding of, 82

deep, 89–92

from a broken bone, 99

how to close them, 85–86

infected, 88–89, 213, 401

knife and bullet, 89–93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217–218

**X**

**Xerophthalmia, 113, 226, 306, 337, 391, 428**

**Xerosis** (See Xerophthalmia)

**X ray, 102**

**Y**

**Yaws, 198, 202, 238**

**Yeast infection, 19, 58, 232, 242, 369–370, 372**

**Yellow Fever, 187**

*Yesca, 11*

**Yogurt, 57, 155, 232, 242**

**Z**

**Zika, 187**

**Zinc, 155, 159, 393**