

**INDEX**

The index lists topics covered in this book in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Medicines included in the Green Pages are in the List of Medicines, page 487.

**A**

**AA (Alcoholics Anonymous),** 440

**Abdomen pain,** 352–357

- after abortion, 255–257, 258, 355
- after childbirth, 355
- after passing urine, 367
- with bleeding from vagina, 354, 355, 359
- brief, during middle of monthly cycle, 356
- during monthly bleeding, 50, 354
- during pregnancy, 73, 355
- during sex, 189, 272, 356
- examining the abdomen, 534
- with fever, 355
- fibroids, 129, 231, 354, 380
- hunger and, 357
- with IUD, 217, 354, 356
- kinds of pain, 354–356
- miscarriage, 98, 234–235, 354, 355
- monthly bleeding late, 354
- overview, 352, 353
- pelvic inflammatory disease (PID), 274–275
- questions about, 357
- severe, 354, 355, 357
- STIs, 263, 267, 355
- sudden and severe, 354
- tubal pregnancy, 73, 249, 354, 355
- with urine system problems, 355
- when moving, walking, or lifting, 356
- without other signs, 356
- womb infection, 97

**Abortion,** 38, 238–259

- bleeding from vagina after, 251–253, 363, 483
- complications, 251–258
- danger signs after, 249
- dangers of, 64
- death from, 241
- deciding about, 243
- emergency methods of family planning, 224–225
- fainting after, 258
- family planning after, 250
- illegal, 242
- incomplete, 251
- infection from, 255–257
- internal injury, 258
- preventing unsafe abortion, 259
- rape and, 336

**Abortion (continued)**

- reasons for, 239–240
- refugees and displaced women, 452
- safe methods, 241, 242, 244–245
- shock after, 254
- tetanus infection after, 256
- unsafe, 3, 241, 246–247, 259
- what to expect after, 249
- what to expect during, 248

**Abscesses**

- in breasts during breastfeeding, 382
- in persons with HIV, 307

**Abuse (See Rape; Violence against women)**

**Access to health care,** 1, 2, 35

**Acetaminophen,** 490

**Activated charcoal,** 495

**Active listening exercise,** 426

**Activities, ideas for**

- about division of work, 411
- analyzing root causes, 26, 27
- avoiding work-related health problems, 404–406, 410–411
- building a chain of causes that contribute to poor health, 10
- building stoves that make less smoke, 395–397
- carrying out a plan, 28
- expressing feelings, 422, 427–428
- gender roles and sexual health, 184–185, 194–195
- girls to plan a better future, 57–58
- improve nutrition, 176–179
- improving health services, 40–41
- making a safety plan, 322
- men about violence against women, 325
- negotiating condom use, 193, 280
- preventing HIV, 195, 310
- promoting family planning, 227
- reducing maternal deaths, 103
- sex workers, 348–351
- support groups, 424–426
- supporting breast feeding, 121
- teaching self-defense, 332, 146
- violence against women, 315
- women with disabilities, 147
- young people to avoid drug and alcohol abuse, 445

**Acupressure massage,** 546–547

**Acyclovir, for cold sores or fever blisters,** 301, 305, 490

**Addiction (See Alcohol; Drugs; Tobacco)**

**Adolescents (See Girls)**

**Adopting a child,** 236

**Adrenaline,** 490

**AIDS (See HIV and AIDS)**

**Alcohol,** 434–445

- addiction, 437, 441
- dependence, 437
- during breastfeeding, 109, 438
- fertility and, 232
- health problems, 163, 438–439
- hepatitis B and, 277
- HIV and, 291
- living with person misusing, 444
- menopause and, 125
- mental health and, 418
- misuse of, 436–437
- overview, 435
- pregnancy and, 68, 438
- preventing misuse, 445
- quitting, 440–441
- reasons for misuse, 437
- reasons to begin using, 436
- sex and, 62
- staying free of, 442
- violence and, 315, 318
- withdrawal, 441
- women and, 439

**Alcoholics Anonymous,** 440

**Allergic reactions**

- to cotrimoxazole, 296, 300
- from injections, 545
- to medicines, 477
- medicines for, 483
- in persons with HIV, 296, 300

**Aminoglycosides,** 481

**Amoxicillin,** 490

- for chlamydia, 268
- for deinfibulation, 465
- for infection from female genital cutting, 462
- for infection prevention after abortion, 249
- overview, 480

**Ampicillin**, 491  
 for burns, 538  
 for fever during birth, 86  
 for infection after abortion, 256–257  
 for womb infection, 97  
 overview, 480

**Anal sex**, 185, 187, 189

**Anemia** (See **Weak blood**)

**Angry cat exercise**, 71

**Antibiotics**, 480–481  
 families of, 480–481  
 importance of, 480  
 the pill and, 209  
 for STIs, 264, 347  
 using only when necessary, 481  
 for wounds and sores, 307  
 (Also see **Medicines**)

**Antibodies, HIV**, 288

**Antihistamines, for allergic shock**, 544

**Antiretrovirals** (See **ART**)

**Anus**, 44

**Anxiety**, 420  
 in older women, 135  
 (Also see **Feelings**)

**Appetite** (See **Hunger**)

**Areola**, 45

**Armpit, taking the temperature**, 530

**Arms, weakness in**, 210 **ART, antiretroviral therapy**, 291, 292, 336, 517–521  
 drug resistance and, 291, 517  
 for preventing mother-to-child transmission, 292–293, 520  
 for rape, 521  
 regimens, 519  
 side effects, 518–519  
 specific medicines, 519–520

**Arthritis**, 133, 174

**Aspirin**, 492  
 for abortion, 471  
 for burns (pain), 538, 539  
 cautions about dosage, 133  
 for joint and muscle pain, 133  
 overview, 482

**Assault** (See **Rape; Violence against women**)

**Azithromycin**, 492  
 overview, 480  
 for STIs, 268, 271, 347

**AZT**, 292, 519–520

## B

**Babies**  
 burping, 107  
 care at birth, 83  
 care just after birth, 95  
 checking position, 77, 81  
 child-spacing, 110, 160  
 danger signs at birth, 94, 95  
 death of, 99  
 DES caution, 471  
 early, 94, 118  
 first foods for, 107, 110  
 herpes and, 272  
 HIV and, 292–293, 520  
 holding during breastfeeding, 108  
 infertility, 228–237  
 losing (miscarriage), 98, 234–235  
 not breathing at birth, 94  
 open (cleft) lip or palate, 118  
 preventing mother-to-child transmission of HIV, 520  
 sex of, 46  
 sick, breastfeeding, 119  
 small, 94, 118  
 STIs and problems in, 276  
 syphilis and, 270  
 TB in mother, 390  
 tetanus in newborn, 95  
 waiting to have, 58  
 in wrong position, 72, 75, 85, 90  
 yellow (jaundice), 118  
 (Also see **Breastfeeding; Childbirth; Children; Family planning; Pregnancy**)

**Bacille Calmette-Guerin (BCG) vaccine**, 390, 391

**Back pain**  
 from work with crafts, 406  
 during pregnancy, 71  
 exercises to prevent, 71, 400  
 kidney infection and, 367  
 lifting and carrying heavy loads, 398–400  
 in older women, 132

**Bacterial vaginosis**, 266, 268

**Balls** (See **Testicles**)

**Bandages, disinfecting**, 529

**Barrier methods of family planning**  
 after abortion, 250  
 choosing a method, 200, 224  
 condoms, 60, 61, 128, 145, 189–190, 192–193, 202–203, 279, 280  
 diaphragms, 145, 205, 279  
 effectiveness of, 201  
 female condoms, 190, 193, 204, 279  
 overview, 200, 202  
 (Also see **Condoms; Diaphragms; Female condoms**)

**Bartholin gland infection**, 276

**Battered women** (See **Violence against women**)

**BCA** (See **Bichloroacetic acid**)

**BCG** (See **Bacille Calmette-Guerin vaccine**)

**Beatings** (See **Violence against women**)

**Belly pain** (See **Abdomen pain**)

**Bending safely**, 399

**Benzathine penicillin**, 493  
 for genital sores, 270  
 overview, 480

**Benzylpenicillin**, 493  
 overview, 480  
 for tetanus in newborns, 95

**Beriberi**, 173

**Betel** (See **Drugs**)

**Bichloroacetic acid (BCA), for genital warts**, 269

**Bilharzia**, 369

**Biopsy**, 378–379, 383

**Birth canal** (See **Vagina**)

**Birth control** (See **Family planning**)

**Birth** (See **Childbirth**)

**Bladder control problems**, 372–373

**Bladder infection**, 366–368  
 (Also see **Urine system problems**)

**Bladder (man's)**, 46

**Bladder stones**, 369

**Blame**  
 abuse and, 317, 318  
 for rape, 327

**Bleach, disinfecting solution**, 527

**Bleeding**  
 blood in sputum, 389  
 blood in urine, 369  
 HIV contagion and, 285

**Bleeding from vagina**  
 after abortion, 251, 363, 483  
 after childbirth, 84, 92–93, 97, 362, 483, 547  
 after female genital cutting, 461  
 after menopause, 129, 363, 381  
 after miscarriage, 98, 235, 363  
 after sex, 363  
 before baby is born, 85, 362  
 danger signs, 359  
 during pregnancy, 73, 74, 362  
 during sex, 274

**Bleeding from vagina (continued)**

fibroids, 380  
 hormonal method of family planning and, 207  
 medicines for, 483  
 pain in abdomen with, 355, 363  
 problems with monthly bleeding, 360–361  
 weak blood (anemia) and pregnancy risks, 72, 73  
 (Also see **Monthly bleeding**)

**Blindness, vitamin A and, 169****Blisters from burns, 538****Blocked duct, 116–117****Blood clot, the pill and, 208****Blood flukes, 369****Blood infection (sepsis), after female genital cutting, 461****Blood pressure, 532–533**  
(Also see **High blood pressure**)**Blood transfusions, 39**  
HIV and, 285**Blood, weak (See **Weak blood**)****Boiling water to purify, 155****Boils, 307****Bones, weak (osteoporosis), 133, 168****Book for Midwives, A, 66, 244****Bottle-feeding, harm from, 106****Bottom first (breech) baby, 75, 77, 90–91****Boyfriends, 59–61**  
date rape, 62, 328**Brand name medicines, 473****Breast cancer, 382–383**  
breast lumps and, 129  
hormonal methods of family planning and, 207

**Breastfeeding, 104–121**  
 advice for mothers, 109–110, 293  
 babies with special needs, 118  
 bottle-feeding, harm from, 106  
 burping the baby, 107  
 calcium needs, 168  
 chemicals and, 402  
 child-spacing and, 110, 160  
 colostrum, 107  
 concerns and problems, 114–118  
 death of baby, 99  
 diet during, 109, 167–169, 171  
 as family planning, 96, 201, 218  
 by friends or relatives, 111  
 giving other foods, 107, 110  
 HIV and, 106, 285, 293  
 how to breastfeed, 107–109  
 importance of, 105  
 medicines, caution about, 477

**Breastfeeding (continued)**

for new babies, 107  
 nipple concerns, 114–115  
 by pregnant mother, 119  
 sick baby, 119  
 by sick mother, 119  
 signs baby has enough milk, 114  
 suckling, easing for baby, 115  
 suckling, importance of, 106  
 support for, 121  
 twins, 118  
 working for change, 121  
 for working mothers, 111

**Breast milk**

breast size and, 114  
 color of, 107, 113  
 colostrum, 107  
 feeding with cup, 119  
 increasing supply of, 114  
 removing by hand, 112  
 removing with warm bottle method, 113  
 signs baby has enough, 114  
 stopping flow using medicine, 471  
 storing, 113

**Breasts**

cancer, 129, 207, 382–383  
 changes during puberty, 54  
 death of baby and, 99  
 discharge from nipple, 382  
 engorged (mastitis), 116, 382  
 exams, 159, 162  
 illustrated, 45  
 lumps, 116, 129, 162, 382  
 overview, 45  
 painful or swollen, 116–117  
 (Also see **Nipples**)

**Breathing**

baby not breathing at birth, 94  
 fast, 531  
 after taking medicines, 479  
 in newborn, 95  
 pneumonia and, 304  
 shock and, 254  
 normal, 531  
 respiration (breathing rate), 531  
 shortness of breath, 172, 210, 402  
 slow, 531  
 smoke and health problems, 394  
 stress and, 421

**Breech baby, 75, 77, 90–91****Bromocriptine, 471****Brown waters during labor, 86****Bumps on genitals, 269**  
(Also see **Growths**)**Burns, 538–539**  
rehydration drink, 540**Burping the baby, 107****Buttock, injecting, 544****C****Caffeine**

fertility and, 232  
 menopause and, 124  
 PMS and, 51

**Calamine lotion, 301****Calcium, 168****Cancer, 374–385**

alcohol and, 438  
 breast, 129, 207, 382–383  
 causes, 376  
 of cervix, 21, 267, 377–379, 471  
 DES causing, 471  
 drugs and, 438  
 fibroids and, 129  
 hormonal methods of family planning and, 207  
 incurable, 385  
 Kaposi's sarcoma, 301  
 liver, 384  
 lung, 384  
 mouth and throat, 384  
 ovaries, 383  
 overview, 375–376  
 overweight and, 174  
 in sex workers, 344  
 signs, 376  
 stomach, 384  
 treating early, 376  
 of womb, 381  
 vaccine for cervical cancer, 379  
 working for change, 385

**Candida, 265–266, 300**  
(Also see **Yeast infections**)**Capsules, 474**  
(Also see **Medicines**)**Caretaking**

babies at birth, 83  
 babies just after birth, 95  
 elder care, 136–137  
 mothers after childbirth, 95, 96  
 persons with AIDS, 294, 309  
 self care during monthly bleeding, 55  
 (Also see **Health care skills**)

**Carrying loads safely, 399****Cash crops, 179****Catheter, 372–373****Cavities, 154****CD4 count, for people with HIV, 517**

**Cefixime, 493**  
 for gonorrhea, 268  
 for kidney infection, 368  
 overview, 481  
 for PID, 275

**Ceftriaxone, 494**  
 for chancroid, 271  
 for gonorrhea, 268

**Ceftriaxone (continued)**

for infection after abortion, 257  
for kidney infection, 368  
overview, 481  
for PID, 275

**Cephalexin**, 481, 494**Cephalosporins**, 481**Cereals**

for babies, 107, 110  
rehydration drink, 540

**Cervix**

cancer, 377–379, 471  
growths, 377  
illustrated, 45  
inflammation, 377  
opening during labor, 79, 81  
overview, 45  
pelvic exam, 159, 535–538  
removal of, 379  
visible at vaginal opening, 161

**Cesarean section**, 38**Chancroid**, 271**Check-ups (See Exams)****Chemicals**

cancer and, 376  
lead poisoning, 403  
mental health and, 418  
pregnancy and, 68  
washer-woman's hands, 409  
in water source, 127, 401  
work with, 402–403

**Childbirth**, 80–94

abortion, 238–259  
acupressure massage for, 547  
baby early or small, 94  
baby in wrong position, 72, 75, 85, 90–91  
baby not breathing, 94  
bleeding after, 84, 92–93, 97, 362, 483, 547  
bleeding before, 85  
breech birth, 90–91  
caring for baby after, 95  
caring for baby at birth, 83  
caring for mother after, 95, 96  
cervix opens, 81  
checking baby's position, 77, 81  
cord around baby's neck, 89  
cord comes out before baby, 88  
cutting the cord, 83  
danger signs after, 97  
danger signs during labor, 85–87  
danger signs for baby, 94, 95  
daughters unwanted, 7  
death of baby, 99  
death of mother, 101–103  
difficult births, 88–93  
eclampsia, 72, 74, 87  
fathers, advice for, 100  
female genital cutting problems, 464  
fever during, 86

**Childbirth (continued)**

further information, 66  
of head, 82  
health care for mother, 160–161  
at health center or hospital, 72  
health risks, 3  
helping, 79, 81–84  
HIV and, 285, 292–293, 520  
long labor, 86  
medicines for hurrying birth, 471  
by operation, 38  
placenta, 84, 92–93  
positions comfortable for, 81  
premature birth, 72, 75, 94  
preparing for, 78–79  
preventing mother-to-child  
transmission of HIV during, 520  
pushing the baby out, 82  
refugees and displaced women, 452  
separating partners after, 222  
of shoulders, 82, 88  
signs that labor is near, 80  
stages of labor, 80–84  
supplies needed, 78  
twins, 72, 89  
waters breaking, 81, 85, 86  
when breastfeeding another child,  
120  
when young, 59, 72  
women with disabilities and, 72, 145  
working for change, 101–103  
(Also see **Abortion**; **Family planning**;  
**Pregnancy**)

**Child care cooperatives**, 158**Children**

abuse and, 317  
calcium needs, 168  
child care cooperatives, 158  
child-spacing, 110, 160  
drug and alcohol use, 438  
feeding before self, 171  
infertility, living with, 236–237  
number of, 179  
preventing drug and alcohol misuse  
in, 445  
sexual abuse of, 329, 331  
violence against women and, 315,  
317, 320  
waiting to have, 58  
women's health issues and, 12  
(Also see **Babies**; **Childbirth**; **Family  
planning**)

**Child-spacing**, 110, 160**Chills**

after abortion, 256  
with IUD, 217  
kidney infection and, 367  
womb infection and, 97

**Chinese acupressure massage**,  
546–547**Chlamydia**

how spread, 189  
in babies, 274  
preventing, 189–190  
signs, 267  
treatment, 25, 268

**Chloramphenicol**, 495

for baby eye care, 83

**Chlorine bleach, disinfecting  
solution**, 527**Chloroquine, abortion from**, 241**Cholera, killing germs**, 155**Chores (See Work; Working  
mothers)****CHWs (See Health workers)****Cigarettes (See Tobacco)****Ciprofloxacin**, 496

for chancroid, 271  
for kidney infection, 368  
overview, 481

**Circumcised women (See Female  
genital cutting)****Cleanliness**, 150–157

abortion and, 246  
bladder infection and, 366  
care of baby at birth, 83  
community (sanitation), 151–152  
diarrhea and, 299  
disinfecting equipment and tools,  
526–529  
during monthly bleeding, 55  
during pregnancy, 68  
food safety, 156–157  
germs, spread of, 150–151  
helping at birth, 79  
HIV prevention at home, 295  
home, 153–157  
kidney infection and, 366  
for new mother, 96  
personal, 154  
preventing infection, 525–529  
tooth care, 154  
washer-woman's hands, 409  
washing your hands, 526  
of water, 151, 155, 401  
when removing breast milk, 112  
for women with disabilities, 142

**Cleft lip or palate, in baby**, 118**Clindamycin**, 496

for bacterial vaginosis, 266  
for infection after abortion, 257

**Clitoris**, 44

(Also see **Female genital cutting**)

**Cloth dressings, disinfecting**, 529**Clothing, menopause and**, 124**Clotrimazole, for yeast**, 266**Cocaine (See Drugs)**

**Codeine**, 497  
for burns (pain), 539  
overview, 482  
for persons with AIDS, 308

**Coffee** (See **Caffeine**)

**Coitus interruptus**, 222

**Cold sores**, 305

**Colostrum**, 107

**Colposcopy**, 378

**Communication**  
about family planning, 199  
about rape, 337, 339  
about safer sex, 192–193  
about violence against women, 323  
gender messages in the media, 195  
with parents, 65

**Community**  
changes and mental health, 417  
cleanliness (sanitation), 151–152  
creating picture of, 428  
health projects, 16  
low status of women, 7–8, 11  
medicine kit, 484  
men's responsibilities, 14  
mental health of, 433  
preventing HIV, 310  
preventing rape, 338–339  
safer sex in, 280–281  
services for older women, 137  
sex workers and, 351  
solving health problems, 28–29  
values learned from, 56, 139, 182–183  
violence against women and, 320, 324  
women's health issues, 13–16  
(Also see **Gender roles**; **Support groups**; **Working for change**)

**Community Guide to Environmental Health, A**, 152, 179

**Community health workers** (See **Health workers**)

**Condoms**, 202–203  
after abortion, 250  
arguments for using, 189–193  
disposing of, 203  
effectiveness of, 201  
female condoms, 190, 193, 201, 204, 279, 346  
importance of using, 60, 61, 128, 189–193, 279  
lubricants for, 203  
oils and, 128  
overview, 202–203  
practice putting on, 280  
sex workers and, 346, 348  
STI prevention, 279  
torn or slipped off, 202  
using, 190, 193, 202–203

**Condoms** (*continued*)  
women with disabilities and, 145  
working for safer sex, 280–281  
(Also see **Female condoms**)

**Cone biopsy**, 379

**Constipation**  
during pregnancy, 70  
older women's problems passing stools, 130  
removing stool, 372

**Contagion**  
cancer, 376  
HIV, 284, 285  
infectious diseases, 21  
spread of germs, 150–151  
tuberculosis (TB), 387, 388  
(Also see **STIs**)

**Contour ditches**, 177

**Contraception** (See **Family planning**)

**Contraceptive foam** (See **Spermicides**)

**Contractions**  
birth process, 80  
labor too long, 85  
stage one of labor, 81  
(Also see **Childbirth**)

**Contractures**, 143

**Cooking**  
fire safety, 394  
food safety, 156–157  
haybox cooker, 397  
rocket stove, 396–397  
smoke and health problems, 394–397  
(Also see **Cleanliness**; **Diet**)

**Cooler for food**, 157

**Cooperatives, food**, 177

**Coping skills**, 422–423

**Copper-T** (See **IUDs**)

**Cord**  
around baby's neck, 89  
care of baby after birth, 95  
comes out before baby, 88  
cutting baby's at birth, 83  
of placenta, 84

**Cotrimoxazole**, 497  
allergic reaction to, 296, 300  
for bladder infection, 368  
for diarrhea, 296  
for discharge, 24  
for kidney infection, 368  
for persons with HIV, 296, 304  
for pneumonia, 304

**Coughing**  
from chemicals, 402  
by persons with HIV, 303–304  
tuberculosis (TB) and, 388, 389

**Cough syrup**, 303

**Counseling, for HIV-positive people**, 289

**Counting days method of family planning**, 219, 221  
after abortion, 250

**Crafts, health problems**, 406

**Cramps**  
acupressure massage for, 546–547  
after abortion, 249, 255, 258  
in legs during pregnancy, 71  
in monthly cycle, 50

**Cream, contraceptive** (See **Spermicides**)

**Creams**, 474  
(Also see **Medicines**)

**Creative exercises for support groups**, 428

**Crops**  
cash crops, 179  
improving nutrition, 176–179

**Cryotherapy**, 379

**Cupboard cooler**, 157

**Cutting baby's cord at birth**, 83

**Cysts**  
Nabothian, 377  
ovaries, 383  
(Also see **Growths**)

**D**

**D&C (dilation and curettage) abortion**, 38, 244, 248

**Danger signs**  
abnormal discharge, 265  
after abortion, 249, 251, 254, 255, 256, 258  
after childbirth, 97  
after female genital cutting, 460  
allergic reactions, 300, 477  
for baby at birth, 94, 95  
bladder infection, 367  
bladder stones, 369  
bleeding from vagina, 359  
blood pressure drops suddenly, 532  
cancer, 376  
cancer of the breast, 382  
cancer of the cervix, 377  
cancer of the womb, 381  
chemicals and health problems, 402  
dehydration, 298  
depression, 419  
during labor, 85–87  
during pregnancy, 72–73  
fast pulse, 531  
hepatitis B, 277  
high blood pressure, 130  
infection after abortion, 255, 256  
IUD problems, 217

**Danger signs (continued)**

kidney infection, 367  
 kidney stones, 369  
 medicines, allergy to, 477  
 medicines, taking too much, 479  
 mental illness (psychosis), 432  
 miscarriage, 98, 235  
 pelvic inflammatory disease, 274  
 pneumonia, 304  
 polyps, 380  
 respiration (breathing rate), 531  
 shock, 254, 461, 545  
 spoiled foods, 156  
 sugar sickness (diabetes), 174  
 syphilis, 270  
 tetanus, 461  
 from the pill, 210  
 trauma reactions, 420–421  
 of tuberculosis (TB), 389  
 unsafe abortion, 241, 246–247  
 violence against women, 318, 325  
 withdrawal from alcohol or other drugs, 441  
 (Also see **Health risks; Solving health problems; specific signs**)

**Date rape, 62, 328**

avoiding, 330–331

**Death**

accepting, 137  
 from AIDS, 309  
 from alcohol and other drugs, 438  
 of baby, 99  
 from cancer, 385  
 from cancer of the cervix, 379  
 during pregnancy or childbirth, 101–103  
 mental health and, 417  
 Mira's story, 9–11  
 pressure sores and, 142  
 from syphilis, 270  
 from tuberculosis (TB), 387  
 from unsafe abortion, 3, 241  
 (Also see **Violence against women**)

**Debt, poor countries and, 8**

**Decayed teeth, 154**

**Dehydration**

from burns, 539  
 rectal fluids, giving, 541  
 rehydration drink, 540  
 shock, treating with fluids, 540–541  
 signs, 298  
 (Also see **Water**)

**Dementia (mental confusion)**

in older women, 135  
 in persons with AIDS, 308

**Dengue fever, spread of, 151**

**Dependence (See Alcohol; Drugs; Tobacco)**

**Depo Provera, 214, 215**

**Depression**

in older women, 135  
 in people with HIV, 296  
 signs, 419  
 suicide, 419, 431  
 (Also see **Feelings**)

**DES (diethylstilbestrol), cancer risks from, 471**

**Desire**

lack of, 188  
 in women for sex, 185

**Dexamethasone, 498**

for allergic reactions, 483, 545

**Diabetes (See Sugar sickness)**

**Diagnosis (See Danger signs; Exams and tests; Solving health problems; specific signs)**

**Diaphragms**

after abortion, 250  
 effectiveness of, 201  
 overview, 205  
 for sex workers, 346  
 spermicides, 206  
 using, 205  
 women with disabilities and, 145

**Diarrhea**

in babies, 119  
 pain in belly with fever and, 355  
 in persons with HIV, 298–299

**Diazepam, 498**

giving during a seizure, 87

**Dicloxacillin, 498**

for breast infection, 117  
 for burns, 539  
 overview, 480  
 for wounds and sores, 307

**Diet, 164–179**

baby's first foods, 107, 110  
 cleanliness, importance of, 150  
 disease and poor nutrition, 172–175  
 during breastfeeding, 109, 167–169, 171  
 during menopause, 124, 171  
 during pregnancy, 68, 167–169, 171  
 emergency food distribution, 449  
 family, feeding first, 171  
 food safety, 156–157  
 of girls compared to boys, 171  
 girls' health and, 53, 171  
 harmful ideas, 171  
 helper foods, 166  
 HIV and, 285, 291  
 importance of good food, 165  
 improving nutrition, 176–179  
 low-cost foods, 170  
 main foods, 166  
 medicines and food, 478  
 for new mother, 96  
 for older women, 126

**Diet (continued)**

packaged foods, 170  
 poor nutrition, 2  
 poverty and, 165, 170  
 for pressure sore prevention, 142  
 problems from eating wrong, 174–175  
 problems with mouth or throat and, 304–305  
 quitting alcohol and, 441  
 for refugees and displaced women, 449  
 selecting foods, 157  
 for sick people, 171  
 signs of spoiled foods, 156  
 storing food, 157, 177  
 vitamins and minerals, 167–170  
 for weak blood (anemia), 73  
 weak bones and, 133  
 (Also see **Breastfeeding**)

**Diethylstilbestrol (DES), cancer risks from, 471**

**Digestion, stress and, 421**

**Dilation and curettage (D&C) abortion, 38, 244, 248**

**Diphenhydramine, 499**

for allergic reactions, 483, 545

**Disabled Village Children, 138, 366**

**Disabled women (See Women with disabilities)**

**Discharge from nipple, 382**

**Discharge from penis, 267**

**Discharge from vagina**

abnormal, 265–268  
 bad-smelling after abortion, 256  
 bad-smelling after childbirth, 97  
 pelvic inflammatory disease, 274–275

**Disease (See Illness; Preventing illness)**

**Disinfecting equipment and tools, 526–529**

bandages, 529  
 gloves, 529  
 high-level disinfection, 526–528  
 needles, 528  
 storing tools, 528

**Displaced women (See Refugees and displaced women)**

**Dizziness**

anemia and, 172  
 from chemicals, 402  
 during pregnancy, 73  
 high blood pressure and, 130  
 from medicines, 479

**Domestic workers, 409**

**Dosages of medicine**

measuring, 474–475  
(Also see **Medicines**; *specific medicines*)

**DOTS treatment for TB, 391****Douching, 154**

mucus method of family planning and, 220  
by sex workers, 346  
STIs and, 279

**Doxycycline, 499**

for discharge, 268  
for infection after abortion, 256, 257  
overview, 480  
for PID, 275  
to prevent infection after abortion, 249  
for syphilis, 271

**Dress, menopause and, 124****Dressings, disinfecting, 529****Drugs, 434–445**

addiction, 437, 441  
dependence, 437  
during breastfeeding, 109, 438  
health problems from, 163, 438  
HIV and AIDS and, 291  
living with person misusing, 444  
mental health and, 418  
misuse of, 436–437  
overview, 435  
staying free of, 442  
violence against women and, 318  
withdrawal, 441  
women and, 439  
(Also see **Alcohol**; **Medicines**; **Tobacco**)

**“Dry” sex, 190, 279****Ducts**

of breasts, 45  
(Also see **Fallopian tubes**)

**Dying (See **Death**)****E****Earning a living (See **Work**; **Working mothers**)****Ears**

acupressure massage, 547  
hearing loss in older women, 134  
ringing in, 130, 479

**Eating (See **Diet**)****Eclampsia, 59, 72, 74, 87****Ectopic (tubal) pregnancy, 73, 249, 354****Education**

about AIDS, 310  
about rape, 338  
family planning and, 227  
in gender roles, 182  
health care providers' responsibilities, 35

**Education (continued)**

helping women help themselves, 30, 31  
importance of, 58  
for women with disabilities, 140

**Efavirenz, 519–520****Eggs**

causes of infertility, 231  
release of (ovulation), 47, 49

**Elders (See **Older men**; **Older women**)****Embroidery, health risks from, 406****Emergency food distribution, 449****Emergency methods of family planning, 226, 522–523**

(Also see **Abortion**)

**Emotions (See **Feelings**)****Endometrial cancer, 381****Enema, giving rectal fluids, 541****Engorged breasts (mastitis), 116–117, 382****Epilepsy, the pill and, 209****Epinephrine, 500**

for allergic reactions, 483, 545

**Erection, older men's difficulties, 128****Ergometrine maleate, 500**

for abortion, 471  
for bleeding after abortion, 253  
for bleeding after birth, 93, 97, 103  
hurrying birth, 471  
overview, 483  
pregnancy and, 438

**Ergonovine (See **Ergometrine**)****Erythromycin, 501**

for baby eye care, 78, 83  
for breast infection, 117  
for burns, 534  
for chlamydia, 268  
for deinfibulation, 465  
for genital sores, 271  
for infection after female genital cutting, 462  
overview, 480  
for syphilis, 278  
for wounds and sores, 307

**Estrogen, 501**

hormone replacement therapy, 124  
life cycle and, 47  
(Also see **Hormonal methods of family planning**; **Hormones**)

**Ethambutol, 501****Exams and tests**

abdomen exam, 534  
blood pressure, 532–533  
breast exams, 162

**Exams and tests (continued)**

for cancer of the cervix, 378  
for fertility, 234  
health exams, 159  
HIV test, 288, 289, 291, 292, 347  
overview, 37  
Pap tests, 159, 267, 376  
pelvic exam, 159, 535–538  
prenatal check-ups, 68, 76–77, 160  
pulse, taking, 531  
respiration (breathing rate), 531  
screening tests, 376, 379  
by sex workers, 346  
speculum exam, 536  
temperature, taking, 530  
tuberculosis (TB) test, 389  
violence against women and, 325  
(Also see **Solving health problems**)

**Excision (See **Female genital cutting**)****Exercise**

during menopause, 124  
during pregnancy, 68, 71, 75  
HIV and AIDS and, 291  
lifting and carrying heavy loads, 398–400  
monthly bleeding and, 55  
need for, 158  
for older women, 126  
weak bones and, 133  
for women with disabilities, 143

**Exercises**

angry cat exercise, 71  
for baby in wrong position, 75  
building inner strength, 423  
for healing mental health problems, 427–428  
for learning to help, 426  
for low-back pain, 71, 400  
pelvic tilt exercise, 400  
to relax and strengthen back and belly, 400  
for relaxation, 427  
for sitting or standing long time, 404  
squeezing exercise, 130, 131, 371  
twist exercise, 400  
for women with disabilities, 143  
for women with trauma, 430  
(Also see **Activities**)

**Expiration date of medicines, 472****Eyes**

blurry eyesight, 174  
care at birth, 83  
chemicals and problems with, 402  
chemicals in, 403  
farsighted, 134  
glaucoma, 134  
infected in newborn, 276  
pale eyelids, 172  
problems in older women, 134  
strain from crafts, 406  
yellow, 277

## F

**Face**

changes during puberty, 54  
swollen during labor, 74, 87

**Factories**

migration for work, 408  
unsafe work conditions, 406–407  
(Also see **Chemicals; Work**)

**Fainting**

after abortion, 258  
anemia and, 172  
during pregnancy, 73  
shock and, 254  
(Also see **Unconsciousness**)

**Fallen womb (prolapsed uterus),**

131, 161, 398, 534

**Fallopian tubes**

exam, 538  
illustrated, 45  
overview, 45  
pelvic inflammatory disease (PID),  
265, 274–275  
scarred or blocked, 231  
tubal ligation, 223  
tubal pregnancy, 73, 249, 354

**Family**

feeding before self, 171  
help during illness, 37  
incest, 63, 329  
mothers helping daughters, 65  
sexual abuse in, 329, 331  
talking with, 65  
values learned from, 56  
women's health issues, 12  
(Also see **Fathers; Mothers; Parents; Violence against women**)

**Family planning, 196–227**

abortion, 238–259  
after abortion, 250  
after death of baby, 99  
avoiding pregnancy, 60, 61, 128  
barrier methods, 200, 202–206  
benefits of, 197–198  
breastfeeding as prevention, 96, 201,  
218  
child-spacing, 110, 160  
choosing a method, 200–201,  
224–225  
choosing to use, 199  
effectiveness of methods, 201  
emergency methods, 226, 523–524  
for fathers, 100  
hormonal methods, 128, 145, 200,  
207–215  
hormones and, 47  
infertility and, 231  
IUDs, 145, 200, 216–217  
natural methods, 200, 218–222  
new methods, 224  
for new mother, 96

**Family planning (continued)**

number of children, 179  
older women and, 128  
permanent methods, 200, 223  
refugees and displaced women, 452  
safety of, 198  
talking to husband or partner about,  
199  
traditional methods, 222  
types of methods, 200  
for women with disabilities, 145  
working for change, 227  
(Also see **Abortion; Pregnancy; Safer sex; Sex; specific methods**)

**Farms (See **Chemicals; Work**)****Farsightedness, in older women,**  
134**Fathers**

during pregnancy and childbirth, 100  
girls treated as property of, 185  
infertility, causes of, 230  
sexual abuse by, 329, 331  
(Also see **Family; Husband or partner; Parents**)

**Fats**

cutting down on, 174  
need for, 166  
(Also see **Diet**)

**Feelings**

about HIV or AIDS, 289, 290, 294,  
296, 309, 311  
about infertility, 236–237  
about rape, 337  
about violence against women, 313,  
315, 321, 323  
after miscarriage, 98  
anxiety, 135, 296, 420  
death of baby and, 99  
depression, 296, 419  
during menopause, 124, 125  
during puberty, 54  
emotional abuse, 317  
gender roles and, 183  
loss, 417  
medicines for, 471  
migrating for work, 408  
in older women, 135  
sexual desire, 185–186  
sexual pleasure, 186–188  
stress, 318, 416–417, 421  
talking with parents, 65  
trauma, 418, 420–421, 430  
(Also see **Communication; Mental health**)

**Feet**

acupressure massage, 546–547  
swollen during pregnancy, 71

**Female condoms**

effectiveness of, 201  
overview, 204  
safer sex and, 190, 193  
sex workers and, 346  
STI prevention, 279  
using, 204

**Female genital cutting, 458–467**

bleeding, heavy, 461  
childbirth problems, 464–465  
danger signs, 460  
deinfibulation, 465  
health problems from, 3, 460–467  
infection, 461–462  
infertility, 465  
infibulation, 72, 459, 464, 465  
leaking urine and stool, 465  
mental health problems, 466  
monthly bleeding problems, 463  
overview, 458–459  
prevalence of, 3  
sexual health problems, 463–464  
shock, 461  
types of, 459  
urine system problems, 365, 462,  
465  
working for change, 466–467

**Fertility**

hormones and, 47  
how to tell if fertile, 220, 233  
(Also see **Infertility**)

**Fertilization, 49****Fertilizers**

natural, 177, 178  
in water source, 127, 401

**Fetoscope, 77****Fever**

after abortion, 255–258  
after birth, 97  
after miscarriage, 98  
chancroid and, 271  
during labor, 86  
during pregnancy, 74  
hepatitis B and, 277  
with IUD, 217  
kidney infection and, 367  
in newborn, 95  
pain in abdomen with, 355  
in persons with HIV, 297  
PID and, 274  
pneumonia and, 304  
syphilis and, 270–271  
taking the temperature, 530  
womb infection and, 97

**Fever blisters, in persons with HIV, 305**

**Fibroids**, 380  
 heavy monthly bleeding and, 129  
 infertility and, 231  
 pain with, 354  
 and passing urine often, 370  
 signs, 380  
 treatment, 380

**Fire safety**, 394

**Fistula**, 161, 370–371, 465

**Fits** (See **Seizures**)

**Flagyl** (See **Metronidazole**)

**Flat nipples**, 114

**Flight** (See **Refugees and displaced women**)

**Fluconazole**, 502  
 for fungal infections, 300  
 for thrush, 305

**Flukes, blood**, 369

**Foam birth control, women with disabilities and**, 145

**Foam, contraceptive** (See **Spermicides**)

**Folic acid (folate)**  
 food sources of, 168  
 for weak blood (anemia), 73, 168, 471

**Follow-up care**, 35

**Food cooperatives**, 177

**Food** (See **Diet**)

**Forced sex** (See **Rape**)

**Forgetting to take the pill**, 211, 212

**Forgotten workers**, 409

**Formula, harmfulness of**, 106

**Fractions in medicine dosages**, 474

**Fruits**, 166, 170

**Fuels**  
 fire safety, 394  
 for refugees and displaced women, 450  
 (Also see **Drugs**)

**Fungal infections**  
 in persons with HIV, 300  
 (Also see **Yeast infections**)

**Future, planning for**, 57

## G

**Gallstones, overweight and**, 174

**Gang rape**, 329

**Garbage, disposing safely**, 151

**Gardens, improving nutrition**, 176–179

**Gender roles**, 182–185, 194–195  
 changing harmful roles, 194–195  
 in courtship, 195  
 creation of, 182  
 defined, 182  
 harm caused by, 183  
 harmful beliefs, 184–185  
 learning of, 182  
 in the media, 195  
 sexual health and, 184–185  
 (Also see **Sexual health**)

**Generic names for medicines**, 473

**Genital herpes**, 272–273

**Genitals** (See **Reproductive system; STIs**)

**Genital ulcers**, 270–273

**Genital warts**, 269

**Gentamicin**, 502  
 for infection after abortion, 257  
 for infection after birth, 97  
 for kidney infection, 368  
 overview, 481

**Gentian violet**, 503  
 for fungal infections, 300  
 for thrush (yeast), 305  
 for thrush (yeast) in babies, 117  
 for wounds and sores, 307

**German measles, pregnancy and**, 68

**Germ**s  
 food safety, 156–157  
 spread of, 150–151  
 sunlight and, 153

**Girls**, 53–65  
 changes for a better life, 54  
 changes in the body of, 54  
 eating to grow well, 53  
 female genital cutting, 459–460, 467  
 gender roles, 182–185  
 getting help from adults, 65, 61, 57  
 monthly bleeding, 55  
 pregnancy, 59, 64, 72  
 pressure to have sex, 62–64  
 self-esteem, 56  
 sex, 59–61  
 sex work, 342–343  
 sexual abuse of, 63  
 trading of, 64  
 (Also see **Puberty**)

**Giving birth** (See **Childbirth**)

**Glands, of breasts**, 45

**Glaucoma, in older women**, 134

**Gloves, disinfected**, 525

**Glue sniffing** (See **Drugs**)

**Goals, choosing**, 57

**Goiter**, 169

**Gonorrhea**  
 in babies, 276  
 resistance to medicines, 24, 264  
 signs, 267  
 treatment, 268

**Government policies and laws**  
 aiding older women, 137  
 female genital cutting, 467  
 legal rights of women, 7  
 low status of women, 7–8, 11  
 reporting rape, 334–336  
 violence against women and, 324  
 women's health issues, 17  
 (Also see **Refugees and displaced women; Working for change**)

**Grains**, 166, 170

**Grams**, 475

**Green Belt movement**, 16

**Green waters during labor**, 86

**Growth**  
 diet and, 53  
 during puberty, 54

**Growths**  
 of the cervix, 377  
 of the womb, 380  
 cysts on ovaries, 383  
 fibroids, 129, 231, 354, 380  
 and passing urine often, 370  
 polyps, 129, 377, 380  
 tumors, 375  
 warts on genitals, 269, 376  
 (Also see **Cancer; Lumps**)

**Gums, problems from chemicals**, 402

## H

**Hands**  
 acupressure massage, 546  
 pale nails, 172  
 swollen during labor, 74, 87  
 washer-woman's hands, 409  
 washing to prevent infection, 526

**Harassment**  
 sexual, 329, 331, 407  
 (Also see **Violence against women**)

**Haybox cooker**, 397

**Head**  
 birth of, 82  
 breech baby, 75, 77, 90–91  
 exercise at work, 404

**Headaches**  
 from chemicals, 402  
 from crafts, 406  
 high blood pressure and, 130  
 from hormonal methods of family planning, 208, 209, 210  
 from medicines, 479

**Headaches** (*continued*)

from stress, 421  
from the pill, 210

**Health care skills**, 525–547

abdomen exam, 534  
acupressure massage, 546–547  
blood pressure, 532–533  
burns, 538–539  
disinfecting equipment and tools, 526–529  
injections, 542–545  
pelvic exam, 535–537  
pulse, taking, 531  
respiration (breathing rate), 531  
shock, treating with fluids, 540–541  
temperature, taking, 530

**Health center or hospital**

breastfeeding and, 119, 121  
for cancer of the cervix, 377  
childbirth and, 72, 85–86, 88, 89, 93, 101  
female genital cutting and TBAs, 467  
getting better care, 36–37  
health centers, 34  
hospitals, 35, 38–39  
medical system, 33–35  
PID and, 274  
for tetanus in newborn, 95  
for fistula, 371

**Health exams**, 159

**Health Handbook for Women with Disabilities, A**, 138

**Health, maintaining** (See **Preventing illness**)

**Health risks**

from alcohol and drugs, 438–439  
for bottle-fed babies, 106  
for cancer, 376  
for cancer of the cervix, 377  
for cancer of the womb, 381  
chemicals, work with, 402–403  
from crafts, 406  
cycle of poor health, 5  
diet and, 53  
domestic workers, 409  
during pregnancy, 59, 67, 72–74, 197  
female genital cutting, 3, 460–467  
from frequent pregnancies, 3, 5  
general medical problems, 4  
heavy loads, lifting and carrying, 398–400  
from hormone replacement therapy (HRT), 124  
from medicines, 471  
mental health, 4, 416–418, 433  
poverty, 6  
from rape, 336–337

**Health risks** (*continued*)

reproductive health problems, 3  
of sex workers, 344–347  
smoke and health problems, 394–397  
STIs, 3, 60, 61, 262–263  
from treatments, 24–25  
unsafe abortion, 3, 241  
washer-woman’s hands, 409  
water; work with, 401  
for women, 2–5  
from work, 4, 406  
(Also see **Danger signs**; **Violence against women**)

**Health, “women’s”** (See **“Women’s” health**)

**Health workers**

disinfecting equipment and tools, 526–529  
helping women help themselves, 30–31  
infertility, helping with, 237  
medicine guidelines, 470  
overview, 34  
preventing HIV, 311  
preventing infection, 525–529  
rape and, 335  
for refugees and displaced women, 452, 453  
sex workers and, 351  
violence against women and, 325  
washing your hands, 526  
(Also see **Health care skills**; **Midwives**)

**Hearing**

loss in older women, 134  
ringing in ears, 130, 479

**Heartbeat**

fast, 172, 254, 531  
drug and alcohol withdrawal, 441  
normal, 531  
slow, 531  
stops, 173  
stress and, 421  
taking the pulse, 531

**Heartburn**

during pregnancy, 69  
from taking medicines, 477

**Heart disease**

overweight and, 174  
the pill and, 208  
from syphilis, 270

**Hemorrhage** (See **Bleeding**)

**Hemorrhoids (piles), during pregnancy**, 70

**Hepatitis**

hepatitis B, 277, 376, 384  
injections and, 538  
the pill and, 208

**Hepatitis** (*continued*)

signs, 277, 402  
treatment, 277  
vaccine, 503

**Herbicides**

mental health and, 418  
pregnancy and, 68

**Heroin** (See **Drugs**)

**Herpes**

genital, 272–273  
zoster (shingles), 301

**High blood pressure**

defined, 532  
in older women, 130  
overweight and, 174  
the pill and, 209  
pregnancy risks, 72  
signs, 130  
from stress, 421  
treatment, 130  
what the numbers mean, 532  
(Also see **Blood pressure**)

**High-level disinfection**, 526–528

**HIV and AIDS**, 282–311

AIDS, described, 284  
ART (Antiretroviral therapy), 291, 292, 336, 517–521  
breastfeeding and, 106, 285, 293  
caring for persons with HIV or AIDS, 294–295  
causes in women, 283, 285, 286  
CD4 count, 517  
childbirth and, 285, 292, 293, 520  
common medical problems, 297–308  
cotrimoxazole and, 296, 299  
coughing, 303  
counseling, 289  
death and dying, 309  
diarrhea, 298–299  
drug misuse and, 438  
feelings about, 289, 290, 294, 296, 309, 311  
fever, 297  
HIV, described, 284  
HIV test, 288–290, 292, 347  
living with, 290–291  
medicines to prevent infection, 296  
mental confusion (dementia), 308  
mouth and throat problems, 304–305  
nausea and vomiting, 302  
older men and, 64  
overview, 277, 284  
pain, 308  
partner infected with, 290  
pneumonia and, 304  
pregnancy and, 285, 292, 520  
preventing, 286–287, 295, 309–311  
preventing infections with medicines, 296

**HIV and AIDS (continued)**

preventing mother-to-child transmission, 292–293, 520  
 protecting against, 60, 61, 128, 189–193  
 rashes and itching, 300–301  
 sex workers and, 344–347  
 sores on genitals and, 271  
 spread of, 285  
 staying healthy, 296  
 tuberculosis and, 291, 303, 387  
 for women, 286  
 working for change, 309–311  
 wounds and sores, 306–307

**Holding baby during breastfeeding, 108–109****Home**

domestic workers, 409  
 drug and alcohol misuse in, 439  
 migration for work, 408  
 (Also see **Family; Refugees and displaced women**)

**Homosexuality, 183, 184, 187****Honey and sugar; for pressure sores, 306****Hormonal methods of family planning, 207–215**

after abortion, 250  
 choosing a method, 200–201, 224–225  
 defined, 200  
 effectiveness of, 201  
 implants, 213  
 injections, 214–215  
 older women and, 128  
 once-a-week pills, 224  
 the pill, 208–212  
 progestin-only pills (mini-pill), 212  
 side effects, 208, 209, 212, 213  
 types of methods, 207  
 vaginal rings, 225  
 women who should avoid these methods, 207  
 women with disabilities and, 145

**Hormones**

hormone replacement therapy (HRT), 124, 471  
 life cycle and, 47  
 mental health and, 418  
 in monthly cycle, 48–49  
 overview, 47  
 puberty and, 54  
 (Also see **Estrogen; Progesterone**)

**Hospital (See Health center or hospital)****HRT (hormone replacement therapy), 124, 471****Human Immunodeficiency Virus (HIV) (See HIV and AIDS)****Human rights**

female genital cutting and, 467  
 (Also see **Government policies and laws; Working for change**)

**Hunger**

abdomen pain and, 357  
 constant, 174  
 loss of appetite, 173, 277  
 poor nutrition for women, 2

**Husband or partner**

girls treated as property of, 185  
 HIV infected, 290  
 infertility, causes of, 230  
 IUD felt by, 217  
 leaving an abusive partner, 322–323  
 rape by, 328  
 talking about family planning, 199  
 talking about sex, 185, 192–193  
 (Also see **Boyfriends; Family; Fathers; Parents; Violence against women**)

**Hydrocortisone, 503**

for allergic reactions, 483, 545

**Hydroxyzine, 504****Hymen, 44****Hypertension (See High blood pressure)****Hysterectomy, 38, 379, 381****I****Ibuprofen, 504**

for burns (pain), 539  
 overview, 482  
 for persons with AIDS, 308

**Illegal abortion, 242****Illness**

food needs during, 171  
 infectious diseases, 21  
 non-infectious diseases, 21  
 in older women, 127  
 poor nutrition and, 172–175  
 preventing, 148–163  
 recognizing, in women with disabilities, 141  
 (Also see **Danger signs; Preventing illness; Solving health problems; STDs; specific illnesses and signs**)

**Immune system, 284**

(Also see **HIV and AIDS**)

**Immunizations**

hepatitis B, 503  
 tetanus, 161  
 tuberculosis (TB), 390, 391

**Implants**

after abortion, 250  
 effectiveness of, 201  
 side effects, 213  
 stopping, 213  
 using, 213

**Incest, 63, 329****Incomplete abortion, 251****Incomplete miscarriage, 98****Incontinence, 370****Independence, working toward, 15****Indigestion, during pregnancy, 69****Inequality of health treatment, 1****Infection**

abnormal vaginal discharge, 265–268  
 after abortion, 255–257  
 after operation, 39  
 Bartholin gland infection (swollen vagina), 276  
 bladder or kidneys, 366–368  
 breasts during breastfeeding, 116–117, 382  
 burns and, 538  
 caring for new mother, 96  
 causes of, 525  
 cracked nipple and, 115  
 deinfibulation and, 465  
 disinfecting equipment and tools, 526–529  
 eyes in newborn, 276  
 from female circumcision, 461–462  
 fungal, in persons with AIDS, 300  
 infectious diseases, 21  
 injections and, 542  
 mental health and, 418  
 pain in abdomen with fever, 355  
 pelvic (PID), 265, 274–275  
 preventing, 525–529  
 preventing at birth, 83  
 preventing for persons with HIV, 296  
 risk during birth, 79  
 signs, 255–256, 531  
 urinating after sex and, 154, 279, 366  
 vaginal, frequent, 174  
 vitamin A and, 169  
 washing your hands, 526  
 of womb after childbirth, 97  
 wounds and sores, with HIV, 307  
 (Also see **STIs; specific diseases**)

**Infectious diseases, 21****Infertility, 228–237**

after female genital cutting, 465  
 blame for, 229  
 causes of, 230–231  
 dangers that can hurt fertility, 232  
 defined, 230  
 living with, 236–237  
 miscarriage and, 234–235  
 prevalence of, 229  
 in sex workers, 344  
 STIs and, 276  
 treatment, 233–234

**Infibulation** (See **Female genital cutting**)

**Injections**

- allergic shock from, 545
- in buttock, 544
- diazepam, 87
- for family planning, 201, 214–215
- giving, 542–545
- HIV and, 285
- preparing a syringe, 543
- for infection after abortion, 257
- to start labor, 85
- weak blood (anemia) and, 471  
(Also see **Medicines**)

**Injections for family planning**

- combined, 214–215
- effectiveness of, 201
- progesterin-only, 214
- side effects, 214, 215
- stopping, 215
- using, 215

**Injuries**

- internal, from abortion, 258
- mental health and, 418
- from pregnancy and childbirth, 101–103
- from rape, 5, 329, 337, 370  
(Also see **Female genital cutting; Violence against women**)

**Inner folds of the vulva**, 44

**Insect bites, HIV and**, 285

**Inserts**, 474 (Also see **Medicines**)

**Intercourse** (See **Sex**)

**Internal injury, from abortion**, 258

**Intra uterine devices** (See **IUDs**)

**Intravenous drip (IV)**, 540

**Inverted nipples**, 114

**Iodine**

- importance of, 169
- iodized salt, 68, 169
- sources of, 169

**Iron**, 167

- food sources of, 167
- other sources of, 167
- for weak blood (anemia), 53, 73, 129, 167

**Irrigation**, 177

**Isolation, as abuse**, 317

**Isoniazid**, 505

**Itching**

- genital growths (warts), 269
- genitals, 265, 266, 267, 272
- in persons with HIV, 300–301
- sugar sickness (diabetes) and, 174
- vagina, 265

**IUCD** (See **IUDs**)

**IUDs**, 216–217

- after abortion, 250
- choosing a method for family planning, 200–201, 224–225
- danger signs, 217
- defined, 200
- effectiveness of, 201
- as emergency method of family planning, 226
- infertility and, 231
- overview, 216
- pain with, 217, 354
- progesterin, 216
- progesterin IUDs, 216
- side effects, 216
- STIs and, 216
- stopping, 217
- using, 217
- who should not use, 216
- women with disabilities and, 145

**IV (intravenous drip)**, 540

**J**

**Jaundice, yellow baby**, 118

**Jelly, contraceptive** (See **Spermicides**)

**Jobs** (See **Work; Working mothers**)

**Joint and muscle pain (arthritis)**

- in older women, 133
- overweight and, 174

**Joints**

- contractures, 143
- kneeling work and, 405
- repetitious movements and, 405

**Juvenile diabetes** (See **Sugar sickness**)

**K**

**Kaposi's sarcoma**, 301

**Kerosene, fire safety**, 394

**Ketoconazole**, 505

- for fungal infections, 300
- for thrush, 305

**Khat** (See **Drugs**)

**Kidney infection**, 366–368

- causes, 366
- drugs and alcohol and, 438
- medicines, cautions about, 477
- signs, 367
- treatment, 368  
(Also see **Urine system problems**)

**Kidney stones**, 369

**Killing oneself (suicide)**, 419, 431

**Kissing, not a cause of HIV**, 285

**Kneeling work**, 405

**Knitting, health risks from**, 406

**L**

**Laboratories**, 34

**Labor** (See **Childbirth**)

**Lace making, health risks from**, 406

**Lactational amenorrhea method (LAM)**, 218

**Lamivudine**, 519–520

**Latrines**

- building, 152
- for refugees and displaced women, 451

**Laws** (See **Government policies and laws; Working for change**)

**Laxatives**, 70

**Leaders, women as**, 456–457

**Lead poisoning**, 403, 406

**Legal issues** (See **Government policies and laws; Working for change**)

**Legs**

- acupressure massage, 546–547
- problems during pregnancy, 71
- severe pain in one, 210
- sitting or standing long time, 404
- varicose veins in, 70, 132
- weakness in, 173, 210

**Legumes, planting**, 176

**Lemon juice**

- purifying water, 155
- for thrush, 305

**Lice**, 265

**Life cycle of women**, 47

**Lifting safety**, 398

**Lip, cleft in baby**, 118

**Liquid medicines**

- measuring, 475
- taking, 474  
(Also see **Medicines**)

**Liquids**

- clean source of water, 151
- giving rectal fluids, 541
- recommendation for older women, 126
- rehydration drink, 540  
(Also see **Alcohol; Caffeine; Water**)

**Listening**

- active, 426
- importance of, 30

**Liver**

- cancer, 384
- medicines and liver disease, 477
- problems from chemicals, 402
- problems from drugs and alcohol, 438

**Liver extract injections, 471****Loop, the** (See **IUDs**)**Loss**

- mental health and, 417, 454
- by refugees and displaced women, 454

**Love**

- changing people, 318
- violence against women and, 315

**Low back pain** (See **Back pain**)**Lower belly pain** (See **Abdomen pain**)**Lubricants, for condoms, 203****Lumps**

- abscesses and boils, 307
- in breast, 382
- in breast during breastfeeding, 116
- breast exams, 162
- in breast of older women, 129
- in tubes or ovaries, 537
- (Also see **Growths**)

**Lungs**

- cancer, 384
- chemicals and, 402
- pottery making and health, 406

**M****Macrolides, 480****Magnesium sulfate, 506**

- for eclampsia, 87

**Malaria**

- during pregnancy, 74
- spread of, 151
- using medicines for abortion, 471

**Manual vacuum aspiration (MVA)**

- abortion, 38, 244, 248

**Marijuana** (See **Drugs**)**Marriage**

- virginity and, 185
- waiting until ready, 58

**Massage, acupressure, 546–547****Mastitis, 116–117, 382****Masturbation, 188****Maternal mortality, 67****Measles, pregnancy and, 68****Measuring medicines, 474–475****Media, gender messages in, 195****Medical abortion, 244–245****Medical system, 33–41**

- community health workers, 34
- getting better care, 36–37
- health centers, 34
- health posts, 34
- hospital care, 38–39
- hospitals, 35
- women's needs not met, 8
- working for change, 40–41
- (Also see **Health center or hospital: Health workers**)

**Medicines, 468–484**

- abortion by, 244–245
- for allergic reactions, 483
- allergy to, 477
- antibiotics, 480–481
- for bacterial vaginosis, 266
- for bladder infection, 368
- for bleeding from vagina, 483
- for breast infection, 117
- cancer and, 376
- for chlamydia, 268
- combination medicines, 472
- deciding to use, 470–471
- defined, 469
- for deinfibulation, 465
- drug and alcohol use and, 438
- drug resistance and STI medicines, 264
- during breastfeeding, 109, 120
- during labor, 79, 85
- during pregnancy, 68
- for eclampsia, 87
- fertility and, 232
- food and, 478
- forms of, 474
- generic names and brand names, 473
- for genital sores, 271
- for genital warts, 269
- for gonorrhea, 268
- guidelines for health workers, 470
- guidelines for use, 472
- harmful uses, 471
- for herpes zoster (shingles), 301
- for infection after abortion, 256–257
- inserts in vagina, 474
- for itching in persons with HIV, 301
- for joint and muscle pain (arthritis), 133
- for kidney infection, 368
- measuring amount to take, 474–475
- medicine kit, 484
- for menopause problems, 125
- mental health and, 418
- for mental health problems, 422
- old (past expiration date), 472
- overview, 469
- for pain, 482

**Medicines (continued)**

- for pain, in persons with AIDS, 308
- for pelvic inflammatory disease (PID), 274
- for persons with HIV, preventing infection, 296
- the pill and, 209
- plant medicines and vagina, 96
- precautions (warnings), 478
- safety when using, 470, 471–473
- side effects, 478
- for STIs, sex workers and, 347
- taking too much, 479
- for thrush (yeast), 117, 300, 305
- toxicity and dementia, 135
- for trichomonas, 268
- using medicines in this book, 473–479
- when to take, 476
- who should not take certain medicines, 477
- for womb infection, 97
- for yeast infections of the vagina, 265–266
- (Also see **Side effects, specific medicines**)

**Meditation, 423****Medroxyprogesterone acetate, 129, 506****Memory problems, in older women, 135****Menopause**

- acupressure massage for, 547
- bleeding from vagina after, 363
- defined, 47
- diet during, 124, 171
- hormone replacement therapy (HRT), 124, 471
- medicines for, 124
- recommendations for easing, 124–125
- sexual relations and, 128
- signs, 124

**Menstrual cycle, 48–49****Menstruation** (See **Monthly bleeding**)**Mental confusion (dementia)**

- drug and alcohol withdrawal, 441
- in older women, 135
- in persons with AIDS, 308

**Mental health, 412–433**

- alcohol and, 438
- anxiety, 420
- common causes of problems, 416–418
- common problems, 419–422
- of community, 433
- depression, 135, 419
- determining, 419

**Mental health** (*continued*)

- drugs and, 438
- female genital cutting problems, 466
- helping yourself and others, 422–431
- HIV and, 296
- medicines for problems, 422
- mental illness (psychosis), 432
- overview, 413
- personal coping skills, 422–423
- psychosis (mental illness), 432
- of refugees and displaced women, 454–455
- self-esteem, 140–141, 414–415
- stress, 318, 416–417, 421
- suicide, 419, 431
- support groups, 423–425
- syphilis and, 270
- trauma, 418, 420–421, 430
- women at risk, 4, 433
- for women with disabilities, 140–141
- (Also see **Feelings; Support groups**)

**Mental illness (psychosis), 432**

**Mental slowness in children, 68, 169**

**Methotrexate, 245, 471**

**Methyl ergonovine, 506**

**Metronidazole, 507**

- for bacterial vaginosis, 266
- for bloody diarrhea, 296
- for discharge, 268
- for pelvic inflammatory disease (PID), 275
- for infection after abortion, 256–257
- for trichomonas, 268
- for womb infection, 97

**Miconazole, 507**

- for yeast infections, 266

**Micrograms, 475**

**Midwives**

- A Book for, 66
- role of, 76, 102, 391

**Mifepristone, 245, 508**

**Migration for work, 408**

**Milk and milk products**

- bottle-feeding babies, harmfulness of, 106
- in diet, 170
- storing, 170
- (Also see **Breastfeeding; Breast milk**)

**Milligrams, 475**

**Minerals** (See **Vitamins and minerals**)

**Mini-pills** (See **Progestin-only pills**)

**Miscarriage, 98, 234–235, 354**  
bleeding after, 98, 235, 363

**Misoprostol, 93, 245, 253, 508**

**Money**

- control of, 317
- costs of bottle-feeding, 106
- costs of vitamins and minerals, 471
- loan fund for sex workers, 350

**Mons, 44**

**Monthly bleeding, 48–51**

- acupressure massage for pain, 546–547
- after abortion, 249
- changes in bleeding, 50
- diet and, 53
- end of (menopause), 124–125
- female genital cutting problems, 463
- heavy, 129, 360
- hormonal method of family planning and, 207, 208, 209, 214
- irregular, 361
- late with IUD, 217
- light, 360
- long lasting, 360
- in middle of month, 129
- monthly cycle, 48–49
- names for, 48
- onset during puberty, 55
- pain with, 50, 354
- pre-menstrual syndrome (PMS), 51
- problems with, 360–361
- self care during, 55
- stopped, 361
- too far apart, 361
- too often, 361
- for women with disabilities, 142
- (Also see **Bleeding from vagina**)

**Monthly cycle, 48–49**

**Morning sickness, 69, 543**

**Morphine, overview, 482**

**Mosquitos, disease spread by, 151**

**Mothers**

- breastfeeding advice, 109–110, 293
- care after childbirth, 95, 96
- community expectations, 183
- danger signs after childbirth, 97
- death of baby and, 99
- diet while breastfeeding, 109
- help from fathers, 100
- helping after childbirth, 99
- helping daughters, 65
- helping during childbirth, 79, 81–84
- infertility, causes of, 231
- older mothers, 72
- working, breastfeeding and, 111
- (Also see **Family; Parents**)

**Mouth**

- cancer, 384
- cleft lip or palate in baby, 118
- gum problems from chemicals, 402
- problems in persons with HIV, 304–305
- teeth, 154, 402

**Mucus**

- checking for fertility, 220, 233
- coughing up, in persons with HIV or AIDS, 303–304

**Mucus method of family planning, 219–220**

- after abortion, 250

**Mumps, infertility and, 230**

**Musasa Project, 15**

**Muscles**

- arthritis in older women, 133
- back and belly, strengthening, 400
- contractures, 143
- (Also see **Exercise; Exercises**)

**MVA (manual vacuum aspiration) abortion, 38, 244, 248**

**N**

**Nabothian cysts, 377**

**Nails**

- pale, 172
- washer-woman's hands, 409

**Natural methods of family planning, 218–222**

- after abortion, 250
- breastfeeding, 96, 201, 218
- choosing a method, 200–201, 224–225
- counting days method, 219, 221
- defined, 200
- effectiveness of, 201, 219
- how to tell if fertile, 220
- mucus method, 219–220
- overview, 219
- STIs and, 218

**Nausea**

- after abortion, 258
- during pregnancy, 69, 543
- from hormonal methods of family planning, 208, 209
- kidney infection and, 367
- from medicines, 479
- in persons with HIV or AIDS, 302, 518
- taking medicines, 478
- (Also see **Vomiting**)

**Neck, acupressure massage, 547**

**Needles**

- disinfecting, 528
- giving injections, 542–545
- (Also see **Injections**)

**Negative HIV test, 288, 289**

**Neonatal conjunctivitis**, 276  
**Nervous conditions** (See **Mental health**)  
**Nevirapine**, 519–520  
**Night blindness, vitamin A for**, 169  
**Nipples**, 114–115  
 discharge from, 382  
 flat or inverted, 114  
 illustrated, 45  
 overview, 45  
 position in baby's mouth, 108, 109, 115  
 sore or cracked, 115–117  
 (Also see **Breasts**)  
**Nitrofurantoin**, 509  
 for bladder infection, 368  
**Non-infectious diseases**, 21  
**Norfloxacin**, 509  
 for diarrhea for people with HIV, 299  
 overview, 481  
**Noristerat**, 214, 215  
**Nuclear power plants**, 376  
**Numbness, from the pill**, 210  
**Nutrition** (See **Diet**)  
**Nystatin**, 510  
 for fungal infections, 300  
 for thrush, 305  
 for yeast infections, 266

**O**

**Ointments**, 474 (Also see **Medicines**)  
**Older men**  
 erection difficulties in, 128  
 sex with, 63, 64  
**Older women**, 122–137  
 anxiety, 135  
 back pain, 132  
 breast lumps, 129  
 common health problems, 123, 129–135  
 community services for, 137  
 death, accepting, 137  
 depression, 135  
 fallen womb (prolapsed uterus), 131, 398  
 government policies and laws, 137  
 health care recommendations, 126–127  
 hearing loss, 134  
 high blood pressure, 130  
 joint and muscle pain (arthritis), 133  
 medicine doses, 478  
 mental confusion (dementia), 135  
 monthly bleeding ends (menopause), 124–125  
 monthly bleeding heavy, 129

**Older women** (*continued*)  
 risks from pregnancy, 72  
 seeing problems, 134  
 sexual relations, 128  
 teaching others, 137  
 varicose veins, 132  
 weak blood (anemia), 129  
 working for change, 136–137  
 (Also see **Menopause**)  
**Once-a-week pills**, 224  
**Open lip or palate, in baby**, 118  
**Operations**  
 after an operation, 39  
 for cancer, 379, 381, 383, 384  
 common for women, 38  
 for fibroids, 380  
 hysterectomy, 38, 379, 381  
 for no more children, 223  
 (Also see **Abortion**; **Sterilization**)  
**Opium** (See **Drugs**)  
**Oral sex**, 187, 189–190, 279, 524  
**Organizing** (See **Unions**; **Working for change**)  
**Orgasm**, 44, 187  
**Osteoporosis** (See **Weak bones**)  
**Outer folds of the vulva**, 44  
 (Also see **Female genital cutting**)

**Ovaries**  
 cancer, 383  
 cysts, 383  
 exam, 534  
 illustrated, 45  
 monthly cycle and, 48–49  
 overview, 45  
**Overweight people, health problems of**, 174  
**Ovulation**, 47, 49, 231  
**Oxytocin**, 510  
 abortion from, 241  
 for bleeding after birth, 92, 103  
 hurrying birth, 471  
 overview, 483

**P**

**Packaged foods**, 170  
**Pads, menstrual**, 55  
**Pain**  
 acupressure massage for, 546–547  
 after miscarriage, 98  
 in back during pregnancy, 71  
 in back in older women, 131, 132  
 in breasts during breastfeeding, 116–117  
 in chest, 210  
 from contractures, 143  
 during sex, 193, 274, 355, 380  
 in joints and muscles (arthritis), 133, 174

**Pain** (*continued*)  
 in joints from work, 405  
 in lower belly, 352–357  
 after abortion, 255, 256, 258, 355  
 after childbirth, 355  
 after passing urine, 367  
 with bleeding from vagina, 355, 359  
 brief, during middle of monthly cycle, 356  
 during monthly bleeding, 50, 354  
 during pelvic exam, 537  
 during pregnancy, 73, 355  
 during sex, 193, 274, 355, 356  
 with fever, 355  
 fibroids, 129, 231, 354  
 hunger and, 357  
 with IUD, 217, 354, 356  
 kinds of pain, 354–356  
 miscarriage, 98, 234–235, 354, 355  
 monthly bleeding late, 354  
 overview, 352, 353  
 pelvic inflammatory disease (PID), 274  
 questions about, 357  
 severe, 354, 355, 357  
 STIs, 263, 267  
 sudden and severe, 354  
 tubal pregnancy, 73, 249, 354  
 with urine system problems, 355  
 in lower belly (*continued*)  
 when moving, walking, or lifting, 356  
 without other signs, 356  
 womb infection, 97  
 medicines for, 482  
 miscarriage and, 235  
 in nipples during breastfeeding, 115–117  
 in persons with AIDS, 308  
 pressure point for easing, 50, 546  
 in shoulders after abortion, 258  
 in stomach from medicines, 479  
 sudden, near kidneys or bladder, 369  
 from the pill, 210  
 with vaginal discharge, 265, 274  
 when passing urine, 267, 367  
 (Also see **Back pain**)  
**Pains, labor** (See **Contractions**)  
**Palate, cleft in baby**, 118  
**Papaya, for pressure sores**, 306  
**Pap tests**, 159, 376, 378  
**Paracetamol**, 511  
 for burns (pain), 538, 539  
 overview, 482  
 for persons with AIDS, 308

**Paralysis**

the pill and, 208  
from syphilis, 270

**Parents**

early pregnancy, 58, 72  
sexuality and, 58  
talking with, 65  
(Also see **Family; Fathers; Mothers; Violence against women**)

**Partner** (See **Husband or partner**)**Patch, family planning, 224****Passing stools** (See **Stools**)**Pelvic area, 43****Pelvic exam, 159**  
how to, 535–538**Pelvic infection, 217, 265, 274****Pelvic inflammatory disease (PID), 217, 265, 274****Pelvic tilt exercise, 400****Pelvis, 43****Penicillin, 511**  
for burns, 538  
family of antibiotics, 480  
for wounds and sores, 307**Penis**

illustrated, 46  
warts on, 269

**Pensions, 137****Period** (See **Monthly bleeding**)**Permanent methods of family planning, 230**  
after abortion, 250  
choosing a method, 200–201, 224–225  
defined, 200  
effectiveness of, 201**Personal coping skills, 422–423****Pessaries, vaginal, 131****Pesticides**

mental health and, 418  
pregnancy and, 68

**PID (pelvic inflammatory disease), 217, 265, 274–275****Piles (hemorrhoids), during pregnancy, 70****Pills** (See **Drugs; Medicines**)**Pill, the, 208–212**

after abortion, 250  
combined pills, 208–211, 522–523  
danger signs, 210  
effectiveness of, 201  
emergency methods of family planning, 226, 523–524  
forgetting to take, 211

**Pill, the** (*continued*)

once-a-week pills, 224  
overview, 208  
progestin-only pills (mini pill), 212  
side effects, 208, 209  
stopping, 211  
using, 210–211  
who should not take, 208–209

**Pitocin, hurrying birth, 471****Placenta, 84**

bleeding after it comes out, 93  
bleeding before it comes out, 92  
checking, 84  
coming out, 84  
difficulty delivering, 92

**Plant medicines**

for bladder infection, 367  
vagina and, 22, 96  
(Also see **Medicines**)

**Pleasure from sex, 186–188**  
sterilization and, 223**PMS** (See **Pre-menstrual syndrome**)**Pneumonia**

in newborn babies, 274  
in persons with HIV, 304

**Podophyllin, 512**

for genital warts, 269

**Poisoning, from medicines, 479****Police, reporting rape to, 334–336****Policies** (See **Government policies and laws; Working for change**)**Polyps**

of cervix, 377  
heavy monthly bleeding and, 129  
signs, 380  
treatment, 380  
of womb, 380  
(Also see **Growth**)

**Polyidone iodine, 169****Positive HIV test, 288–290, 517**  
(Also see **HIV and AIDS**)**Potassium, in rehydration drink, 540****Potassium permanganate, for wounds and sores, 307****Pottery, health risks from, 406****Pottery cooler, 157****Poverty**

debt and, 8  
diet and, 165, 170  
health risks for women, 6, 11  
violence against women and, 315

**Power, lack of, 7****Prayer, 423****Pregnancy, 66–103**

abortion, 238–259  
acupressure massage for, 546–547  
avoiding, 60, 61, 128  
baby in wrong position, 72, 75, 85, 90–91  
bleeding from vagina during, 73, 74, 362  
breastfeeding as prevention, 96, 201, 218  
breastfeeding during, 119  
calcium needs, 168  
checking baby's position, 77, 81  
chemicals and, 402  
child-spacing, 110, 160  
common problems, 69–71  
danger signs, 72–73  
death from, 101–103  
DES (diethylstilbestrol) caution, 471  
diet during, 68, 167–169, 171  
due date, 67  
early, 58, 59, 72  
emergency methods of family planning, 226, 523–524  
fathers, advice for, 100  
frequent pregnancies, 3  
further information, 66  
health care during, 68, 160–161  
health risks, 3, 5, 59, 67, 72–74, 197  
herpes and, 272  
HIV and, 285, 292, 520  
infertility, 228–237  
losing (miscarriage), 98, 234–235  
medicines, caution about using, 477  
prenatal check-ups, 68, 76–77, 160  
preparing for labor and birth, 78–79  
rape and, 336  
refugees and displaced women, 452  
sex workers and, 345  
signs, 67  
signs after abortion, 249  
syphilis and, 270  
tetanus vaccinations, 161  
in the tube, 73, 249, 354, 538  
tuberculosis (TB) and, 389, 390  
unwanted, 64  
violence against women and, 319  
womb size during, 537  
women with disabilities and, 72, 145  
working for change, 101–103  
(Also see **Abortion; Childbirth; Family planning**)

**Premature birth, 75, 94**  
early pregnancy and, 72

**Pre-menstrual syndrome (PMS),** 51  
 acupressure massage for, 546–547  
 remedies and suggestions, 51  
 symptoms, 51

**Prenatal check-ups, 76–77**  
 checking baby's position, 77  
 need for, 68, 76, 160  
 refugees and displaced women, 452  
 schedule for, 76  
 what to expect, 75

**Pressured sex (See Rape)**

**Pressure sores**

cause of, 142  
 prevention, 142  
 treatment, 306

**Preventing illness, 148–163**

allergic shock from injections, 545  
 breast exams, 162  
 chemical-related health problems, 403  
 clean water and, 151, 155, 401  
 community cleanliness (sanitation), 151–152  
 during pregnancy and childbirth, 160–161  
 exercise and, 158  
 food safety, 156–157  
 germs, spread of, 150–151  
 health exams, 159  
 HIV and AIDS, 286–287, 295, 309–311  
 home cleanliness, 153–157  
 importance of, 149  
 infection, preventing, 525–529  
 lead poisoning, 403  
 nutrition and, 172–175  
 personal cleanliness, 154  
 rest and, 158  
 safe sex, 60, 61, 128, 160  
 in sex workers, 346  
 smoke, health problems from, 394–395  
 special needs of women, 158–162  
 STIs, 279  
 tetanus vaccinations, 161  
 tooth care, 154  
 tuberculosis (TB), 391  
 working for change, 163  
 (Also see **Cleanliness; Diet; Exercise; Exercises; Safety; “Women’s” health; Working for change**)

**Prison rape, 329**

**Privacy, 30, 35**

**Probenecid, 512**

**Procaine penicillin, 513**

overview, 480  
 for fever during pregnancy, 86

**Progesterone, 513**

hormone replacement therapy (HRT), 124  
 life cycle and, 47  
 (Also see **Hormonal methods of family planning; Hormones**)

**Progestin IUDs, 216**

**Progestin-only injections,** 214–215

**Progestin-only pills, 523**

effectiveness of, 201  
 as emergency method of family planning, 225  
 forgetting to take, 212  
 side effects, 212  
 stopping, 212  
 using, 212

**Prolapsed uterus (fallen womb),** 131, 161, 398

**Promethazine, 513**

for allergic shock, 483, 545  
 for vomiting for people with HIV, 302

**Prostitutes (See Sex workers)**

**Protein**

after quitting alcohol, 441  
 cheap sources, 170  
 need for, 166  
 (Also see **Diet**)

**Psychological problems (See Mental health)**

**Psychosis (mental illness), 432**  
 (Also see **Mental health**)

**Puberty, 52–65**

body changes during, 54–55  
 boyfriends and sex during, 59–61  
 for boys, 46  
 help from adults, 65  
 life changes during, 56–58  
 monthly bleeding onset, 55  
 need for knowledge about, 53  
 planning for the future, 57–58  
 shame and, 184

**Pulse (heartbeat)**

taking, 531  
 (Also see **Heartbeat**)

**Pulses, planting, 176**

**Purifying water, 155**

**Pyrazinamide, 514**

**Pyridoxine (vitamin B6)**

for TB during pregnancy, 389

## Q

**Quinolones, 481**

## R

**Rape, 326–339**

avoiding, 330–331  
 blaming women for, 327  
 date rape, 62, 328  
 defined, 327  
 feelings about, 337  
 health problems, 336–337  
 HIV and, 336, 521  
 if someone you know has been raped, 334  
 if you have been raped, 334–337  
 incest, 63, 329  
 kinds of, 328–329  
 lack of desire and, 193  
 mental health and, 418  
 pregnancy and, 336  
 refugees and displaced women, 450–451  
 reporting to police, 334–336  
 resisting sexual assault, 333  
 self defense for women, 332  
 sexual relations after, 337  
 by someone the woman knows, 328–329  
 STIs and, 336  
 by strangers, 329  
 talking about, 337, 339  
 tears and cuts from, 337  
 trading girls for money, 64  
 women at risk, 327  
 working for change, 338–339  
 (Also see **Violence against women**)

**Rashes**

from cotrimoxazole, 296  
 in persons with HIV, 300–301  
 syphilis and, 270

**Rectal exam, 159**

**Rectal fluids, giving, 541**

**Rectum, taking the temperature,** 530

**Refugees and displaced women,** 446–457

basic needs, 448–451  
 defined, 447  
 earning a living, 457  
 flight and arrival, 448  
 mental health, 454–455  
 overview, 447  
 reproductive health, 452–453  
 women as leaders, 456–457

**Rehydration drink, 540**

**Relaxation exercise, 427**

**Religion**

family planning and, 227  
 violence against women and, 321

**Remedies (See Treatments)**

**Repetitious movements, 405**

**Reproductive system**

- changes during puberty, 54
- defined, 47
- health exams, 159
- health problems for women, 3
- illustrated, 44–46
- inside parts (women), 45
- man's, 46
- outside parts (women), 44
- overview, 43
- pelvic exam, 159, 535–537
- shame about, 184
- woman's, 44–45
- (Also see **STIs**)

**Rescue breathing, for baby at birth, 94**

**Respiration (breathing rate), 531**

**Rest**

- HIV and, 291
- need for, 158

**Rhythm method of family planning, (See Counting days method)**

**Rifampicin, 514**

**Ring in ears, 130, 479**

**Risk for HIV, 189–191, 285–287**

**Rocket stove, 396–397**

**Rotation of crops, 176**

**Rubbish, disposing safely, 151**

**Rural Women's Sanitation, 127**

**S**

**Sadness, extreme (See Depression)**

**Safer sex, 189–193**

- bargaining for, 192–193
- in the community, 280–281
- condoms, 61, 128, 190
- defined, 189
- HIV and, 189–190, 285, 291
- information for girls, 60
- making changes for, 189–195
- methods, 190
- overview, 160, 189
- partner unwilling, 193
- for sex workers, 346, 348
- working for change, 194–195, 280–281

**Safety**

- abortion, unsafe, 3, 241, 246–247, 259
- avoiding rape, 330–331
- bending, 399
- carrying heavy loads, 399
- dangers that can hurt fertility, 232
- fire safety, 394
- food safety, 156–157
- health care providers' responsibilities, 35

**Safety (continued)**

- lifting heavy loads, 398
- medicines, 470, 471–473
- plan for violence against women, 322–323
- for refugees and displaced women, 450–451
- resisting sexual assault, 333
- self defense for women, 332
- for sex workers, 349–350
- unsafe work conditions, 406–407
- for women with disabilities, 146
- (Also see **Danger signs; Health risks; Safer sex**)

**Salt**

- iodized, 68, 169
- PMS and, 51
- rehydration drink, 540
- solution for burns, 538

**Salves, 474 (Also see Medicines)**

**Same sex relationships (homosexuality), 183, 184**

**Sanitation, 151–152**

**Scabies, 265**

**Schistosomiasis, 369**

**Scraping abortion, 38, 244, 248**

**Screening tests, 376, 378–379**

**Scrotum, 46**

**Seeing problems (See Eyes)**

**Seizures**

- birth control pills and, 209, 212
- drug and alcohol withdrawal, 441
- during labor, 74, 87

**Self defense for women, 332**

**Self-esteem, 414–415**

- building, 145
- development of, 414
- in women with disabilities, 140–141

**Self image, changes during puberty, 56–58**

**Selling sex (See Sex workers)**

**Semen, overview, 46**

**Sepsis (blood infection), after female genital cutting, 461**

**Sewing, health risks from, 406**

**Sex**

- abortion, 238–259
- after rape, 337
- anal, 185, 187, 189–190
- avoiding pregnancy, 60, 61, 128
- bladder infection and, 366
- bleeding during, 274
- bleeding from vagina after, 363
- control over sex life, 181, 184–185
- decisions for teenagers, 59–61
- desire for, 185, 186–188
- “dry,” 190

**Sex (continued)**

- female genital cutting and, 463–464
- gender roles, 180–185, 194–195
- homosexuality, 183, 184
- incest, 63, 329
- infertility, 228–237
- information for girls, 60
- kidney infection and, 366
- kinds of, 187
- kissing, 187
- masturbation, 188
- with older men, 63, 64
- older women and, 128
- oral, 187, 190, 279, 524
- pain during, 189, 274, 355, 380
- physical sex, 182, 46
- pleasure from, 186–188
- practices and safety, 187, 190
- pressured or forced, 62–64
- protecting against disease, 60, 61, 128, 160, 189–190
- relationships without sex, 60, 184
- safer sex, 60, 61, 128, 160, 189–193
- sexual abuse, 317, 331
- sex workers, 340–151
- survival sex, 341
- talking about, 61, 192–195
- touching, 187, 524
- trading girls for money, 64
- urinating after, 154, 279
- vaginal, 187
- withdrawing or pulling out, 190, 222
- women with disabilities and, 144
- (Also see **Family planning; Gender roles; Safer sex; STIs; Violence against women**)

**Sexual assault (See Rape; Violence against women)**

**Sexual harassment, 329, 331, 407 (Also see Rape; Violence against women)**

**Sexual health, 184–195**

- after rape, 337
- feeling pleasure from sex, 186–188
- female genital cutting and, 463–464
- gender roles, 182–185, 194–195
- harmful beliefs, 184–185
- infertility, 228–237
- requirements for, 181
- safer sex, 60, 61, 128, 160, 189–193
- (Also see **Gender roles; Sex; STIs**)

**Sexuality**

- as part of sexual health, 181
- harmful beliefs about, 184–185
- learning about, 186–188, 194–195

**Sexually transmitted infections (See STIs)**

**Sexual parts of the body (See Reproductive system)**

- Sex workers, 340–351**  
 condoms and, 346, 348  
 defined, 341  
 health problems of, 344–347  
 HIV and, 344–347  
 organizing, 349–351  
 overview, 341  
 pregnancy and, 345  
 reasons for becoming, 342–343  
 safer sex for, 346, 348  
 story of poor woman, 342–343  
 violence against, 345  
 working for change, 348–351
- Shame**  
 from drug or alcohol misuse, 439  
 health and, 183  
 sexual parts of body and, 43, 184
- Shingles, 301**
- Shock**  
 after abortion, 254  
 after female genital cutting, 461  
 allergic shock from injections, 545  
 blood pressure and, 532  
 from burns, 540  
 signs, 254, 461, 545  
 treating with fluids, 540–541
- Shortness of breath**  
 from antiretrovirals, 518  
 from chemicals, 402  
 from the pill, 210  
 from weak blood (anemia), 172
- Shots (See Injections)**
- Shoulders**  
 birth of, 82, 88  
 exercise at work, 404  
 pain after abortion, 258
- Side effects**  
 antiretrovirals, 518  
 hormonal methods of family planning, 208, 209, 212, 213  
 IUDs, 216  
 medicines, 478  
 (Also see *specific medicines*)
- Sideways baby, 75, 85**
- Signs of danger (See Danger signs; Solving health problems)**
- Sitting for long time, 404**
- Skills (See Health care skills)**
- Skin**  
 brown or purple patches, 301  
 care for women with disabilities, 142  
 chemicals and health problems, 402  
 injection under, 544  
 pale, cold, and damp, 254  
 washer-woman's hands, 409  
 yellow, 271, 402  
 yellow on newborn, 118  
 (Also see **Itching; Rashes; Sores**)
- Sleep**  
 breastfeeding during, 107  
 medicines for, 471
- Smoke and health problems, 394–397**
- Smoking (See Tobacco)**
- Soaking, disinfecting solution, 527**
- Soap making, health risks from, 406**
- Social change (See Working for change)**
- Solvents, sniffing (See Drugs)**
- Solving health problems, 18–31**  
 choosing the best treatment, 22–25  
 finding out about the problem, 20–21  
 finding the cause, 21  
 health workers' role, 30–31  
 steps, 29  
 telling illnesses apart, 21  
 working for change, 26–29
- Sores**  
 burns, 538–539  
 on feet, 174  
 on genitals (genital ulcers), 270–273  
 HIV and genital sores, 271  
 in mouth and throat, with AIDS, 305  
 in persons with AIDS, 306–307  
 pressure sores, 142, 306  
 washer-woman's hands, 409
- Sore throat**  
 from chemicals, 402  
 in persons with AIDS, 304–305  
 syphilis and, 270  
 spectinomycin, 514  
 for gonorrhea, 268  
 for PID, 275
- Speculum, 159, 252**  
 exam, 536
- Sperm**  
 causes of infertility, 230  
 overview, 46
- Spermicides**  
 after abortion, 250  
 effectiveness of, 201  
 overview, 206  
 for sex workers, 346  
 using, 205, 206
- Sperm tube, 46**
- Splints, for joint pain, 405**
- Spotting (See Monthly bleeding)**
- Sputum, tuberculosis (TB) test, 389**
- Squeezing exercise, 371**  
 for fallen womb (prolapsed uterus), 131, 161  
 for stool passing problems, 130  
 for urine passing problems, 371
- Standing for long time, 404**
- Standing water, 151**
- Status of women, 7–8, 11**
- Stavudine, 518, 519**
- Sterilization**  
 after abortion, 250  
 effectiveness of, 201  
 for men (vasectomy), 223  
 for women (tubal ligation), 38, 223
- Sterilizing equipment (See Disinfecting equipment and tools)**
- Steroids, for allergic reactions, 483, 545**
- STIs, 260–281**  
 abnormal vaginal discharge, 265–268  
 anal intercourse and, 185, 189–190  
 chancroid, 271  
 chlamydia, 189–190, 267–268  
 complications of, 274–276  
 defined, 261  
 drug misuse and, 438  
 drug-resistant, 264  
 effects of, 261, 262  
 family planning methods and, 201  
 genital herpes, 272–273  
 gonorrhea, 189–190, 267–268  
 growths (warts) on genitals, 269  
 health exams, 159  
 hepatitis B, 277  
 how spread, 189  
 how to feel better, 278  
 if you do not have signs, 263  
 if you have signs, 263  
 itching genitals, 265  
 IUDs and, 216  
 natural methods of family planning and, 218  
 newborn babies' problems, 276  
 pelvic inflammatory disease (PID), 217, 265, 274–275  
 pregnancy and, 68  
 preventing, 279  
 protecting against, 60, 61, 128  
 rape and, 336, 520  
 risks for women, 3, 262–263  
 safer sex in the community, 280–281  
 seriousness of, 262–263  
 sex workers and, 344, 346–347  
 signs, 263  
 sores on genitals (genital ulcers), 270–273  
 swollen vagina (Bartholin gland infection), 276  
 syphilis, 270–271  
 testing and, 263  
 trichomonas, 267–268  
 working for change, 279–281

**STIs (continued)**

yeast infections of the vagina,  
265–266

(Also see **HIV and AIDS; Safer sex**)

**Stiffness**

belly after abortion, 258  
body of newborn, 95

**Stomach problems**

cancer, 384  
during pregnancy, 69  
pain after taking medicines, 479  
ulcers and medicine problems, 477

**Stones, kidney or bladder, 369****Stools**

building latrines, 152  
constipation, 70, 130, 372  
female genital cutting problems, 465  
leaking, 370, 534  
older women's problems passing,  
130  
removing stool, 372  
cleaning after, 153  
whitish, 271  
wiping after passing, 154  
(Also see **Constipation**)

**Stories about**

adoption, 236  
an association of women with  
disabilities, 140, 147  
Commander Condom, 281  
communities that organized against  
rape, 338–339  
death from cervical cancer, 9  
forming a support group, 429  
life without children, 237  
maternal deaths, preventing, 101  
refugee women taking leadership,  
457  
risk of HIV, 191  
self-esteem, 415  
selling sex to survive, 342  
solving health problems, 20–21  
violence against women, 314  
widows who built a successful  
business, 136

**Storing**

breast milk, 113  
disinfected tools and equipment, 528  
food, 157, 177  
milk and milk products, 170  
purified water, 155

**Stoves**

burning less fuel, 395  
fire safety, 394  
haybox cooker, 397  
health problems from smoke,  
394–397  
producing less smoke, 395  
rocket stove, 396–397

**Streptomycin, 515**

overview, 481

**Stress**

mental health and, 416–417  
physical changes and illness from,  
421  
trauma, 418, 420–421, 430  
violence against women and, 318

**Stretching**

angry cat exercise, 71  
lower back, 400  
(Also see **Exercises**)

**Stroke**

family planning and, 145  
mental health and, 418  
overweight and, 174  
the pill and, 208

**Subcutaneous injection, 544****Substance abuse (See Alcohol; Drugs; Tobacco)****Suckling**

easing for baby, 115  
fast and noisy, 109  
importance of, 106

**Suction abortion, 38, 244, 248****Sugar**

need for, 166  
for pressure sores, 306  
rehydration drink, 540  
(Also see **Diet**)

**Sugar sickness (diabetes),**

174–175  
juvenile, 174  
overweight and, 174  
the pill and, 209  
pregnancy risks, 72  
signs, 174  
treatment, 175

**Suicide, 419, 431****Sulfamethoxazole, 481**

(Also see **Cotrimoxazole, 497**)

**Sulfanomides, 481****Sulfas, 481****Sunlight**

calcium and, 168  
germs killed by, 153, 155, 275  
purifying water, 155

**Support groups**

for abused women, 324  
alcohol addiction, 440, 442  
for breastfeeding, 121  
drug addiction, 442  
exercises for, 426–428  
helping relationships, 423–424  
for people with HIV, 290  
purposes of, 425  
for refugees and displaced women,  
455

**Support groups (continued)**

starting, 424  
for women's health issues, 15  
for women with disabilities, 140,  
141, 147  
workers' unions, 410–411

**Suppositories (See Inserts)****Surgery (See Operations)****Survival sex, 341****Swelling**

in belly after abortion, 256  
body very swollen, 173  
engorged breasts (mastitis),  
116–117, 382  
glands in groin, 271  
hands and face during labor, 74, 87  
from hormonal methods of family  
planning, 208  
piles (hemorrhoids) during  
pregnancy, 70  
from sitting or standing long time,  
404  
vaginal fold on one side, 276  
(Also see **Varicose veins**)

**Symptoms (See Danger signs; Solving health problems)****Syphilis, 270–271****Syringes**

disinfecting, 528  
giving injections, 542–545  
(Also see **Injections**)

**T****Tablets**

measuring doses, 474, 475  
taking, 474  
(Also see **Medicines**)

**Tablets, contraceptive (See Pill, the; Spermicides)****T'ai chi, 423****Talking (See Communication)****Tampons**

using, 55  
women with disabilities and, 142

**TBAs (See Health workers; Midwives)****TB (See Tuberculosis)****TCA (trichloroacetic acid), for genital warts, 269, 516****Teas (See Caffeine; Plant medicines)****Teeth**

care of, 154  
problems from chemicals, 402

**Temperature**

fertility and, 232  
 how to take, 530  
 normal and fever levels, 530

**Testicles**

cancer from DES (diethylstilbestrol), 471  
 illustrated, 46  
 overview, 46  
 swollen or painful, 265

**Testosterone, production of, 46****Tests (See Exams and tests)****Tetanus**

after abortion, 256  
 from female genital cutting, 461–462  
 in newborn, 95  
 signs, 461  
 vaccinations, 68, 161, 462, 515

**Tetracycline, 516**

for baby eye care, 78, 83  
 for chlamydia, 268  
 family of medicines, 480  
 overview, 480  
 for syphilis, 271

**Thermometer, using, 530****Thirst**

constant, 174  
 dehydration, 298  
 rehydration drink, 540  
 (Also see **Dehydration**)

**Threats, 317****Throat cancer, 384****Thrush (yeast)**

during breastfeeding, 117  
 in persons with AIDS, 305  
 (Also see **Yeast infections**)

**Tinidazole, 516**

for trichomonas, 268

**Tippy Tap, 526****Tiredness**

antiretrovirals and, 578  
 constant, 174  
 hepatitis B and, 277

**Tobacco**

cancer and, 376, 377, 384  
 coughing and, 303  
 during breastfeeding, 109  
 fertility and, 232  
 health and, 163  
 health problems from, 438, 443  
 HIV and, 291  
 menopause and, 125  
 the pill and, 209  
 pregnancy and, 68  
 for women, 443  
 (Also see **Drugs**)

**Tongue, pale, 172****Tooth care (See Teeth)****Touching**

oneself (masturbation), 188  
 for sexual pleasure, 187  
 as safer sex, 189–190, 346  
 warning sign of violence, 330

**Toxemia (see Eclampsia)****Traditional birth attendants (See Health workers; Midwives)****Traditional methods**

of building inner strength, 423  
 of family planning, 222

**Training**

in gender roles, 182  
 helping women help themselves, 30, 31  
 importance of, 58  
 for women with disabilities, 140  
 (Also see **Education**)

**Transfusions, 39, 285****Transverse (sideways) baby, 75, 85****Trauma**

helping women with, 430  
 mental health and, 418  
 reactions to, 420–421

**Treatments**

balancing with prevention, 163  
 choosing the best treatment, 22–25  
 helpful, harmless, and harmful, 22  
 risks and benefits, 24–25  
 (Also see **Medicines; Solving health problems; specific illness and problems**)

**Trichloroacetic acid (TCA), 516**

for genital warts, 269

**Trichomonas**

signs, 267  
 treatment, 268

**Tubal ligation, 223****Tubal pregnancy, 73, 249, 354**

STIs and, 274

**Tuberculosis (TB), 386–391**

blood in urine, 369  
 death from, 387  
 DOTS treatment, 391  
 during pregnancy, 389  
 overview, 386–387  
 in persons with HIV or AIDS, 291, 303, 391  
 pregnancy and, 389, 390, 517  
 prevalence of, 387  
 preventing, 391  
 resistance to medicines, 390  
 risks for women, 4, 388  
 signs, 389  
 spread of, 387, 388

**Tuberculosis (TB) (continued)**

test for, 389  
 treatment, 389–391  
 women and, 387  
 working for change, 391

**Tubes, fallopian (See Fallopian tubes)****Tumors (See Growths)****Twins**

birth of, 89  
 breastfeeding, 118  
 health risks, 72

**Twist exercise, 400****U****Ulcers on skin (See Sores)****Ulcers, stomach, medicines and, 477****Ultrasound, 37****Umbilical cord (See Cord)****Unconsciousness**

after abortion, 254, 258  
 diabetes and, 174  
 shock and, 254  
 (Also see **Fainting**)

**Unions**

sex workers, 349–351  
 working women, 410–411

**Units of medicine, 475****Upside down (breech) baby, 75, 77, 90–91****Urethra**

man's, 46  
 woman's, 44

**Urinary opening, 44****Urinating**

after sex, 154, 279  
 long time between, 366

**Urine system problems, 364–373**

after female genital cutting, 365, 462, 465  
 blood in urine, 369  
 burning feeling, 265, 267, 367  
 catheter, 372–373  
 causes of infection, 366  
 from chemicals, 402  
 dark urine and whitish stools, 277  
 how to feel better, 278  
 infections of bladder or kidneys, 366–368  
 kidney or bladder stones, 369  
 leaking from vagina, 161, 370–371, 465, 538  
 need to pass urine often, 370  
 in older women, 128, 130, 131

**Urine system problems (continued)**

- pain in abdomen with, 355
- poor control (incontinence), 370, 372–373
- signs, 367
- treatment for infection, 367–368
- urine system overview, 365

**Uterus (See Womb)****V****Vaccinations**

- hepatitis B, 277, 503
- tetanus, 68, 161, 462, 515
- tuberculosis (TB), 390, 391

**Vacuum aspiration abortion, 38, 244, 248****Vagina**

- abnormal discharge, 265–268
- bleeding from
  - after abortion, 251–253, 363, 483
  - after childbirth, 84, 92–93, 97, 362, 483, 547
  - after female genital cutting, 461
  - after menopause, 363
  - after miscarriage, 98, 235, 363
  - after sex, 363
  - before baby is born, 85
  - danger signs, 359
- bleeding from (*continued*)
  - during pregnancy, 73, 74, 362
  - during sex, 274
  - fibroids, 380
  - hormonal method of family planning and, 207
  - medicines for, 483
  - pain in abdomen with, 355
  - problems with monthly bleeding, 360–361
  - weak blood (anemia) and pregnancy risks, 72, 73
- cancer from DES (diethylstilbestrol), 471
- care during monthly bleeding, 55
- changes during puberty, 54
- cleanliness, 154
- defined, 44
- discharge during pregnancy, 69
- douching, 154
- dryness in older women, 128
- illustrated, 45
- itching, 265
- overview, 45
- pelvic exam, 159, 535–538
- placing anything inside, 252
- plant medicines and, 22, 96
- signs that labor is near, 80
- swollen fold on one side, 276
- torn from giving birth, 96

**Vagina (continued)**

- urine leaking from, 161, 370–371, 465

(Also see **Female genital cutting; Monthly bleeding; STIs**)

**Vaginal opening, 44****Vaginal pessaries, 131****Vaginal rings, 224****Vaginal sex, safety of, 189****Vaginosis, bacterial, 266, 268****Values**

- learned from community, 56, 139, 182, 183
- learned from family, 56

**Varicose veins**

- during pregnancy, 70
- in older women, 132
- the pill and, 208
- from sitting or standing work, 404

**Vas deferens, 46****Vasectomy, 223****VD (See STIs)****Vegetables, 166, 170****Veins, swollen (See Piles; Varicose veins)****Vinegar, for yeast infections, 266, 275****Violence against women, 312–325**

- cycle of violence, 319
  - drug and alcohol misuse and, 439
  - feelings about, 313, 315, 321, 323
  - harmful effects of, 320
  - health workers and, 325
  - helping the man, 325
  - kinds of, 317
  - Laura and Luis, 314–315
  - leaving your partner, 322–323
  - mental health and, 418
  - reasons for, 316
  - refugees and displaced women, 450–451
  - safety plan, 322–323
  - seriousness of, 5, 313
  - services for women, 324
  - sex workers, 345
  - social pressures, 183, 324
  - talking about, 323
  - warning signs, 318–319
  - what to do, 322–323
  - why women stay, 321
  - women with disabilities and, 146, 319
  - working for change, 323–324
- (Also see **Female genital cutting; Rape; Refugees and displaced women**)

**Virginity, marriage and, 185****Vision problems (See Eyes)****Vitamin A, 169****Vitamin B6, TB and pregnancy, 389****Vitamin B12, weak blood (anemia) and, 471****Vitamins and minerals, 167–170**

- after quitting alcohol, 441
- calcium, 168
- expense of, 471
- folic acid (folate), 73, 168
- in fruits and vegetables, 170
- iodine, 68, 169
- iron, 53, 73, 129, 167
- refugees and displaced women, 452
- vitamin A, 169
- vitamin B6, 389
- vitamin B12, 471

**Vomiting**

- after abortion, 258
  - and antiretrovirals, 518
  - by babies, 119
  - kidney infection and, 367
  - from medicines, 479
  - by persons with AIDS, 302
  - taking medicines, 478
- (Also see **Nausea**)

**Vulva**

- defined, 44
  - illustrated, 44
  - warts on, 269
- (Also see **Female genital cutting**)

**W****War**

- mental health and, 418
  - war rape, 329
- (Also see **Refugees and displaced women**)

**Warm bottle method for removing breast milk, 113****Warning signs (See Danger signs; Solving health problems)****Warts**

- on genitals, 269, 376
  - wet, on genitals, 269, 270
- (Also see **Growths**)

**Washer-woman's hands, 409****Washing (See Cleanliness)****Water**

- for bladder infection, 367
- clean source of, 151, 155, 401
- dehydration from burns, 539
- latrine distance from, 152
- purifying, 155
- rectal fluids, giving, 541
- for refugees and displaced women, 450
- rehydration drink, 540
- shock, treating with fluids, 540–541
- signs of dehydration, 298
- standing water, 151

**Water (continued)**

storing, 155  
Tippy Tap, 526  
work with, 401

**Water retention, PMS and, 51****Waters breaking, 81**

green or brown waters, 86  
labor does not start, 85

**Weak blood (anemia), 172–173**

causes, 172  
diet and, 53  
folic acid (folate) and, 73, 168  
health exams, 159  
iron and, 53, 73, 129, 167  
older women and, 129  
overview, 172  
pregnancy risks, 72, 73  
risk during breastfeeding, 109  
signs, 172  
treatment, 73, 129, 173

**Weak bones (osteoporosis)**

calcium and, 168  
in older women, 133

**Weaving, health risks from, 406****Weight loss**

abnormal, 174  
tuberculosis and, 389

**Where There Is No Doctor, 175, 265, 325, 366, 369****Wind, burping the baby, 107****Withdrawal of penis before ejaculation**

as safer sex, 190  
as family planning, 222

**Womb**

cancer, 381  
emptying, 38, 244  
fallen (prolapsed uterus), 131, 161, 398  
fibroid tumors, 380  
growths in (fibroids or polyps), 129  
illustrated, 45  
infection after childbirth, 97  
overview, 45  
polyps, 380  
removal of (hysterectomy), 38, 379, 381  
size during pregnancy, 76, 533

**“Women’s” health**

causes of poor health, 6–11  
how men can help, 14  
overview, 1  
problems affecting women most, 2–5  
working for change, 12–17

**Women with disabilities, 138–147**

abuse and, 146, 319  
breast exams, 162  
causes of disability, 139  
exercises, 143  
family planning, 145  
further information, 138  
health care recommendations, 141–143  
meeting other people, 140  
pregnancy and, 72, 145  
prevalence of, 139  
recognizing illness, 141  
safety recommendations, 146  
self-esteem, support for, 140–141  
sexuality and sexual health, 144–145  
skin care, 142  
support groups for, 140, 141, 147  
urine system problems, 366  
as women first, 138  
working for change, 147

**Work, 392–411**

with chemicals, 402–403  
crafts, 406  
fire safety, 394  
forgotten workers, 409  
health risks from, 4, 406  
heavy loads, lifting and carrying, 398–400  
kneeling, 405  
migration, 408  
overview, 393  
for refugees and displaced women, 457  
repetitious movements, 405  
sexual harassment, 329, 331, 407  
sitting or standing for long time, 404  
smoke from cooking, 394–397  
unsafe conditions, 406–407  
with water, 401  
working for change, 410–411  
(Also see **Cooking; Health workers; Sex workers; Working mothers**)

**Working for change**

HIV prevention, 309–311  
better nutrition, 176–179  
breastfeeding, 121  
cancer deaths, 385  
death or injury from pregnancy and childbirth, 101–103  
elder care, 136–137  
family planning, 227  
female genital cutting, 466–467  
medical system, 40–41  
mental health of community, 433  
preventing drug and alcohol misuse, 445

**Working for change (continued)**

prevention and treatment balance, 163  
rape, 338–339  
root causes of health problems, 26–27  
safer sex, 194–195, 280–281  
sex workers, 348–351  
solving health problems, 26–29  
STIs, 279–281  
tuberculosis (TB), 391  
unsafe abortion, preventing, 259  
violence against women, 323–324  
“women’s” health, 12–17  
women with disabilities, 147  
workplace organization, 410–411  
(Also see **Government policies and laws; Preventing illness; Support groups**)

**Working mothers**

breastfeeding and, 111  
child care cooperatives, 158  
gender roles and, 182–183  
workload reduction, 158  
(Also see **Work**)

**Workload, reducing, 158****Wounds**

infected after female genital cutting, 461–462  
in persons with AIDS, 306–307  
(Also see **Female genital cutting**)

**X****X-rays, 37****Y, Z****Yeast infections**

abnormal discharge from, 265  
in persons with AIDS, 300, 305  
signs, 265  
thrush during breastfeeding, 117  
thrush in persons with AIDS, 305  
treatment, 266

**Yellow baby (jaundice), 118****Yellow skin, 277, 402****Yoga, 423****Zidovudine, 519–520**