

این فهرست موضوعاتی را که در کتاب به آن پرداخته شده است به ترتیب حروف الفبا فهرست می کند.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

شماره‌های پررنگ صفحه‌ را ارائه می‌دارد که می‌توانید در آن رفرنس اصلی را پیدا کنید. دواهای شامل صفحات سبز در فهرست مشکلات صحتی در صفحه ۴۷۲ لست شده است.

A

Abortion, 92, **405–419**, 488–489
Also see Manual vacuum aspiration (MVA); Miscarriage
 bleeding too much after, **410, 416–418**
 comparison of methods, **92**
 deciding to help after, **406–407**
 emergency care for problems, **410–418**
 emotional support after, **407–408**
 finding care after, **405–407**
 helping a woman after, **405–419**
 incomplete, 411–412, 421, **423**
 infection after, **410, 413–415, 423**
 internal injury from, **417**
 medication abortion, 488–489
 physical care after, **408–409**
 preventing unsafe abortions, 419
 problems from, **405–409**
 safe versus unsafe, **92, 406**
 shock after, **417, 418**
 tetanus (lockjaw) after, **415**
 warning signs versus healthy signs, **408**
Abruption. *See* Detached placenta (abruption)
Abscess (lump) in breast, **288**
Abstinence, **312**
Abusive partners, 105
Aches and pains. *See* Pain
Active labor, 167, 188
Acupressure
 to encourage labor, **192–193**
 to help with pain in labor, 193
 for nausea relief, 74
Addiction, 46. *Also see* Alcohol (drinking), Drugs
After birth. *See* First few hours after birth; First weeks after birth
Afterbirth. *See* Placenta
Age
 pregnancy problems and, **90**
 very young mothers, 22, 105
AIDS. *See* HIV
Albusticks, 126
Alcohol (drinking)
 avoiding during pregnancy or breastfeeding, 30, 46

infertility and, 31
 small baby and, 134, 257
 for disinfecting tools, 64
Alcohol (medical)
 hand cleaner with glycerine and, 54
 soaking thermometers in, 65
 for disinfecting tools, 64
 washing floor with, 57
Allergies
 to copper, IUDs and, 394
 to injections, 345
 to medicine, **103, 469–470**
Aminoglycosides, 475
Ammonia, washing floor with, 57
Amniotic waters. *See* Bag of waters
Anemia
 hookworm and malaria as causes, 37
 iron for preventing, 36
 IUD dangers and, 394
 with joint pain, 81
 in past pregnancies, 93
 signs of, 78, 116
 treating, 116
Anger during pregnancy, 82
Angry cat exercise, 80, 190
Animal milk. *See* Bottle feeding
Animal products, inexpensive, 42
Ante-natal or ante-partum checkups.
See Prenatal checkups
Antibiotics, 468, **474–475**
Antiretrovirals. *See* ART
Antiseptic for MVA, 425
Anti-shock garment, 418, **506**
Anus
 bulging during contractions, 195
 checking baby's, **263**
 baby's closed or missing, 263
 illustrated, 27, 376
 testing for torn muscle around, 357
Anxiety. *See* Fear; Tension
Appendicitis, 114
Arms, checking baby's, **262**
ART (Anti-Retroviral Therapy), 99–101, 153, 163, 276, 293, 335, **496–502**

B

Baby, **130–144, 240–245, 252–267**

Also see Heartbeat (baby); Position of the baby; Signs (baby) ART for, **499**
 birth defects, 45, 46, 95, **266–267**
 breaking collar bone, 213
 breathing, checking, **241, 254, 262**
 caring for, during 3rd stage, **240–245**
 checking after birth, 213, **240–245, 252–267**
 checking in womb, **130–144**
 chlamydia and, **324**
 clearing nose and mouth, **208–209, 213–214**
 color, **244–245, 266, 279**
 crowning during 2nd stage, 197
 early birth, 83, 88, 94, **221, 292**
 feeling inside the womb, 87
 first hours after birth, **252–267**
 first weeks after birth, **274–279**
 general appearance, **253–254**
 gonorrhea and, **324**
 heart sounds, **262**
 helping breastfeed, **245**
 HIV and, 101, 276, **499**
 holding when breastfeeding, **282–283**
 how it grows in pregnancy, **30**
 how it moves through the vagina, **197–198**
 keeping warm and dry, **240, 255**
 kicking and other movements, 80, 87, 134, 138
 large, 254, 258
 large in past birth, 94, 115
 length, 259
 measuring the womb, 90, 130–135
 medical help for sick babies, **441**
 model for teaching about pregnancy, **463, 464**
 muscle tone, 244
 oxygen for, 241
 position of, 135–144, 170–171, **190–191, 215–219**
 reflexes, **244**
 rescue breathing, **242–243**
 shoulders, delivering, **210–213**
 sick or dead in past birth, 95
 small, 221, 254, **256–257, 292**

small in past birth, **94**
weight, **256–258**
Back
checking baby's, **265**
lower back deformity in mother, **97**
lying on during labor, avoiding, **162, 200**
pains, **80, 113–114**
Bacterial vaginosis (BV or gardnerella), 328
Bag of waters, 174–177
baby floating in, **30**
breaking as sign of labor starting, **151**
breaks early, medical help needed for, **106**
checking if broken, **174**
color of waters, **174–175, 208**
pelvic exam and, **374**
stool in waters, **174–175, 209, 213**
time between labor start and breaking of, **175–176**
tool for breaking, **439**
too little water, **134**
too much water, **133**
aking, sterilizing tools by, 61
Barbiturates, 46
BCG vaccination, 267
Beam scale, homemade, 449–450
Beans, 35, 41
Bed nets, 98
Bedding, 58, 98, 163
Beliefs, harmful, 39–40
Belly
baby drops lower in, **149**
checking baby's, **263**
cleaning after birth, **247**
cramps in early pregnancy, **79**
growing larger, **86**
nausea (morning sickness), **73–74, 86, 110–111**
pain severe in, **109**
pain sudden, **79**
pain, sudden, steady, and severe, **125**
pain, warning signs versus healthy signs, **113–114**
pressure to stop bleeding after birth, **237**
pushing on, avoiding during birth, **205**
strap, **80**
Bilirubin, 279
Bimanual (2-hand) pelvic exam, 373, 387–390
Birth. See Labor and birth
Birth box (model for teaching), 465
Birth by operation. See Cesarean surgery
Birth control. See Family planning
Birth control pills, 307–308
Birth defects, 266–267
alcohol drinking by mother and, **46**

causes of, **267**
checking baby for, **266**
helping parents of children with, **266–267**
medicines and, **45**
in past pregnancies, **95**
rubella (German measles) and, **45, 95**
Birth of the placenta (stage 3 of labor), 223–245
Also see Labor and birth; Signs (mother in labor, birth, and after) “active management” of, 225
baby has breathing problems, **240–241**
baby not breathing, **241–243**
bleeding after placenta is born, **236–239**
bleeding before placenta is born, **226**
bleeding, dangers of, **224–239**
caring for the baby, **240–245**
checking the baby's health, **240–245**
checking the physical signs of mother, **223**
checking the placenta and cord, **233–234**
death of baby and, **243**
guiding the placenta out by the cord, **228–229**
helping the mother push, **227–231**
helping the womb contract after, **224, 236–238**
if no helper is available, **223**
medicines for, **224, 225, 228, 231, 233, 237**
overview, **146, 157**
piece of placenta left inside womb, **234–235**
rubbing the womb after, **224, 236**
shock (signs and treatment), **239**
signs that the placenta has separated, **226–227**
taking out the placenta by hand, **230–231**
torn vagina, **239**
womb comes out with the placenta, **232–233**
Birth pants (model for teaching), 461
Bladder infection, 128–129
caring for, **129**
fever from, **120**
labor and, **179**
pregnancy problems and, **97**
preventing, **129**
signs of, **77, 128**
Bleach
disinfecting solution using, **57, 59**
never mixing with ammonia, **57**
for disinfecting tools, **64**
washing floor with, **57**
Bleeding

Also see Blood; Monthly bleeding (menstruation)
after abortion or miscarriage, **410, 416–418**
after birth, **224–239**
after female genital cutting (circumcision), **368**
after placenta is born, **236–239**
bladder of mother full and, **352**
blood pressure drops during labor and, **180**
with constant pain, late in pregnancy, **114**
with cramps during first 6 months, **112**
detached placenta (abruption) and, **114, 180, 184, 205, 219, 354**
during labor, **183, 205**
in early pregnancy, **79**
episiotomy and, **354**
first weeks after birth, **270**
gums, **117**
heavy, after abortion or miscarriage, **410, 416–418**
heavy, before placenta is born, **226**
heavy, in past pregnancies, **95**
heavy, medical help needed for, **106**
heavy, preventing after birth, **248**
high blood pressure and, **122**
IV for blood loss, **350–351**
with no pain, **112, 183**
show (mucus tinged with blood), **150–151**
spotting, **79, 112**
swollen veins around genitals and, **76**
torn vagina, **239**
twins and, **219, 220, 221**
from vagina (warning sign), **109, 112, 183**
warning signs versus healthy signs, **112**
Blindness
genital herpes and, **332**
preventing in baby, **260–261, 324**
Blood
Also see Bleeding disposing of, 67
as food, **42**
germs in, **49, 50**
HIV spread and, **334**
loss, IV for, **350–351**
preventing infection from, **50, 51**
transfusion (giving through an IV), **440**
in urine, **128**
Blood blister (hematoma) in baby's head, 260
in vagina after birth, **248–249**
Blood clot in leg (warning signs), 81, 273
Blood pressure
Also see High blood pressure
checking during labor, **180–182**

checking during pregnancy, **122–124**
drops during labor, 180
equipment, 122
goes up during labor, **180–181**
shock and drop in, **239**
warning signs, **122, 180–181**
Blood sugar disease. *See* Diabetes (blood sugar disease)
Blood tests
for anemia, 116
for diabetes, 115
lab tests, **438**
Blue color (baby), 244–245, 266
Blurred vision (warning sign), 109, 125
Body changes in pregnancy.
See Changes in pregnancy
Body wastes, disposing of, 67
Boiling
disinfecting tools by, **62**
gloves, 66
Bones, pelvic. *See* Pelvis; Pubic bone
Bottle feeding
Also see Breastfeeding
breastfeeding hampered by, 286
breastfeeding versus, 41
dangers of, **276, 281**
with formula made from animal milk, **295**
with formula, safety and, **294, 295**
with milk removed from breasts, **286**
Bowels
Also see Stool
constipation, 36, **76–77**
enemas, avoiding during pregnancy, 77
piles (hemorrhoids), **77**
Brain infection (meningitis) in baby, 278
Breaking baby's collar bone, 213
Breaking of waters
checking if broken, **174**
color of waters, **174–175**
early, medical help needed for, 106
pelvic exam and, 374
as sign of labor starting, **151**
stool in waters, 174–175
time between labor start and, **175–176**
tools at hospitals or medical centers, **439**
Breastfeeding, 281–295
Also see Bottle feeding
advantages of, **281**
alternatives to, **294–295**
antibiotics and, 475
breast infection (mastitis), **289**
cleft lip or cleft palate and, 261
colostrum (first milk), 72, **245, 283**
common difficulties, **286–291**

during pregnancy, **292**
early baby and, **292**
eating during, **283**
to encourage labor for second twin, 220
encouraging the baby, **275**
engorged (swollen) breasts and, **288**
extra food needed for, 34
family planning and, 301, 306, **312**
fear of not having enough milk, **286–287, 306**
feeding milk that has been removed, **286**
flat or inverted nipples and, **287**
fortified milks versus, 41
gas pains (colic) in baby, **291**
helping after birth, **252**
helping the baby, **245**
to help the womb contract, 236
HIV and, 287, **293–294**
HIV spread and, 293
how to breastfeed, **282–283**
how to hold the baby, **282**
large baby and, 254, 258
medicines and, 45, **292, 467, 475**
nipples cracked or sore, **290**
nutrition provided by, 41
painful lump (abscess) in breast, **288**
heating breast milk to kill HIV, 294
removing milk from breasts, **284–285**
saving milk, **285**
sharing breast milk, **286**
sick mother and, **292**
small baby and, 254, 257, **292**
things to avoid during, **45–47**
thrush (yeast infection), **290**
twins and, **291**
weak baby and, **254**
when to feed, 282
work outside the home and, **284–286**
Breasts
growing larger, 87
infection (mastitis), **289**
leaking, 76
painful lump (abscess) in, **288**
removing milk from, **284–285**
swollen (engorged), 76, **288**
Breathing (baby)
checking, **241, 254, 262**
clearing baby's nose and mouth, **208–210**
not breathing, **241–243**
rate, checking, **254**
rescue breathing, **242–243**
signs of problems, **241, 254, 262**
Breathing (mother)
difficulty, anemia and, 116
fast and deep, 159
shortness of breath, **78, 103, 114**
in stage 1 (opening), **170**

in stage 2 (pushing), **201**
Breech baby (bottom down), 215–219
checking for, **137–138**
complete breech (folded legs), 215, **216–218**
dangers of breech births, **215**
dangers of turning, 369
delivering complete or frank breech, **216–218**
delivering footling breech, **218–219**
difficulty of childbirth and, 137
footling breech (feet first), 215, **218–219**
frank breech (straight legs), 215, **216–218**
getting the baby to turn, 142
home birth and, 143
medical help needed for, **190, 215, 218**
turning, **369–371**
twins and, **219**
what to do about, **142–143**
Bulb syringe, 66, 209, 214
Burning plastic wastes, avoiding, 68
Burning sensations in feet, 117
in stomach or between breasts (heartburn), **74–75**
while urinating, 77, 128
in vagina, 77
Burying wastes, 67–69, 235
Buttocks down position. *See* Breech baby (bottom down)
BV (bacterial vaginosis or gardnerella), 328

C

Calcium, 37–38, 74, 81
Calculator for due date, 531
Calendar for figuring due date, 88–89
Cancer
of the cervix, 379, 380, **383**
Pap test for, 379, **381–383**
preventive treatment, **384–386**
vinegar test for, 379, **380, 384–385**
Candida. *See* Yeast infection
Cannulas. *See* Manual vacuum aspiration (MVA)
Capsules. *See* Medicines
Caput on baby's head, 260
Carbohydrates (main foods), 34, 35
Carbon dioxide, 384
Care in pregnancy. *See* Health care in pregnancy
Cars or transportation, 10, 106–107, 164, 442
Castor oil drink for starting labor, 343
Catheters, 249, 356–357
Causes of health problems
finding, **13–15**
root causes, **21–25**
CD4 test, 496
Cephalosporins, 475

Cervix

Also see Opening (stage 1 of labor)
abnormal cells, **379**, 380, 383, 384–386
bimanual (2-hand) exam, **387–390**
cancer of, **383**
cryotherapy, **384–386**
illustrated, 28
mucus plugging, 28, 150, 155
numbing during MVA, **428**
opening (stage 1 of labor), **146, 155–156, 167–193**
Pap test for cancer or pre-cancer, 379, **381–383**
placenta covering (placenta previa), 112, 183, 374
pushing before fully open, avoiding, **186, 196**
size when ready for birth, **156**
softening of, 155
speculum exam, **377–379**
vinegar test for cancer or pre-cancer, 379, **380**, 384–385
visible at vaginal opening after birth, **249**
Cesarean surgery (birth by operation)
dangers of, 440
described, **96**
HIV and, 440
need for, 136, 141, 142, 143, 177, 191, 440
overuse of, 440
in past birth, **96**
Chalk cravings, 74
Chancroid, 330, **331**
Change of life (menopause), **31, 86**
Changes in pregnancy, **73–83**
discomforts and pains, **76–81**
in eating and digestion, **73–75**
feelings and emotions, **82–83**
how the baby grows, **30**
how women get pregnant, **29**
sexual and reproductive parts, **27–28**
in sleeping, **75**
Checkups. *See* Prenatal checkups; Tests
Chemicals
Also see Drugs; Medicines
avoiding during pregnancy or breastfeeding, 47
infertility and, 31
for disinfecting equipment, **63–64**
too dangerous to use, 64
Chicken, 42
Children, number of, **90–91**
Chlamydia, 50, **323–325**
Chlorine bleach. *See* Bleach
Cholera, 50
Chromic gut sutures, 358
Cigarettes. *See* Tobacco
Circumcision (female).
See Female genital cutting (circumcision or FGC)
Circumcision (male), **264**
Clamping the cord, 214. *Also see*
Cutting the cord
Clap, the (gonorrhea), 50, **323–325**
Clay cravings, 74
Cleanliness
Also see Sterilizing equipment before and during birth, 153, 168
cleaning bedding, **58**
cleaning mother after birth, **247**

○ 1 2

cleaning the space, **57**, 150
cord stump and, 215
during pregnancy, 42–43
first weeks after birth, 269
for preventing infection, 52
tooth and mouth care, 43
underpadding for birth on floor, 58
washing hands, **53–54, 153**, 168
Cleft lip or cleft palate, **261–262**
Clinics. *See* Hospital or medical center
Clitoris, 27, 376
Cloth models for teaching
vagina, **456–457**
womb, **454–455, 459–461**
Clot in leg (warning signs), 81, **273**
Cocaine, 46
Coffee, 31, 81
Colic (gas pains), **291**
Collar bone, breaking baby's, 213
Color (baby), **244–245, 266, 279**
Color (mother)
dark patches on skin (mask of pregnancy), 79
legs red, **273**
pale inside of eyelids, fingernails, and gums, 116
pale, shock and, **239**
purple line between buttocks, 195
purple spots on skin, 79
waters, **174–175, 208**
Colostrum (first milk), 76, **245, 283**
Combination medicines, avoid, **468**
Community
Also see Family; Partners
changes to prevent health problems, **23–25**
family planning and, **318–319**
helper for birth, 151
people who affect a woman's health, **8–9**
preventing unsafe abortions, **419**
rituals and practices honoring pregnancy, 44
sexually transmitted infections (STIs) and, **337**
sharing what you know with, **4–6**
transport plan for medical help, 10, **106–107, 164, 442**
women's health affected by, **8–9**
working together to save lives, **10**
Complete breech (folded legs), 215, 216–218.
Also see Breech baby (bottom down)
Condoms
for family planning, 301, 302–303
for sex during pregnancy, 83
HIV and, **101, 334**
internal (female) 301, **302, 303**
using, **303**
Confidentiality, 7, **100**
Constipation
defined, 76
during pregnancy, **76–77**
enemas for, avoiding during pregnancy, 76
from iron pills, 36
laxatives or purgatives for, avoiding, 77
piles (hemorrhoids) and, 77
preventing or treating, 76
Contraceptives, **298–319, 393–403, 494–495**

Contraceptive sponge method of family planning, **317**

Contractions

Also see Cramps (womb); Labor and birth; Pushing (stage 2 of labor)
cervix opened by, 156
easing pain of, 169–170, 187–188, 193
pain between, 184
practice contractions, 150, 155
resting between, **161**
signs that stage 2 is near or starting, **195**
in stage 1 of labor, 167
stronger and more frequent, **149–150**
supporting the mother, **169–170**
Conversation. *See* Talking
Convulsions
dangers of, 181
during labor, **181–182**
medicines for, **181–182**
in past pregnancies, 93
pre-eclampsia and, 20, 93, 125–127, **181–182**
what to do during, **181**
Copper T IUD. *See* Intrauterine devices (IUDs)
Copying patterns for models, **451**
Cord
around baby's neck, **209**
baby's pulse in, 139, 177
breech baby and, 216, 218
caring for baby's stump, 277
checking the end of, **234**
coming in front of baby (prolapsed), **176–177, 208, 218, 219, 354**
guiding the placenta out by, **228–229**
how to cut, **214–215**
illustrated, 30
infection, signs in baby, **277**
model for teaching about pregnancy, **462–463, 464**
pulling on, dangers of, 228
pulse lacking in, 177
razor blades for cutting, 65
signs that the placenta has separated, 227
stump, keeping clean and dry, 215
twins and, 220
when to cut, 157, **214**
Cotrimoxazole, for people with HIV, 100, 335, **482**
Cracked nipples, **290**
Cramps in legs, **80–81**
Cramps (womb) *Also see*
Contractions
after cryotherapy, 386
bleeding with, during first 6 months, 112
in early pregnancy, **79**

warning signs, 79, 112, 113
Cravings for foods, 74
Creams. *See* Medicines
Cretinism. *See* Hypothyroidism
Crowning, 197
Crying during pregnancy, 82
Cryotherapy, 384–386
Cryoprobe, **384–386**
thermal ablation and, **386**
C-section. *See* Cesarean surgery (birth by operation)
Cutting the cord *Also see* Cord around baby's neck, **210**
how to cut, **214–215**
razor blades for, 65
stump, keeping clean and dry, 215
twins and, 220
when to cut, 157, **214**
Cutting the opening of the vagina.
See Episiotomy (cutting the vaginal opening)

D

Dalkon Shield, 403
D&E, 92. *Also see* Abortion
Dark patches on skin, 79
Date birth expected. *See* Due date
Death of baby
helping the mother and family, 135, **243**
in past pregnancies, 95, 115
rubella (German measles) and, 45
womb growing too slowly and, **134–135**
Deformity
birth defects, 45, 46, 95, **266–267**
of mother's hips or lower back, 97
Dehydration
after birth, 251
bottle feeding and, **275**
defined, 159
drinking during labor, **159–160**
helping baby, **275**
if mother cannot drink, 159
rehydration drink, **159–160**
warning signs (baby), **275**
warning signs (mother), 111, 120, **159, 178**
Delayed labor. *See* Encouraging labor;
Late labor
Delivering
Also see Birth of the placenta (stage 3 of labor); Labor and birth;
Opening (stage 1 of labor);
Pushing (stage 2 of labor)
baby's body and giving baby to mother, **214**
breech baby (complete or frank), **216–218**
breech baby (footling), **218–219**

shoulders of baby, **211–213**
twins, **219–221**
Dental care, 43
Depression, 82, 95, 121, 251, 274
Detached placenta (abruption) during pregnancy, **114**
episiotomy and, **354–355**
home birth and, 205
medical help needed for, 114, 184, 205
pre-eclampsia and, 180
pushing on mother's belly and, 205
signs of, **114, 184, 205**
twins and, 219
Diabetes (blood sugar disease)
helping a woman with, 115
in a baby, 254, 258
infertility and, 31
in past pregnancies, 93
pregnancy problems and, 97
test for, 115
warning signs, 93, **115, 133**
Diaphragms, 301, 304
Diarrhea (loose stool)
before labor, 150
bottle feeding and, **275**
from castor oil drink, 343
germs and, 50
vomiting with, 111
Diet. *See* Bottle feeding;
Breastfeeding;
Eating and food
Dilation and curettage, 92. *Also see*
Abortion
Dilation of cervix. *See* Opening (stage 1 of labor)
Dirt. *See* Cleanliness
Dirt cravings, 74
Disabilities
affecting thinking or the brain, 45, 46
alcohol drinking by mother and, 46
birth defects, 45, 46, 95, **266–267**
helping parents of children with, **266–267**
medicines and, 45
rubella (German measles) and, 45
Disabled Village Children, 267
Discharge (wetness from vagina)
during pregnancy, **77**
germs in, 50
normal versus infected, 323
sexually transmitted infections (STIs), **323–328**
show versus, 151
yeast infection, 115, **326–327**
Disease. *See* Illness; Infections;
specific diseases
Disinfecting equipment
Also see Cleanliness
by boiling, 62
chemicals for, 63–64

defined, 59
gloves, 66
infection prevented by, 51
items requiring disinfection, 59
mucus bulb (bulb syringe), 66
by steaming, 62–63
storing tools and supplies, 60
tools, 59–64
Disposing of wastes safely, 67–69
Dizziness
late in pregnancy, 81
shock and, **239**
as warning sign, 81, 109, 116
Doctors
Also see Hospital or medical center
baby taken from mother by, 240
bag of waters broken by, 439
cesarean surgery overused by, 440
checking baby with 2-vessel cord, 234
nutritional advice from, 250
unnecessary practices by, 437, **445**
working with, **442–444**
Dopplers, 438
Double vision, 125
Dreams, strange, 82
Drinking alcohol
avoiding during pregnancy or breastfeeding, 46
infertility and, 31
small baby and, 134
Drinking liquids. *See* Water and liquids
Drip, the (gonorrhoea), 50, 323–325
Drops. *See* Medicines
Drug resistance, 468
Drugs
Also see Medicines
avoiding during pregnancy or breastfeeding, 46
small baby and, 134
Due date
Also see Early birth
delayed labor, **88**
predicting, **88–89, 130, 133**
tool for calculating, **531**
Duration of pregnancy. *See* Length of pregnancy

E

Early birth, 221
Also see Small baby
breastfeeding and, **292**
medical help needed for, 221
more than 5 weeks early, 221
normal and safe range, 88
not starting after breaking of waters, 176
in past pregnancies, 94
sex during pregnancy and, 83
twins and, 219

Early end to pregnancy. *See* Abortion; Miscarriage
Ears
checking baby's, **260**
cleft lip or cleft palate and infections, 262
Eating and food, 33–42, 73–75
Also see Bottle feeding; Breastfeeding; Water and liquids
after birth, **250**
avoiding foods, dangers of, 40
bladder infection and, 129
breastfeeding and, **283**
calcium-containing foods, 38
changes during pregnancy, **73–75**
cooking food, 35, 36, 39, 42
cravings for foods, **74**
during labor, **160**
eating enough, 33, **34, 39**
eating well with little money, **41–42**
feeding men first, 9
first weeks after birth, 269
folic acid-containing foods, 37
girls' needs equal to boys', 22, 39
glow foods (vitamins and minerals), 34, 35, **36–39**
go foods (fats, oils, and sugar), 34, 35
grow foods (proteins), 34, 35, 250
for a healthy pregnancy, **33–42**
high blood pressure and, 124–125
ideas affecting health, **39–40**
iodine-containing foods, 38
iron-containing foods, 36
main foods (carbohydrates), 34, 35
nausea and food dislikes, **73–74**
packaged and processed foods, 39
poor nutrition, 33, 117, 134
talking to women about food, **34–39**
tooth protection and diet, 43
variety of foods, 33, **34–35, 40**
vitamin A-containing foods, 39
vitamins and minerals to eat every day, **36–39**
womb growing too slowly and, 134
women's needs equal to men's, 9
Eclampsia. *See* Convulsions
Edema. *See* Swelling
Education. *See* Learning by midwives; Teaching
Egg (human), 29
Eggs (fowl), 42
Emergencies
Also see Hospital or medical center; Medical help; Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)
from abortion or miscarriage, **410–418**

• \ 4

being ready for, in labor and birth, **163–164**
contraception for, **316**
from female genital cutting (circumcision or FGC), **368–369**
tools at hospitals or medical centers, **438–440**
working with hospitals and doctors, **442–445**
Emergency contraception, 316
Emotions and feelings
Also see specific feelings
after birth, giving support for, **274**
anger or irritability, 82
changes during pregnancy, **82–83**
death of baby and, 135, **243**
depression, 82, 95, 121, 274
difficulty sleeping and, 75
menopause and, 31
mother not interested in her baby, **251**
pelvic exam and, **375**
signs of labor starting soon, **150**
support after early end to pregnancy, **407–408**
worry and fear, 82
Emptying the womb. *See* Manual vacuum aspiration (MVA)
Encouraging labor, 191–193, 341–344
Also see Long labor
avoiding, if medical help needed, 191
castor oil drink for, **343**
dangers of methods for, **341**
enemas for, **342–343**
medicines for, 175, 191, **341**
plant medicines for, **344**
second baby of twins and, 220, 221
signs of need for, **341**
things to avoid, 191, 205
time after breaking of waters and, **175–176**
Ending pregnancy. *See* Abortion; Miscarriage
Enemas (giving rectal fluids)
avoiding during pregnancy, 77
dangers of, 342
for starting labor, **342–343**
uses for, 342
Energy
Also see Anemia; Weakness
foods for, 35
sleepiness during pregnancy, 75, 86
tiredness, 93, 116, **159**
Engorged breasts, 76, 288
Enjoyment
of pregnancy, 44
working for, 11
Episiotomy (cutting the vaginal opening), 354–355
circumcision scar and, 206, 354
dangers of, **354**

how to do, **354–355**
sewing after, **358–366**
times when necessary, 354
Equipment. *See* Disinfecting equipment; Sterilizing equipment; Tools and supplies
Ergometrine
dangers if placenta not born yet, 224
to empty the womb after incomplete abortion, 412
to help the womb contract, 224
to stop bleeding from the womb, 231, 232, 237
Estrogen, women who should not use, 306
Ethanol. *See* Alcohol (medical)
Ethyl alcohol
alcohol and glycerine hand cleaner, 54
soaking thermometers in, 65
Examinations. *See* Prenatal checkups
Exercise during pregnancy, **43–44**
Exercises
angry cat, **80**
squeezing (Kegels), **44**
Eyes
blurred vision (mother), 109, 125
checking baby's, **260**
chlamydia or gonorrhea and (baby), **324**
color (baby), **279**
double vision (mother), 125
genital herpes and, 332
preventing blindness (baby), **260–261, 324**
sunken (mother), 159

F

Face
baby coming face first, **190**
swollen in mother (warning sign), 76, 81, 126, 127
Factory chemicals, 47
Fainting or faintness
after birth, 226
during pregnancy, 116
shock and, **239**
Family
Also see Community; Partners
abusive partners, 105
answering questions of, **267**
feeding first, 39
food advice from, 250
helper for birth, 151
as people who affect a woman's health, **8–9**
permission for care from, 107
support from, **105–106**
time alone after birth, **252**

women's health affected by, **8–9**

Family planning

Also see specific methods

choosing a method, **300–317**

community and, **318–319**

emergency contraception, **316**

helping women have more choices, **299**

manual vacuum aspiration (MVA)

and, **435**

methods that do not work, **318**

reasons for, **299**

Fast heartbeat (baby), **173**, **184**, **243**, **255**

Fast pulse (mother)

problems indicated by, **121**, **178**

as sign of anemia, **116**

as sign of dehydration, **159**

as sign of infection, **251**

as sign of shock, **239**

Fats (go foods), **34**, **35**

FGC. *See* Female genital cutting (circumcision or FGC)

Fear

during pregnancy, **82**

of not having enough milk, **286–287**

pelvic exam and, **375**

Feeding tube, **441**

Feelings. *See* Emotions and feelings; *specific feelings*

Feet

burning sensations or numbness, **117**

checking baby's, **265**

swollen, **76**

Female genital cutting (circumcision or FGC)

caring for woman after, **367–369**

cutting the scar, **206**, **354–355**, **367**

dangers of, **367**

emergency care for, **368–369**

repairing the cut, **367**

warning signs, **368**

Fertility awareness (natural family planning), **312–315**

counting days method, **314–315**

mucus method, **313**

other methods compared to, **301**

overview, **312–313**

Fetoscope, **139**, **438**

Fever

causes of, **120**

checking the baby's temperature, **255–256**

checking the mother's temperature, **119**, **178–179**, **251**

dehydration and, **120**, **159**, **178**

during labor, **178–179**

hot feeling during pregnancy, **78**

in past pregnancies, **95**

pregnancy problems and, **97**

treating, **120**

as warning sign (mother), **109**, **119**, **178**

Fibroids, IUD dangers and, **394**

Finger method for measuring the womb, **131–132**

First few hours after birth, **247–267**

Also see First weeks after birth

answering family's questions, **267**

breathing rate of baby, **254**

checking body of baby, **256–267**

checking mother's genitals for tears and problems, **248–249**

checking physical signs of mother, **247**

cleaning mother's genitals, belly, and legs, **247**

cleaning up, **267**

examining the baby (overview), **252–253**

general appearance of baby, **253–254**

giving BCG immunizations (baby), **267**

heartbeat of baby, **255**

helping mother to eat and drink, **250**

helping mother to urinate, **249**

helping with breastfeeding, **252**

overview, **157**

preventing heavy bleeding (mother), **248**

recording baby's signs, **253**

temperature of baby, **255–256**

watching mother for infection, **251**

watching mother's feelings about her baby, **251**

what to do for the baby, **252–267**

what to do for the mother, **246–252**

First weeks after birth, **269–279**

Also see First few hours after birth

baby not gaining weight or growing normally, **276**

baby not urinating or passing stool in first day, **275**

caring for the baby's cord, **277**

color of baby's skin and eyes, **279**

dehydration (baby), **275**

giving emotional support, **274**

helping mother care for herself, **269**

leaking urine or stool (mother), **273**

legs red, hard, swollen, or painful (mother), **273**

signs of infection (baby), **277–279**

vomit "shoots" out (baby), **276**

what to do for the baby, **274–279**

what to do for the mother, **269–274**

womb and bleeding, watching mother's, **270**

womb infection, signs of, **271**

Fish, **35**, **42**

Fistula (hole in the vagina)

leaking urine or stool and, **273**

long labor and, **186**

in past pregnancies, **94**

preventing, **22**, **273**

Flat nipples, **287**

Floor

underpadding for birth on, **58**

washing, **57**

Fluids. *See* Water and liquids

Folding scale, homemade, **449–450**

Folic acid (folate), **37**

Folk medicine, **17**

Fontanels (soft spots in baby's head), **259**

Food. *See* Bottle feeding;

Breastfeeding;

Eating and food

Foot. *See* Feet

Footling breech (feet first), **215**, **218–219**. *Also see* Breech baby

(bottom down)

Forceps, **142**, **439**

Foreskin. *See* Circumcision (male)

Forgetfulness during pregnancy, **83**

Formaldehyde, **64**

Formula. *See* Bottle feeding

Frank breech (straight legs), **215**, **216–218**. *Also see* Breech baby

(bottom down)

Friends. *See* Community

Fruits, **35**, **42**

Fumes, **47**

Fungus. *See* Yeast infection

G

Garbage dumps, **69**

Gardnerella (BV or bacterial vaginosis), **328**

Gas pains (colic), **291**

Generic names of medicines, **471**

Genital herpes, **331–332**

Genitals

Also see Pelvic exam; Sexually transmitted infections (STIs);

Vagina

bulging during contractions, **195**

checking baby's, **263–264**

checking mother's after birth, **248–249**

cleaning mother's after birth, **247**

illustrated, **27**, **376**

itching, **77**, **326**, **327**, **328**

swollen veins around, **76**

torn during birth, **248**

Genital ulcers (sore on genitals), **329–333**

avoiding sex if present, **329**

chancroid, **330**, **331**

genital herpes, **331–332**

HPV (genital warts), **333**, **380**

syphilis, **329–330**

Genital warts (HPV), 333, 380
German measles (rubella), 45, 95
Germ
 defined, **49**
 how they get into the body, **50**
 infection caused by, **49–51**
 keeping away, **52–56**, 175
 sterilization and, 60
Getting up and down during pregnancy, 78
Girls' need for food, 39
Gloves
 disinfecting, 66
 disposing of, 68
 how to put on sterile gloves, 55
 plastic bags as, 54
 for preventing infection, 51
 reusing, 66
 sterile packets of, 55, 65
 sterile, using, **54–55**
 Glow foods, 34, 35, **36–39**. *Also see* Minerals;
Vitamins
Glutaraldehydes, 64
Glycerine and alcohol hand cleaner, 54
Go foods (fats, oils, and sugar), 34, 35
Goiter, 38, 117
Gonorrhea (gono), 50, 323–325
Gourd model for womb, 458
Grains, 35, 42
Greed and medicine, 19
Grow foods (proteins), 34, 35, 250
Guarding the labor, 158
Guiding the labor, 159–163
Gums
 pale, 116
 sore or bleeding, 117

H

Hands

Also see Touching inside the vagina
 checking baby's, **262**
 swollen in mother (warning sign), 76, **81, 126, 127**
 washing, **53–54, 153**, 168
Hard stools. See Constipation
Harmful diet beliefs, 39–40
Headaches
 during pregnancy, **81**
 migraines, 81
 as warning sign, 81, 109, 125
Head of baby
Also see Breech baby (bottom down)
 beginning to show in birth, 196–197
 caputs and hematomas, **260**
 checking after birth, **259–260**
 clearing nose and mouth, **208–210**
 finding in pregnant mother, **137–138**

to one side in womb (asynclitic), **204**
 shape, suture lines, fontanel, **259**
 slowing the birth of, **207–208**
Head up position. See Breech baby (bottom down)
Health care in pregnancy, 33–47
Also see Prenatal checkups
 cleanliness, 42–43
 eating well, **33–42**
 exercise, 43–44
 illness during pregnancy, **97–101**
 importance of, 70
 pregnancy health history, **85–107**
 prenatal checkups, **108–145**
 preventing infection, **49–69**
 purposes of, 70
 record of prenatal care, **145**
 sleep, rest, and relaxation, 44
 things to avoid, **45–47**
 warning signs (medical help needed), **106, 109**
 woman's body in pregnancy, **27–30, 73–83**
 for women with HIV, **100, 335**
Health history, 85–107
 age, **90**
 health problems at present, **97–101**
 medicines she is taking, **103**
 miscarriages or abortions, **91–92**
 months pregnant and due date, **88–90**
 number of previous babies, **90–91**
 other things affecting pregnancy and birth, **104–107**
 overview, 85
 past problems with pregnancy or birth, **93–96**
 problems with medicines, **103**
 signs of pregnancy, **86–87**
 tetanus vaccinations, **102**
Health workers. See Doctors; Midwives
Heartbeat (baby), 139–141, 172–173, 243
 checking after birth, **243, 255**
 checking during labor, **172–173**
 checking speed of, **141**
 equipment for listening to, 139
 fast, **173, 184, 243, 255**
 finding, **139**
 finding baby's position by, **140, 172**
 listening to, **139–141, 172**
 listening to heart sounds, **262**
 missing (molar pregnancy sign), **134**
 pulse in cord, 139, 177
 quiet, 141
 as sign of pregnancy, 87
 slow, **141, 172–173**, 177, 184, 208, **243, 255**
 stopped, 134
 swishy sound, 139
 twins, **143–144**

warning signs versus healthy signs, **141, 172–173**
Heartbeat (mother). See Pulse (mother)
Heartburn, 74–75
Heart (meat), 42
Heart monitors, 441
Heart problems
Also see High blood pressure
 pregnancy problems and, 97
 signs of, 78
Heat. See Fever; Temperature
Hee breathing, 170
Helper for birth, 151, 223
Helping Children Who Are Blind, 267
Helping Children Who Are Deaf, 267
Helping Health Workers Learn, 5, 41
Hematoma (blood blister)
 in baby's head, **260**
 in vagina after birth, **248–249**
Hemorrhage. See Bleeding
Hemorrhoids (piles), 77
Hepatitis, 336
 HIV and , 496
 immunization for hepatitis B, 267
 pregnancy problems and, 97, 336
 signs of hepatitis B, **336**
 stopping spread of, 50, 51
 treating hepatitis B, **336**
Herbal supplements in health history, 103
Herbicides, 47
Heroin, 46
Herpes, genital, 331–332
High blood pressure
 bleeding and, 231
 caring for, **124–125**
 during labor, **180–181**
 family planning and, 306
 late in pregnancy, with headaches, 81
 in past pregnancies, 93
 pre-eclampsia and, 125, 126, **180–182**
 pregnancy problems and, 81, 97
 protein in the urine and, 125, 126, 180
 as warning sign, **122, 180**
 womb growing too slowly and, 134
Hips
 checking baby's, **264–265**
 deformity in mother, 97
 dislocated (baby), **265**
HIV, 99–101, 334–335
Also see Sexually transmitted infections (STIs)
AIDS, 99, 334
 breastfeeding and, 286, **293–294**
 care for pregnant women with, **100**
 CD4 test, **496**

cesarean surgery and, 440
family planning methods and, 300–301
germs and, 50, 51
helping to stop, 101
how it is spread, 101, 286, 334
instrument birth and, 439
medicines for, 100, 335, **496–502**
pregnancy and, **335**
pregnancy problems and, 97, **100**
PrEP, 99, **498**
preventing after accidental exposure or rape, 497
preventing mother to child transmission of, 499
protecting against, **99–101, 334**
signs of, **334**
spermicides and, 305
tests for, 99, 101, 334
Homemade equipment, 447–450
due date calculator, **531**
scales, **449–450**
stethoscopes, **449**
timers, **447–448**
Homemade sponge method for family planning, 317
Homemade teaching materials
basic methods for making, **451**
model of birth, **465**
model of pelvis, **452–453**
model of pregnancy, **458–464**
model of vagina, **456–457**
model of womb, **454–455**
Hookworm, anemia caused by, 37
Hormonal methods for family planning, 305–310
birth control pills, **307–308**
implants, 309
injections, 309
IUDs, **310–311**
other methods compared to, 301
overview, 305–306
side effects, **306**
women who should not use, 306
Hospital or medical center access
to, 442–445
anemia and birth in, 116
baby taken from mother in, 240
benefits and risks of, 16–17
breech baby and, 142
cleaning, 57, 58
distance from care, 104
infection danger and, 52
lab tests, **438**
medicines from, **438**
midwives at, **444–445**
for pre-eclampsia treatment, 126, 127
sonograms, dopplers, and X-rays at, **438**
tools for helping sick babies, **441**
tools for labor and birth emergencies, **439–440**

transfusion at, **440**
transport plan for getting there, 10, **106–107, 164, 442**
for twins' birth, 144
types of help provided by, **437–441**
unnecessary practices and, 437, **445**
House conditions, 104
Household bleach. See Bleach
HPV (Human Papilloma Virus), 333, 380
and cancer of the cervix, **380**
genital warts, **333, 380**
test for, **380, 383**
Human Immune Deficiency Virus. See HIV/AIDS
Human Papilloma Virus. See HPV
Hurrying labor. See Encouraging labor
Husband. See Partners
Hydrogen peroxide
for disinfecting tools, 64
washing floor with, 57
Hypodermic syringes. See Injections;
Needles (hypodermic)
Hypothyroidism, 38, 117

I

Ideas about food, health and, 39–40
Illness
Also see Infections; Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after); *specific illnesses*
breastfeeding by sick mother, **292**
keeping away from, during pregnancy, **45**
keeping sick people away from births, **50–51**
medical help needed for, 97
medicines listed by, 476
pregnancy health history, **97–101**
Immunizations. See Vaccinations
Implants for family planning, 309–310
Incomplete abortion, 411–412, 421, 423
Incubator, 441
Indigestion. See Stomach problems
Inducing labor. See Encouraging labor
Infections
Also see Sexually transmitted infections (STIs)
after abortion or miscarriage, **410, 413–415, 424**
after birth, **251**
in baby, **255, 256, 277–279**
bacterial vaginosis (BV) or gardnerella, **328**

basic rules for preventing, 52
bladder, 77, 97, 120, **128–129, 179**
breast (mastitis), **289**
chancroid, 330, **331**
chlamydia, 50, 323–325
during labor, **178–179**
from female genital cutting, **368–369**
fever from, 120
germs and, **49–51**
gonorrhea, 50, **323–325**
hepatitis, **336**
herpes, genital, **331–332**
HIV and, 100
HPV (Human Papilloma Virus), **333, 379, 380, 383**
IUD dangers for, 49, 394, 403
kidney, 97, **128–129, 179**
labor not starting and signs of, 176
medical help needed for, 106
in past pregnancies, 95
pregnancy problems and, 97
preventing, 42, **49–69**
preventing, for people with HIV, 100, 335, **496–497**
rescue breathing and, 243
syphilis, **329–330**
thrush (yeast infection), **290**
trichomonas (trich), **326**
urethra, 128, 129
vaginal, **272**
womb, 120, 179, **185, 271, 399**
yeast, 115, **290, 326–327**
Infertility, 30–31
Injectable contraceptives, 309
Injections, 345–349
Also see Medicines; Needles (hypodermic); Vaccinations
allergic reactions to, 345
dangers of, 345
drawing up the medicine, **346–348**
how to give, **346–349**
infection danger and, 50, 51, 56, 345
numbing torn area before sewing, **360–361**
numb the cervix during MVA, **428**
times when helpful or necessary, 345
using ampules of medicine, 346, **347**
using liquid in a bottle, 346, **347**
using only when necessary, 344
using powder in a bottle, 346, **348**
vitamin, 42
where to inject, 348
Injury inside the body (internal injury), 417
Insomnia, 75
Instrument birth, 439–440
Instruments. See disinfecting equipment; Sterilizing equipment;
Tools and supplies
Intrauterine devices (IUDs), 392–403

advantages and disadvantages of, 394
after inserting, checking, **402–403**
before inserting, explaining about, **396**
before inserting, sterilizing tools, 396
before inserting, things to check, **395**
before inserting, things to know, **393**
Dalkon Shield, 403
dangers for some women, 394
described, 393
disadvantages and risks of, 311
for emergency contraception, **316**
for family planning, 301, **310–311**
helping a woman decide about, **394–395**
hormones and, 311
infection from, 49, 394, **403**
inserting, 396–402
loading the *Copper T* IUD, **397–398**
removing, **403**
tools for inserting, 396
warning signs, **311**
Intravenous solution (IV), 350–351
Inverted nipples, 287
Iodine, 38, 117
Iron, 36, 74, 116
Irritability during pregnancy, 82
Isopropyl alcohol
alcohol and glycerine hand cleaner, **54**
soaking thermometers in, 65
for sterilizing tools, 64
washing floor with, 57
Itching genitals, 77, 326, 327, 328
IUDs. See Intrauterine devices (IUDs)
IV (intravenous solution), 350–351

J

Jaundice signs in baby, 266, 279
Joint aches and pains, 79, 81
Judgment, avoiding, 6

K

Kegels (squeezing exercise), 44
Kicking by baby
months pregnant and, 87
painful, 80
position of baby and, 138
as sign of pregnancy, 87
stopped, 80, 134
Kidney infection, 128–129
labor and, 179
pregnancy problems and, 97
signs of, **128**
treating, **129**
Kidney (meat), 42
Knots
4-layer, 364

square, 214

L

Labor and birth

Also see Contractions; Encouraging labor; First few hours after birth; First weeks after birth; *specific stages of labor*
baby does not fit through pelvis, **189, 204**
baby not born after 1 or 2 hours of pushing, **203–205**
baby stuck at shoulders, **210–212**
basic pattern, **146**
bladder of mother full and, **203, 352**
bleeding during, **183, 205**
caring for the mother during labor, **157–163, 169–170, 200–202**
cesarean surgery (birth by operation), 96
changing bedding under mother, **163**
changing position every hour in labor, **162**
clearing baby's nose and mouth, **208–209, 213–214**
cord around baby's neck, **209**
dead baby and, 135, **243**
delivering baby's body and giving baby to mother, **212**
delivering baby's shoulders, **210–212**
drinking during labor, **159–160**
early birth, 83, 88, 94, **221, 292**
eating during labor, 160
first few hours after birth, **157, 247–267**
guarding the labor, **158**
guiding the labor, **159–163**
helper for, **151**
helping the mother relax, **169–170**
home methods for starting labor, **341–344**
keeping sick people away, **50–51**
late, 88
long labor, 91, 94, **186–191**
not lying flat on back, 162, 200
overview, **155–157**
pain, easing, **169–170, 187–188, 193**
in past pregnancies, 94
pelvic exam and, 374
preventing problems, **163**
record keeping, **164–165, 170**
resting between contractions, **161**
signs of labor starting soon, **149–151**
signs of stage 2 near or starting, **195**
slowing the birth of the head, **207–208**
speed of birth, watching, **202–205**
stage 1 (opening), 146, **155–156, 167–193**

stage 2 (pushing), 146, **156, 195–221**
stage 3 (birth of the placenta), 146, **157, 223–245**
supplies to have, 152–153
supporting labor, 158, **169–170, 200–202**
swollen veins around genitals and, 76
transport plan for medical help, 10, **106–107, 164, 442**
urinating during labor, 161
vaginal exams during, **186, 339–340**
warning signs (medical help needed), **147, 163, 204–205**
when to go to birth, **151**
Labsticks, 126
Lab tests, 379, 380, 438
Large baby, 258
medical help needed for, 258
in past pregnancies, 94, 115
tired, weak, or sick, 254, 258
Late labor
Also see Encouraging labor
described, 167
long labor and, 189
normal and safe range, 88
Laughter during pregnancy, 82
Laxatives, avoiding, 77
Leafy vegetables, 36, 37, 39, 42
Leaking breasts, 76
Learning by midwives
about medicines, 470
before doing dangerous procedures, **21**
at hospitals, **444, 445**
as lifelong process, **1–2**
Legal concerns
for inserting IUDs, 393
for manual vacuum aspiration (MVA), 421
Legs
checking baby's, **264–265**
cleaning mother's after birth, **247**
clot, warning signs, **273**
constant pain in one leg, 81, 113
cramps, **80–81**
pain in, **113–114**
red, hard, swollen, or painful (mother), **273**
relaxing when pushing, 201
Legumes, 35, 41
Length of labor. See Encouraging labor; Long labor
Length of pregnancy
due date prediction, **88–89, 130, 133, 531**
early birth, 83, 88, 94, **221, 292**
figuring months or weeks pregnant, 88, 89, 90
late labor, 167, 189
normal duration, 88
Lentils, 35, 41

Ligaments, pain in, 79
Light color. *See* Pale color; White color
Light labor, 167, 188
Limits, knowing yours, 20–21
Lips
 cleft in baby, 261–262
 dry (mother), 159
Liquids. *See* Water and liquids
Listening in pregnancy care, 7, 70
Liver disease. *See* Hepatitis
Liver (meat), 42
Living conditions, 104
Loading the Copper T IUD, 397–398
Lockjaw. *See* Tetanus (lockjaw)
Long labor, 186–191, 202–205
Also see Encouraging labor
 active labor, 188
 baby does not fit through pelvis, 189, 204
 baby in difficult or impossible position, 190–191, 204
 baby not born after 1 or 2 hours of pushing, 203–205
 bladder of mother full and, 203, 352
 exhaustion from, 188–189
 fear or tension and, 187–188
 late labor, 189
 light labor, 188
 medical help needed for, 106, 204–205
 number of previous babies and, 91
 in past pregnancies, 94
 position of mother and, 203
 problems from, 186
 twins and, 220
 watching the speed of birth, 202–205
Loose stool *See* Diarrhea (loose stool)
Lugol's iodine, 38
Lump (abscess) in breast, 288
Lung problems (baby)
 chlamydia or gonorrhea and, 324
 infection (pneumonia), 278
Lying down
Also see Rest; Sleep
 during labor, changing position every hour, 162
 during labor, not flat on back, 162, 200
 during labor, on side, 200
 during pregnancy, 78

M

Macrolides, 475
Magnesium for leg cramps, 81
Main foods (carbohydrates), 34, 35
Maize, 35, 38
Malaria, 98–99

anemia caused by, 37
 infertility and, 31
 labor and, 179
 miscarriage from, 91
 pregnancy problems and, 97
 preventing, 98–99
 rapid test for, 99
 treating, 98–99
Malnutrition. *See* Poor nutrition
Manual vacuum aspiration (MVA), 421–435
 before doing, things to know, 421
 cannula becomes clogged during, 433
 cannula comes out of womb during, 432
 checking on woman after, 434–435
 choosing a cannula, 429
 family planning and, 435
 getting ready, 423–425
 helping the woman be comfortable, 423–424
 how to do, 426–432
 infection danger and, 49
 injection to numb the cervix, 428
 overview, 421
 preventing infection, 424
 preventing pain, 423–424, 428
 problems that can be caused by, 434
 problems with, 432–434
 safety concerns, 92, 421, 422
 staying healthy after, 435
 sterilizing tools, 424–425
 syringe is full during, 431
 tools and supplies, 423–425
 uses for, 421
 vagus nerve and, 430
 warning signs versus healthy signs after, 434–435
 when to do, 422–423
 womb is too big to empty, 434
Mask of pregnancy, 79
Massage between contractions, 169
Mastitis (breast infection), 289
Materials for teaching. *See* Models for teaching
Maternity center. *See* Hospital or medical center
Measles, German (rubella), 45, 95
Measuring medicines, 472–473
Measuring the womb, 130–135
 for checking baby's growth, 130
 cloth tape measure for, 132
 determining months pregnant, 90, 130
 for due date prediction, 130, 133
 feeling the womb, 130–131
 finger method for, 131–132
 warning signs, 132–135
 ways of measuring, 90, 130–132
 womb growing too fast, 133–134
 womb growing too slowly, 134–135

Meat, 35, 42
Meconium (baby's first stool)
 defined, 174
 in waters, 174–175, 209, 213
Medical alcohol. *See* Alcohol (medical)
Medical center. *See* Hospital or medical center
Medical Mission Sisters, 63
Medical pregnancy test, 87
Medication abortion, 92
Medicines, 466–501
Also see Injections; Vaccinations
specific medicines, 477–501
 for allergic reactions, 469
 allergic reactions to, 103, 469–470
 amount to take, 464, 466, 472–473
 antibiotics, 474–475
 avoiding during pregnancy or breastfeeding, 45, 467
 for bacterial vaginosis (BV or gardnerella), 328
 benefits and risks of, 16
 for birth of the placenta (stage 3), 224, 225, 228, 231, 233, 237
 for bladder infection, 129
 breastfeeding and, 292
 for breast infection (mastitis), 289
 for chancroid, 331
 for chlamydia, 324, 325
 choosing safe and helpful medicine, 19
 combinations, avoiding, 468
 dosage, 468, 470, 472–473
 for emptying womb after incomplete abortion, 412
 “families” of, 103
 for fever, 119
 forms of, 471
 for genital herpes, 332
 for gonorrhea, 324, 325
 greed and, 19
 health history, 103
 to help the womb contract, 224
 hepatitis B and, 336
 for HIV and AIDS, 100, 335, 496–502
 from hospitals or medical centers, 438
 how to take safely, 468–470
 for HPV (genital warts), 333
 for infection after abortion or miscarriage, 414
 for kidney infection, 129
 knowing about, 470
 listed by problem treated, 476
 for malaria, 98–99
 measuring, 472–473
 for medical abortion, 92
 for meningitis (brain infection), 279
 for migraines during pregnancy, 81
 names of, 471

non-Western systems, 17
for numbing torn area before sewing, 360
for pelvic inflammatory disease (PID), 325
plant medicines for starting labor, **344**
for pneumonia (lung infection), 279
poisoning from, 470
for pre-eclampsia, **181–182**
to prevent infection after birth of the placenta, 231, 233
for preventing pain during MVA, 423–424, 428
for sexually transmitted infections, 322
side effects, **468–469**
signs of problems with, **468–470**
for starting labor, 175, 191
to stop bleeding from the womb, 231, 237
for syphilis, 330
for tetanus (lockjaw), 278, 415
traditional medicine, 17, 474
for trichomonas (trich), 326
types of, 17–19, 474
Western medicine, 17, 18
when to take, **473–474**
when to use, **467**
for womb infection, 179
for yeast infection, 327
Meningitis (brain infection) in baby, **278**
Menopause (end of monthly bleeding), **31**, 86
Menstruation. *See* Monthly bleeding
Mercury
in fish, 35
in thermometers, 119
Midwives, 1–11
emotional support after early end to pregnancy, 407–408
helping to stop HIV, 101
at hospitals, **444–445**
knowing your limits, **20–21**
learning lifelong for, **1–2**
prenatal care and, 70–71
protecting yourself from infection, **56**
sharing what you know, 3–6
supplies to have at birth, **152–153**
unnecessary practices at hospitals and, 437, **445**
working for the joy of it, **11**
working to improve women's health, **8–10**
working with hospitals and doctors, **442–445**
Migraine headaches, 81
Milk. *See* Bottle feeding; Breastfeeding
Minerals

• 2 •

calcium, **37–38**, 74, 81
to eat every day, **36–38**
glow foods, 34, 35
iodine, **38**, **117**
iron, **36**, 74, **116**
magnesium, 81
potassium, 81
preventing leg cramps, 81
Miscarriage, 405–419
Also see Manual vacuum aspiration (MVA)
bleeding too much after, **410**, **416–418**
defined, 91
diabetes and, 93
emergency care for problems, **410–418**
emotional support after, **407–408**
finding care after, **405–407**
helping a woman after, **405–419**
history of, **91**
HIV and, 100
infection after, **410**, **413–415**
IUD dangers after, 394
physical care after, **408–409**
preventing, 91
problems from, **405–409**
shock after, 413, **418**
spotting during cramps and, 79
tetanus (lockjaw) after, **415**
warning signs, 79, 112
warning signs versus healthy signs, **408**
Misoprostol, 488
to empty womb after incomplete abortion, 412
to help the placenta come out, 224, **228**
to stop bleeding from the womb, 231, 232, 234, 237
Models for teaching baby, 463
basic methods for making, **451**
birth, **465**
cord, **462–463**
pelvis, **452–453**
placenta, **460–461**
pregnancy, **458–464**
sources for other teaching materials, **503–504**
vagina, **456–457**, **458**
womb, **454–455**, **458–461**
Molar pregnancy (tumor), 134
Money
eating well with little, **41–42**
pregnancy problems and, **104**
Monthly bleeding (menstruation)
and tests for cancer, 379
defined, **29**
heavy, IUD and, 394
menopause and, 31
predicting due date using, **88–89**, 133

stopped, as sign of pregnancy, 86
stopped, with birth control pills, **307**
Months pregnant, figuring, 88, 89, 90.
Also see Length of pregnancy
Moon, figuring due date by, 89
Morning sickness, 73–74, 86, **110–111**.
Also see Nausea
Mouth
checking baby's, **261**
cleft lip or cleft palate, **261–262**
Mouth care, 43
Movements by baby
months pregnant and, 87
painful kicking, 80
position of baby and, 138
as signs of pregnancy, 87
stopped, 80, 134
Moving to encourage labor, 192
Mucus
plugging cervix, 28, 150, 155
show (mucus tinged with blood), **150–151**
Mucus bulb (bulb syringe), 66, **209**
Mucus method of fertility awareness, 313
Mumps, infertility and, 31
Muscle tone (baby), **244**
MVA. *See* Manual vacuum aspiration (MVA)

N

Nausea
Also see Vomiting
causes other than pregnancy, 86
drinking during labor and, 159
liquids easier to drink, 159
morning sickness, **73–74**, 86, **110–111**
warning signs versus healthy signs, **110–111**
Neck, checking baby's, **262**
Needles for sewing tears, **56**, **362**, **366**
Needles (hypodermic)
Also see Injections
caring for, 66–67
disposing of, 68, 69
drawing up medicine into, **346–348**
HIV spread and, 334
preparing for injections, **346**
reusable and disposable syringes, 66
safe handling of, **56**
sterilizing, 66–67
used, dangers of, **349**
Newborn. *See* Baby; First few hours after birth; First weeks after birth
Nightmares, 82
Nipples
Also see Breastfeeding

during breastfeeding, 282
flat or inverted, **287**
fluid leaking from, 76
sore or cracked, **290**
stimulating to encourage labor, 192
thrush (yeast infection), **290**
Nitrazine papers, 174
Nitrous oxide, **384**
Non-Western systems of medicine, 17
Nose, checking baby's, **261**
Numbing
cervix during MVA, **428**
torn area before sewing, **360–361**
Numbness of feet, 117
Nutrition. See Bottle feeding;
Breastfeeding; Eating and food
Nuts, 35, 38

O

Observing in pregnancy care, 70
Ointments. See Medicines
Opening of the vagina, enlarging.
See
Episiotomy (cutting the vaginal
opening)
Opening (stage 1 of labor), **167–**
193
Also see Encouraging labor; Labor
and birth; Signs (mother in labor,
birth, and after)
active labor, 167
baby does not fit through pelvis, **189**
baby's heartbeat, checking, **172–173**
baby's position, checking, **170–171**
baby's position, difficult or
impossible, **190–191**
bag of waters, **174–177**
bleeding during labor, **183**
blood pressure, checking mother's,
180–182
breathing by the mother, **170**
convulsions during, **181–182**
cord coming in front of baby
(prolapsed), **176–177**
helping the mother relax, **169–170**
keeping germs out of vagina, 175
labor patterns in, **168**
late labor, 167
light labor, 167
long labor, **186–191**
overview, **146, 155–156, 167–168**
pain in the womb, **183–185**
parts, 167
pre-eclampsia and, **180–182**
pulse, checking mother's, **178**
pushing, avoiding, **186, 196**
signs for the midwife to check, **170–**
193
signs of progress, **185**
size of fully open cervix, **156**

sounds that are helpful, **169**
temperature, checking mother's,
178–179
touching the mother, **169**
vaginal exam, **186**
when you first arrive, **168**
Operation, birth by. See Cesarean
surgery (birth by operation)
Opium, 46
Organ meats, 42
Ovaries
bimanual (2-hand) exam, **390**
illustrated, 28, 29
Oxygen, giving to baby, 241, 441
Oxygen tent, 441
Oxytocin
in "active management" of stage 3,
225
to help the placenta come out, 224,
228
to help the womb contract, 236
not giving at home, 438
to stop bleeding from the womb, 230,
231, 232, 234

P

Packaged foods, 39
Pain
Also see Signs (baby); Signs
(mother during pregnancy); Signs
(mother in labor, birth, and after)
baby kicking, 80
back, **80, 113–114**
belly, **79, 109, 113–114, 125**
changes and discomforts in
pregnancy, **76–81**
between contractions, 184
easing during labor, 169–170, 187–
188, 193
gas pains (colic) in baby, **291**
headaches, **81, 109**
joints, 79, 81
legs, **113–114**
lower belly, 128
lump (abscess) in breast, **288**
in one leg, constant, 81, 113
preventing during MVA, **423–424,**
428
stomach (heartburn), **74–75**
unusual pains during pregnancy, 81
on urination, 77, 128
vagina, after birth, **248–249**
warning signs versus healthy signs,
113–114
in womb during labor, **183–185**
Pains, labor. See Contractions
Palate, cleft, **261–262**
Pale color
baby, **244–245, 266**
cord white after birth, 157
inside of eyelids, fingernails, and
gums, 116
shock and, **239**
Panting, 170, 201
Pap test for cancer or pre-cancer,
379, **381–383**
Paper mache models, **451**
Paper pelvis model, **452–453**
Parasites, 37, 74, 86, 111, 118
Partners
abusive, 105
family planning and, **318**
feeding first, 9
helper for birth, 151
for improving women's health, 9
as people who affect a woman's
health, **8–9**
permission for care from, 107
sex during pregnancy and, 83
support from, 105, 106
women's health affected by, **8–9**
Patterns. See Models for teaching
Peas, 35, 41
Peeing. See Urinating
Pelvic exam, **373–390**
asking about history before, **375**
before the exam, **375–376**
bimanual (2-hand) exam, 373, **387–**
390
making safe, **374–375**
Pap test for cancer or pre-cancer,
379, **381–383**
parts of, 373
speculum exam, 373, **377–383**
tools for, 376
uses for, 373
vinegar test for cancer or pre-cancer,
379, **380, 384–385**
visual exam, 373, **376**
when to do and not to do, **374**
Pelvic infection
(pelvic inflammatory disease or PID),
325, 384
Pelvis
Also see Pelvic exam; Pubic bone
baby does not fit through, **189, 204**
baby moving down through, 137, **171**
baby stuck at shoulders, **211–213**
illustrated, 27
model for teaching about, **452–453**
not formed well in mother, 96
small, symphysiotomy for, **440**
squeezing exercise for (Kegels), **44**
Penicillins, 475
Penis
Also see Sexually transmitted
infections (STIs)
baby's, **263, 264**
partner's, 29, 83
People. See Community; Family;
Partners
Pesticides, 31, 47

Pharmaceutical drugs. See Medicines
Physical discomforts during pregnancy, 76–81
Physicians. See Doctors; Hospital or medical center
PID (pelvic inflammatory disease), 325, 384
Piles (hemorrhoids), 77
Pills. See Medicines
“Pill, the,” 307–308
Placenta
Also see Birth of the placenta (stage 3 of labor)
birth of (stage 3 of labor), 146, 157, 223–245
checking after birth, 233–234
covering the cervix (placenta previa), 112, 183, 374
detached (abruption), 114, 180, 184, 205, 219, 354
disposing of, 67, 235
guiding out by the cord, 228–229
heavy bleeding before birth of, 226
helping the mother push it out, 227–231
helping the womb contract after birth of, 224, 231, 236–238
illustrated, 30
model for teaching about, 460–461, 464
piece left inside womb, 234–235
problems in past pregnancies, 95
pushing on mother’s belly and, 205
separation from womb after birth, 157
signs of separation from womb, 226–227
taking out by hand, 230–231
womb comes out with, 232–233
Placenta previa, 112, 183, 374
Plant medicines for starting labor, 344
Plastic bags as gloves, 54
Plastic waste, safe disposal of, 68
Pneumonia (lung infection) in baby, 278
Poisoning from medicine, 470
Poisonous chemicals, 47
Polyvidone iodine, 38
Poor nutrition, 33, 117, 134
Position of the baby, 135–144, 170–171, 190–191, 215–219
breech (bottom down), 137, 138, 142–143, 190, 215–219, 369–371
checking early in labor, 170–171
difficult or impossible position, 190–191, 204
face first or forehead first, 190, 204
facing back, 136, 171
facing stomach (posterior), 136, 171, 190, 204

feeling the mother’s belly, 135–138
finding by listening to heartbeat, 140
finding the head, 137–138
head to one side (asynclitic), 204
heartbeat of baby and, 139–141
kicking or other movements and, 138
medical help needed and, 190–191
moving down through pelvis, 171
recording, 140
sideways, 143, 191, 219, 220–221, 369, 371
turning a breech or sideways baby, 369–371
twins and, 219, 220–221
vertical (up and down), 136
warning signs versus healthy signs, 135
Position of the mother during birth
baby stuck at shoulders and, 212
changing every hour, 162
delivering baby’s shoulders and, 211
good for pushing, 200
letting her choose, 200
long labor and, 203
not lying flat on back, 162, 200
Posters, making from slides, 451
Potassium for leg cramps, 81
Poverty. See Money
Practice contractions, 150, 155
Pre-cancer, 379–380
Pre-exposure Prophylaxis (PrEP), 99, 498
Pre-eclampsia
caring for, 127
checking for, 126–127, 180
convulsions from, 93, 126, 181–182
during labor, 180–182
medical help needed for, 106, 125, 126, 127, 180–181
in past pregnancies, 93, 97
prevention of, 127
signs of, 76, 81, 122, 125–126, 180
Pregnancy
Also see Abortion; Family planning; Health care in pregnancy; Miscarriage; Prenatal checkups
age and, 90
antibiotics and, 475
breastfeeding during, 292
caring for body during, 42–44
changes and discomforts, 76–81
distance from care and, 104
due date, 88–89, 130, 133, 527
eating and digestion changes in, 73–75
eating well, 33–42
family support during, 105–107
feelings and emotions in, 82–83
figuring months or weeks pregnant, 88, 89, 90
harmful diet beliefs, 39–40
health history, 85–107

hepatitis B and, 336
herpes and, 332
HIV and, 335
how the baby grows, 30
how women get pregnant, 29
illness during, 97–101
living conditions and, 104, 104
mask of, 79
medicines and, 45, 103, 467, 475
menopause and, 31
model for teaching about, 458–464
molar (tumor), 134
money and, 104
number of previous babies and, 90–91
problems with medicines and, 103
problems with past pregnancies or births, 93–97
sex during, 83
sexual and reproductive parts, 27–28
signs of, 86–87
sleeping changes in, 75
syphilis and, 330
tetanus vaccination and, 102
things to avoid during, 45–47
transport plan for medical help, 10, 106–107, 164, 442
woman’s body in, 27–30, 73–83
work and, 105
Pregnancy health history. See Health History
Premature birth. See Early birth
Prenatal care. See Health care in pregnancy
Prenatal checkups, 109–145
Also see Signs (baby); Signs (mother during pregnancy)
after the checkup, 144
checking the baby, 130–144
checking the mother’s body, 116–129
importance of, 70–71
pregnancy health history, 85–107
record of prenatal care, 145
scheduling, 144
talking with the mother, 109–115
Pressure steaming, sterilizing tools by, 61
Preventing
Also see Family planning
abortions, unsafe, 419
anemia, 36
bladder infection, 129
blindness (baby), 260–261, 324
cancer of the cervix, 379, 383
constipation, 76
fistula (hole in the vagina), 22, 273
goiter, 38
health problems, community changes for, 23–25
heavy bleeding after birth, 248

HIV, **99–101, 335**
infection, 42, **49–69**
labor problems, **163**
leg cramps, 81
malaria, 98
miscarriages, 91
pre-eclampsia, 127
sexually transmitted infections (STIs), **336–337**
tears, **206–208, 356**
tetanus (lockjaw), 102, 278, 415
yeast infection, **327**
Primaquine, 98
Privacy, 7
Processed foods, 39
Prolapsed cord (coming in front of baby)
episiotomy for, **354–355**
footling breech (feet first) and, 218
slowing birth not recommended for, 208
twins and, 219
watching for, 176–177
what to do about, 177
Protective clothing for preventing infection, 56
Protein in the urine
as bladder infection sign, 128
as pre-eclampsia sign, 125, **126–127, 180**
Proteins (grow foods), 34, 35, 250
Pubic bone
Also see Pelvis
baby stuck at shoulders, **211–213**
illustrated, 27
symphysiotomy (cutting in middle), **440**
using to feel for baby's head, 137
Pulling out (withdrawal) during sex, **301, 317**
Pulse in cord, **139, 177**. *Also see Heartbeat (baby)*
Pulse (mother)
in belly, 139
checking during labor, **178**
checking during pregnancy, **120–121**
fast, **116, 121, 159, 178, 239, 251**
shock and, **239**
slow, **178**
warning signs versus healthy signs, **120**
Purgatives, avoiding, 77
Purple color
line between buttocks as stage 2 approaches, 195
spots on skin, 79
Pus, draining from vaginal infection, **272**
Pushing (stage 2 of labor), **195–221**

Also see Contractions; Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)
baby does not fit through pelvis, **204**
baby not born after 1 or 2 hours of pushing, **203–205**
baby stuck at shoulders, **211–213**
bladder of mother full and, **203, 352**
breathing by the mother, **201**
checking physical signs of mother and baby, 199
clearing baby's nose and mouth, **208–210**
cord around baby's neck, **210**
crowning, 197
cutting the birth opening (episiotomy), 206, **354–355**
delivering baby's body and giving baby to mother, **214**
delivering the baby's shoulders, **211–213**
head of baby begins to show, 196–197
helping the mother give birth, **206–215**
helping the mother push, **201–202**
how the baby moves through the vagina, **197–198**
overview, 146, 156, **196–198**
position of the mother, **200**
safe birth, helping, **199–202**
signs that stage 2 is near or starting, **195**
signs to watch for, **202–205**
slowing the birth of the head, **207–208**
supporting the mother, **200–202**
supporting the vaginal opening, **206**
too early, before cervix is dilated, **186, 196**
warm cloths around the vaginal opening, **207**

Q
Quarter-circle scale, homemade, 450

Questions
Also see Talking
about eating habits, 34
answering family's questions, **267**
finding root causes of health problems, 21–22
in pregnancy health history, **85–107**
in prenatal checkup, **109–115**
midwives asking “why”, 2, 21–22

R
Rashes
avoiding during pregnancy or breastfeeding, 45

from medicine, 103
poor nutrition and, 117
Razor blades, 65
Records
baby's position, 140
baby's physical signs in first few hours, **253**
of labor, **164–165, 170**
prenatal care, **144–145**
womb measurement, 131, 132
Rectal fluids, giving, **342**
Rectal sphincter, sewing, 366
Red color
baby, **266**
legs (mother), **273**
Reflexes
baby, **244**
over-active (mother), 125
Rehydration drink, **159–160**
Relaxation
Also see Rest
between contractions, **161**
helping mother during labor, **187–188**
Removing
intrauterine devices (IUDs), **403**
milk from breasts, **284–285**
Rescue breathing, **242–243**
Respirator, 441
Rest
Also see Relaxation; Sleep;
Tiredness between contractions, **161**
during pregnancy, 44
first weeks after birth, 269
getting up and down during pregnancy, **78**
heartburn and, 75
for high blood pressure, 124
sleepiness during pregnancy, 75, 86
Rh incompatibility, **508**
Role playing, 4
Root causes of health problems finding, **21–22**
making changes in community, 23–25
Rubella (German measles), 45, 95

S
Salt, high blood pressure and, 125
Sand timers, **447–448**
Scales
homemade, **449–450**
weighing baby using, 258
Scars
circumcision (female genital cutting), 206, **354–355, 367–369**
on womb from abortion, 92
on womb from cesarean surgery, 96
Schedules
prenatal checkups, **144**

signs to check during stage 1 of labor, **170**
tetanus vaccinations, 102
Seeds, 35, 37
Seeing. *See* Eyes
Seizures. *See* Convulsions
Semen. *See* Sperm (semen)
Sewing a tear or episiotomy, **356–366**
general rules, **361**
getting ready, **359**
how to sew, **362–365**
judging whether stitches are needed, **356–358**
medical help needed for, 358
numbing the torn area, **360–361**
preventing tears, 356
rectal sphincter, **366**
safe handling of needles, **56**
sewing within 12 hours, 358
testing for torn muscle around anus, 357
tools for, **358–359**
tying stitches, **364**
Sex
Also see Family planning; Sexually transmitted infections (STIs)
abusive partners, 105
after birth, 269
during pregnancy, **83**
HIV spread and, 334
pulling out (withdrawal) during, 301, **317**
that doesn't cause pregnancy, 301, **312**
Sexually transmitted infections (STIs)
Also see HIV
affecting whole body, **334–336**
bacterial vaginosis (BV or gardnerella), **328**
chancroid, 330, **331**
chlamydia, **323–325**
community and, **337**
discharge (wetness from vagina), **323–328**
genital herpes, **331–332**
germs and, 50
gonorrhea (gono), 50, **323–325**
hepatitis B, **336**
how they are passed, **322**
HPV, **333, 380, 383**
infertility and, 31
itching of the genitals, **328**
IUD dangers and, 394
labor not starting after breaking of waters and, 176
miscarriage from, 91
overview, 321
pelvic inflammatory disease (PID), **325**
preventing, **336–337**

sex during pregnancy and, 83
signs of, **321**
sores on the genitals, **329–333**
syphilis, **329–330**
treating, 321, **322**
trichomonas (trich), **326**
yeast infection, **326–327**
Shame, pelvic exam and, **375**
Sharing knowledge
Also see Teaching
with the community, **4–6**
with other health workers and midwives, **3–4**
Sharp wastes, disposing of, 67
Shit. *See* Stool
Shock
after abortion or miscarriage, **413, 418**
after female genital cutting (circumcision or FGC), **368**
after heavy bleeding, **239**
allergic reaction to medicine, **469–470**
anti-shock garment, 418, **506**
signs and treatment, **239**
Shortening labor. *See* Encouraging labor
Short labor in past birth, 94
Shortness of breath (mother), **78, 103, 114**
Shots. *See* Injections
Shoulders (baby)
checking, **262**
delivering, **210–212**
episiotomy for stuck shoulders, **354–355**
Show (mucus tinged with blood), **150–151**
Sickness. *See* Illness; Infections; *specific*
Sicknesses
Side effects
of hormonal methods for family planning, **306**
of medicines, **468–469**
Sideways baby
checking for, **136**
dangers of turning, 369
medical help needed for, 136, **191**
turning, **369, 371**
twins and, 219, **220–221**
what to do about, **143**
Sight. *See* Eyes
Signs (baby), **252–267**
Also see specific conditions
breathing problems, **240–241, 254, 262**
breathing rate, **254**
breech (bottom down), 137, 138, **142–143, 190, 215–219**
checking after birth, **240–245, 252–267**

checking in womb, **130–144**
chlamydia and, **324**
cleft lip or cleft palate, **261–262**
color, **244–245, 266, 279**
cord around neck, **210**
cord coming in front (prolapsed), **176–177, 208, 218, 219, 354**
dehydration, **275**
dislocated hip, **265**
drops lower in belly, **149**
first hours after birth, **252–267**
first weeks after birth, **274–279**
gas pains (colic), **291**
general appearance, **253–254**
gonorrhea and, **324**
heartbeat (checking), **139–141, 172–173, 243, 262**
heartbeat fast, **173, 243, 255**
heartbeat slow, **141, 172–173, 177, 184, 208, 243, 255**
infection, 255, **256, 277–279**
kicking stopped, 80, 134
length, 259
limp, weak, or does not wake up, **253–254**
low blood pressure, 122, 180
measuring the womb, 90, **130–135**
moving less or not at all, 184
not breathing, **241–243**
not gaining weight or growing normally, **276**
not urinating or passing stool in first day, **275**
physical signs during 2nd stage, **199**
position, **135–144, 170–171, 190–191, 215–219**
prenatal checkup, **130–144**
recording signs in first few hours, **253**
reflexes, **244**
stuck at shoulders, **211–213**
temperature low, **255–256**
thrush (yeast infection), **290**
twins, 133, 138, **143–144**
vomit “shoots” from mouth, **256**
weight, **256–258**
womb growing too fast, **133–134**
womb growing too slowly, **134–135**
Signs (mother during pregnancy)
Also see Infections; Pain; Signs (mother in labor, birth, and after); *specific conditions*
after abortion or miscarriage, **408, 410, 413–418**
allergic reactions to medicine, **103, 469–470**
anemia, 78, 81, **116**
back pains, 80, **113–114**
bladder infection, 77, **128**
bleeding from vagina, **109, 112**
bleeding, heavy, 106
bleeding in early pregnancy, 79

blurred vision, 109, 125
breasts leaking, 76
burning sensations, **74–75**, 77
changes and discomforts in pregnancy, **76–81**
constipation, 36, **76–77**
cramps (womb), **79**
dehydration, 111
depression, 82
detached placenta, **114**, 219
diabetes (blood sugar disease), 93, **115**, 133
diarrhea, 50, 111
discharge (wetness from vagina), 50, **77**
dizziness, 81, 109
double vision, 125
fever, 97, 109, 112, 113, 119, **120**
general health, **110**
headaches, **81**, 109, 125
high blood pressure, 81, 93, 97, **122**, **124–125**, 134
iodine lack, **117**
itching, 77
kidney infection, **128**
leg cramps, **80–81**
measuring the womb, 90, **130–135**
medical help needed (most important signs), **106**, **109**, **147**
medicines, problems with, **468–470**
miscarriage, 79, 112
nausea or vomiting, **73–74**, 86, **110–111**
pain in belly, back or legs, **113–114**
pain in one leg, constant, 81, 113
placenta previa, 112, 374
poor nutrition, **117**
pre-eclampsia, 76, 81, **125–126**, 127
of pregnancy, **86–87**
prenatal checkup, **109–129**
pulse fast, 120, **121**
purple spots on skin, 79
scars on womb, 92, 96
sexually transmitted infections (STIs), **321**, **323–335**
shortness of breath, **78**, 103, **114**
sleepiness, 75, 86
spotting, 79, 112
stools black, 36
sweating during pregnancy, **78**
swollen face and hands, 76, 81, 126, 127
swollen feet, 76
tiredness, 35, 75, 86, 93
tubal pregnancy, 79, **113**
tumor (molar pregnancy), **134**
urethra infection, **128**
urination frequent, **77**, 86
urination painful or burning, 77
vaginal infection, 77
vagina smells bad, 77
weakness, **111**

womb growing too fast, **133–134**
womb growing too slowly, **134–135**
Signs (mother in labor, birth, and after)
Also see Contractions; Signs (mother during pregnancy); *specific conditions*
allergic reactions to medicine, **469–470**
baby does not fit through pelvis, **189**, **204**
baby stuck at shoulders, **211**
bag of waters, **174–177**
being ready for emergencies, **163–164**
bleeding after birth, preventing, **248**
bleeding before placenta is born, **226**
bleeding during labor, **183**, **205**
blood pressure, **180–182**
breast infection (mastitis), **289**
cervix visible at vaginal opening after birth, **249**
checking genitals for tears and problems, **248–249**
checking physical signs after birth, **247**
clot in leg, **273**
convulsions, **181–182**
cord coming in front of baby (prolapsed), **176–177**, 208, 218, 219, 354
dehydration, **159**, 178
detached placenta (abruption), **184**, **205**, 219, 354
eating and drinking, cannot or will not after birth, **250**
episiotomy needed, 354
fever, **178–179**
first few hours after birth, **247–252**
fistula (hole in the vagina), **273**
genitals torn after birth, **248**
hematoma (blood blister) in vagina after birth, **248–249**
infected womb, **185**
infection after birth, **251**
labor starting soon, **149–151**
leaking urine or stool, **273**
legs red, hard, swollen, or painful, **273**
medical help needed, **176**, 177, 179, 180–181, **204–205**
medicines, problems with, **468–470**
nausea or vomiting after drinking, 159
not interested in her baby, **251**
pain in the womb, **183–185**
placenta previa, 183, 374
placenta separated from womb, **226–227**
position of the baby, **170–171**, **190–191**
pre-eclampsia, 180

progress of labor, **185**
pulse, **178**
sexually transmitted infections (STIs), **321**, **323–335**
shock, **239**
speed of birth, watching, **202–205**
in stage 1 (opening), **170–193**
in stage 2 (pushing), **202–205**
stage 2 (pushing) near or starting, **195**
temperature, **178–179**
thrush (yeast infection), **290**
torn womb, **185**, **205**
vaginal infection, **272**
watching for, **163**
when to go to birth, **151**
womb infection, 179, **185**, **271**
Single mothers, 105
Sitting up when pregnant, **78**
Size
Also see Weight
large baby, 254, **258**
large baby in past, 94, 115
measuring the womb, 90, **130–135**
small baby, 125, **221**, 254, **256–257**, **292**
small baby in past birth, 94
womb bigger than normal, 115
Skin
Also see Color (mother)
checking baby's, **265**
color (baby), **244–245**, **266**, **279**
dark patches, 79
loss of stretchiness, 159
pale, shock and, **239**
purple spots, 79
Sleep
Also see Rest; Tiredness
during pregnancy, 44, 75
getting up and down during pregnancy, **78**
heartburn and, 75
strange dreams and nightmares, 82
Sleepiness
Also see Tiredness
causes other than pregnancy, 86
during pregnancy, 75, 86
Slides, making posters from, **451**
Slow birth. *See* Encouraging labor; Long labor
Slow heartbeat (baby), **141**, **172–173**, 177, 184, 208, **243**, **255**
Slow pulse (mother), **178**
Small baby, **221**, **256–257**
Also see Early birth
breastfeeding and, **292**
causes of, 257
limp, weak, or does not wake up, 254
medical help needed for, 221, 256
in past pregnancies, 94
problems possible for, **256**
what to do for, **257**

Smelly vagina, 77, 321
Smoke, avoiding during pregnancy, 104
Smoking. See Tobacco
Sodium hypochlorite solution. See Bleach
Soft spots in baby's head (fontanel), 259
Sonogram, 90, 437, **438**
Sore nipples, **290**
Sores
 on genitals (genital ulcers), **329–333**
 poor nutrition and, **117**
Sounds
Also see Heartbeat (baby)
 helping the mother push, 201
 making in stage 1 (opening), **169**
Speculum exam, **377–383**
 described, 373
 giving, **377–379**
 Pap test for cancer or pre-cancer, 379, **381–383**
 vinegar test for cancer or pre-cancer, 379, **380**, 384–385
Speeding labor. See Encouraging labor;
Long labor
Spermicides, 301, 304, **305**
Sperm (semen)
 germs in, 49, 50
 reproduction and, 29, 30
Sponge method for family planning, **317**
Spontaneous abortion. See Miscarriage
Spots
 rubella (German measles), 45, 95
 on skin, 79
Spotting, 79, 112. *Also see* Bleeding
Spring scale, homemade, **450**
Square knot, 214
Squeezing exercise (Kegels), 44
Stage 1 of labor. See Opening (stage 1 of labor)
Stage 2 of labor. See Pushing (stage 2 of labor)
Stage 3 of labor. See Birth of the placenta (stage 3 of labor)
Starting labor. See Encouraging labor
Steaming
 gloves, 66
 sterilizing tools by, **61–63**
Sterile gloves. See Gloves
Sterile packets, 65
Sterilization for family planning, 301, **315**
Sterilizing equipment
Also see Cleanliness
 by baking, **61**
 bedding, **58**

before birth, **153**, 168
 before inserting IUDs, 392
 before manual vacuum aspiration (MVA), **425**
 defined, 59
 infection prevented by, 51
 items requiring sterilization, 60
 needles, 66
 by pressure steaming, 61
 razor blades, 65
 storing tools and supplies, **64–65**
 thermometers, 65
 tools, **59–65**
Stethoscopes, 139, **449**
Stillbirth, 91, 243
STIs. See Sexually transmitted infections (STIs)
Stitches. See Sewing a tear or episiotomy
Stomach problems
 nausea (morning sickness), **73–74**, 86, **110–111**
 pain (heartburn), **74–75**
 poor nutrition and, 117
Stool
 baby does not pass in first day, **256**
 black, 36
 constipation, 36, **76–77**
 diarrhea (loose stool) in baby, **275**
 diarrhea (loose stool) in mother, 50, 111, 150, 343
 disposing of, 67
 enemas, avoiding during pregnancy, 77
 germs in, 49
 leaking freely after birth (mother), **273**
 meconium (baby's first stool), 174–175, 209, 213
 in waters, 174–175, 209, **213**
Stopping pregnancy. See Abortion; Miscarriage
Storing
 bedding, **58**
 tools and supplies, **64–65**
Strengthening labor. See Encouraging labor
Suction trap, **213**
Sugars (go foods), 34, 35
Sulfas (sulfanomides), 475
Supplements in health history, **103**
Supplies. See Tools and supplies
Supporting labor, **158**, **169–170**, **200–202**
Surgical birth. See Cesarean surgery
 (birth by operation)
Suture lines in baby's head, 259
Sutures, 358
Sweating
 during pregnancy, **78**
 shock and, **239**

Swelling
 breasts (engorged), 76, **288**
 face and hands (warning sign), 76, 81, 109, 126, 127
 feet, 76
 with headaches, 81
 legs red, hard, or swollen, **273**
 from medicine, 103
 veins (varicose veins), 76
Symphiotomy, **440**
Symptoms. See Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)
Syphilis, **329–330**
Syringes
Also see Injections; Needles (hypodermic)
 bulb syringe, 66, 209, 213
 for manual vacuum aspiration (MVA), **424–425**

T
Tablets. See Medicines
Talking
 about difficult subjects, 7
 keeping things private, 7
 listening more than, 7
 with mother in prenatal checkup, **109–115**
 to women about food, **34–39**
TB. See Tuberculosis
Teaching
 classes in the community, **4–5**
 finding materials for, **505**
 helper for birth, 151
 homemade materials for, **451–465**
 how to prevent STIs, **336**
 to prevent health problems, **23–25**
 as purpose of pregnancy care, 70
 sharing knowledge, **3–6**
Tears
Also see Fistula (hole in the vagina); Sewing a tear or episiotomy degrees of, **356–358**
 genitals, checking after birth, **248**
 judging whether stitches are needed, **356–358**
 medical help needed for, 184, 205
 preventing, **206–208**, 356
 pushing on mother's belly and, **205**
 sewing, **356–366**
 testing for torn muscle around anus, 357
 time for sewing, 358
 vagina, **239**
 vaginal infection, **272**
 vaginal opening, during birth, 206
 womb during labor, **184–185**, **205**
Teas
 for bladder infection, 129
 to help sleep, 75

for migraines during pregnancy, 81
for nausea relief, 74
Teeth, caring for, 43
Temperature
Also see Fever
checking baby after birth, **255–256**
checking mother after birth, **251**
checking mother during labor, **178–179**
checking mother during pregnancy, **119**
hot feeling during pregnancy, **78**
low (baby), **255–256**
warning signs (mother), 109, **119, 178**
Tension
helping mother relax, **169–170, 187–188**
long labor and, **187–188**
when pushing, avoiding, 201, 202
Testicles
Also see Sexually transmitted infections (STIs)
baby's, 263, 264
father's, 29
Tests
for anemia, **116**
blood pressure, checking the mother's, **122–124, 180–182**
CD4, 335, **492**
for cancer of the cervix, **383–386**
for diabetes, 115
for HIV, 99, 101
for HPV, 380
lab tests, **438**
for malaria, **99**
measuring the womb, 90, **130–135**
for pregnancy, 87
for protein in the urine (pre-eclampsia sign), **126–127**
pulse, checking mother's, **120–121**
temperature, checking the mother's, **119**
for too much water in the womb, 134
Tetanus (lockjaw)
after abortion or miscarriage, **415**
cutting the cord and, 214
means of infection with, 102
protecting against, 102, 278, 415
signs in baby, **278**
signs in mother, **415**
vaccinations, **102**
Tetracyclines, 475
Thermometers, 65, **119**. *Also see* Temperature
Three-minute hand wash, **53–54**
Thrush (yeast infection), **290**
Thump test for water in the womb, 134
Time
Also see Early birth; First few hours after birth; First weeks after

birth; Long labor; Schedules
for cutting the cord, 157
delayed labor, 88
due date, **88–89, 130, 133**
to go to birth, **151**
homemade timers, **447–448**
between labor start and breaking of waters, **175–176**
months or weeks pregnant, 88, 89, 90
for sewing tears, **358**
short labor in past, 93
signs of labor starting soon, **149–151**
to take medicines, **473–474**
Timers, homemade, **447–448**
Tiredness
Also see Anemia; Weakness
dehydration and, **159**
go foods for energy, 35
in past pregnancies, 93
sleepiness during pregnancy, 75, 86
as warning sign, 116
Tobacco
avoiding during pregnancy or breastfeeding, 46
avoiding smoke during pregnancy, 104
infertility and, 31
small baby and, **134, 257**
Tonics, **103**
Tools and supplies
Also see Homemade equipment; Sterilizing equipment; *specific tools and supplies*
blood pressure, 122
bulb syringe, 66, **209**
caring for, **65–67**
cloth tape measure for womb, **132**
cryoprobe, 383a–383b
disposing of wastes safely, **67–69**
at hospitals or medical centers, **439–441**
for inserting IUDs, 396
items requiring sterilization, 60
for listening to heartbeat, 139
low-cost and homemade, **447–450**
for manual vacuum aspiration (MVA), **424–425**
for pelvic exam, 376
for sewing tears, **358–359**
sterile packets of, 65
storing, **60**
suction trap, **209**
supplies to have at birth, **152–153**
Toothbrush, homemade, 43
Tooth care, 43
Torn flesh. *See* Tears
Touching inside the vagina
Also see Intrauterine devices (IUDs);
Pelvic exam
baby stuck at shoulders and, **213**

cryotherapy, 384–386
pelvic exam, **373–390**
piece of placenta left inside womb, **234–235**
pressure to stop bleeding after birth, **238**
taking out the placenta by hand, **230–231**
vaginal exams during labor, **186, 339–340**
womb comes out with the placenta, **232–233**
Touch in stage 1 (opening), **169**
Toxemia of pregnancy.
See Pre-eclampsia
Traditional medicine, 17, 467
Training. *See* Learning by midwives;
Teaching
Transfusion (giving blood through an IV), **440**
Transport plan for medical help, 10, **106–107, 164, 442**
Treating health problems, **13–25**
Also see specific health problems
avoiding unnecessary procedures, 20
benefits and risks, 16–17
finding root causes, **21–25**
finding the best treatment, **16–21**
finding the causes, **13–15**
knowing your limits, **20–21**
steps for solving problems, **13–15**
types of medicine, 17–19, **474**
Trichomonas (trich), **326**
Tubal litigation (sterilization for women), **315**
Tubal pregnancy, 79, **113**
Tuberculosis
HIV and, **496**
infertility and, 31
pregnancy problems and, 97
vaccination (BCG), **267**
Tubes
illustrated, 28, 29
tubal litigation (sterilization for women), **315**
tubal pregnancy, 79, **113**
Tumor (molar pregnancy), **134**
Turning a breech or sideways baby, **369–371**
Twins, **143–144**
breastfeeding and, **291**
dangers of twin births, **219**
delivering, **220–221**
listening to heartbeats, 143–144
medical help needed for, 144
signs of, 133, 138, 143

U

Ulcers. *See* Sores
Ultrasound, 90, 437–438

Umbilical cord. See Cord; Cutting the cord

Upset stomach. See Stomach problems

Urethra

caring for infection, 129

illustrated, 27, 376

signs of infection, **128**

Urinating

Also see Sexually transmitted infections (STIs)

baby does not urinate in first day, **256**

blood in urine, 128

catheter (tube to help urinating), 249, **352–353**

during labor, **161**

frequent, **77**, 86, 115

helping mother after birth, **249**

to help the womb contract, 236

leaking freely after birth, **273**

painful or burning, 77, 128

protein in the urine, 125, **126–127**,

128, 180

squeezing exercise (Kegels) and, **44**

ways of encouraging, 249, 352

Uristicks, 126

Uterus. See Womb (uterus)

V

Vaccinations

Also see Injections

about, 276

hepatitis B, **267**

tetanus, **102**, 415

tuberculosis (BCG), **267**

Vacuum aspiration, 92. *Also see*

Manual vacuum aspiration (MVA)

Vacuum extractors, 439

Vagal reaction, **430**

Vagina

Also see Bleeding; Genitals; Pelvic exam; Sexually transmitted infections (STIs); Touching inside the vagina

cervix visible at opening after birth, **249**

fistula (hole in the vagina), 22, 94,

186

hard lump under skin, **272**

hematoma (blood blister) in, **248–**

249

how the baby moves through, **197–**

198

illustrated, 27, 28, 29, 376

infection, **272**

keeping germs away, 175

menopause and, 31

models for teaching about, **456–457**,

458, **464**

pain after birth, **248–249**

preventing tears, **206–208**, 356

show (mucus tinged with blood), **150–151**

smells bad, 77, 321

spotting, 79, 112

squeezing exercise for (Kegels), 44

supporting opening during birth, **206**

torn, 239

vaginal exams during labor, **186**,

339–340

warm cloths around opening, **207**

wetness from (discharge), **77**

Vaginal exams during labor, **186**,

339–340

Vaginal infection, **272**

Vagus nerve, **430**

Varicose veins, 76

Vasectomy (sterilization for men),

315

Vegetables, 35, 36, 37, 42

Vehicles or transportation, 10,

106–107, **164**, **442**

Veins

giving fluid through (IV), **350–351**

swollen (varicose), 76

Vicryl sutures, 358

Vinegar test for cancer or pre-

cancer, 379, **380**, 384–385

Vision

Also see Eyes

blurred, 109, 125

double, 125

Visual pelvic exam, 373, **376**

Vitamin A, **39**

Vitamin B-6, 73

Vitamin C, 116

Vitamins

Also see specific vitamins

buying, avoiding, 42

to eat every day, **37**, **39**

glow foods, 34, 35

injections, 42

pill, 36, 42

Vomiting

Also see Nausea

drinking during labor and, 159

“shooting” from baby, **276**

warning signs versus healthy signs,

110–111

Vulva. See Genitals

W

Walking to encourage labor, 192

Warning signs. See Signs (baby);

Signs

(mother during pregnancy); Signs

(mother in labor, birth, and after)

Warts, genital (HPV), **333**, **380**

Washing

Also see Cleanliness; Disinfecting

equipment; Sterilizing

equipment

bedding, **58**

hands, **53–54**, **153**, **168**

mother after birth, **247**

tools, **59**

Waste disposal

placenta, 67, 235

safe, **67–69**

Water and liquids

Also see Dehydration

after birth, **250**

boiling to kill germs, 54

breastfeeding and, 283

constipation and, 76

dirty, germs in, **50**

drinking during labor, **159–160**

for fever, 178

first weeks after birth, 269

giving fluid through a vein

(intravenous solution or IV), **350–**

351

in healthy diet, 39

high blood pressure and, 125

rehydration drink, **159–160**

Water in the womb. See Bag of

waters

Water retention. See Swelling

Waters. See Bag of waters

Water timers, **448**

Water weight. See Swelling

Weakness

Also see Anemia; Tiredness

in past pregnancies, 93

poor nutrition and, 117

as warning sign, **111**, **116**

Weeks pregnant, figuring, 88, 89,

90.

Also see Length of pregnancy

Weight

Also see Size

baby not gaining, **276**

checking the baby’s, **256**, **258**

checking the mother’s, **118–119**

large baby, 254, **258**

large baby in past, 94, 115

small baby, **221**, 254, **256–257**, **292**

small baby in past birth, 94

sudden gain by mother, 118, 119

Western medicine, 17, 18

Wetness from vagina. See

Discharge (wetness from vagina)

Where There Is No Doctor, 41, 115,

328

Where Women Have No Doctor, 46,

105, 111, 322

White color. See Pale color

White discharge. See Yeast

infection

Womb (uterus)

Also see Contractions; Manual

vacuum aspiration (MVA);

Measuring the womb; Placenta;

Position of the baby; Touching inside the vagina
bigger than normal, 115
bimanual (2-hand) exam, **387–390**
comes out with the placenta, **232–233**
cramps in early pregnancy, **79**
feeling baby inside, 87
first weeks after birth, **270–271**
growing too fast, **133–134**
growing too slowly, **134–135**
helping contract after the placenta is born, 224, **236–238**
how a baby grows, **30**
how women get pregnant, **29**
illustrated, 28, 29
infection, 120, 179, **185, 271, 403**
infection in past pregnancies, 95
measuring, 90, **130–135**
models for teaching about, **454–455, 458–461, 464**
pain during labor, **183–185**

piece of placenta left inside, **234–235**
position of the baby, **135–144, 170–171, 190–191**
pushing on mother's belly and, **205**
rubbing after the placenta is born, **224, 236**
scar from cesarean surgery, 96
scars from abortion, 92
signs that the placenta has separated, **226–227**
sore after birth, 159
staying soft after placenta is born, **236–238**
tissue coming out, after abortion, 412
torn, **184–185, 205**
water in, too little, 134
water in, too much, **133**
Work
breastfeeding and, **284–286**
in pregnancy health history, **105**
Working with chemicals, 47

Worms. See Parasites
Worry during pregnancy, 82

X

X-rays, 438

Y

Yeast infection, **326–327**
frequent, diabetes and, 115
preventing, **327**
signs of, **326**
thrush, **290**
treatment, **327**
Yellow color (baby), **266, 279**
Young mothers, 22, 105