

Index

This index lists topics covered in the book in the order of the alphabet.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference. Medicines included in the green medicine pages are listed in the health problem index on page 472.

A

- Abortion**, 92, **405–419**, 488–489
Also see Manual vacuum aspiration (MVA); Miscarriage
 bleeding too much after, **410**, **416–418**
 comparison of methods, 92
 deciding to help after, **406–407**
 emergency care for problems, **410–418**
 emotional support after, **407–408**
 finding care after, **405–407**
 helping a woman after, **405–419**
 incomplete, **411–412**, 421, **423**
 infection after, **410**, **413–415**, **423**
 internal injury from, **417**
 medication abortion, **488–489**
 physical care after, **408–409**
 preventing unsafe abortions, **419**
 problems from, **405–409**
 safe versus unsafe, **92**, **406**
 shock after, **417**, **418**
 tetanus (lockjaw) after, **415**
 warning signs versus healthy signs, **408**
- Abruption**. *See* Detached placenta (abruption)
- Abscess (lump) in breast**, 288
- Abstinence**, 312
- Abusive partners**, 105
- Aches and pains**. *See* Pain
- Active labor**, 167, 188
- Acupressure**
 to encourage labor, **192–193**
 to help with pain in labor, 193
 for nausea relief, 74
- Addiction**, 46. *Also see* Alcohol (drinking); Drugs
- After birth**. *See* First few hours after birth; First weeks after birth
- Afterbirth**. *See* Placenta
- Age**
 pregnancy problems and, **90**
 very young mothers, 22, 105
- AIDS**. *See* HIV
- Albusticks**, 126

Alcohol (drinking)

- avoiding during pregnancy or breastfeeding, 30, 46
- infertility and, 31
- small baby and, 134, 257
- for sterilizing tools, 64

Alcohol (medical)

- hand cleaner with glycerine and, 54
- soaking thermometers in, 65
- for sterilizing tools, 64
- washing floor with, 57

Allergies

- to copper, IUDs and, 394
- to injections, 345
- to medicine, **103**, **469–470**

Aminoglycosides

, 475

Ammonia, washing floor with

, 57

Amniotic waters

. *See* Bag of waters

Anemia

- hookworm and malaria as causes, 37
- iron for preventing, 36
- IUD dangers and, 394
- with joint pain, 81
- in past pregnancies, 93
- signs of, 78, **116**
- treating, 116

Anger during pregnancy

, 82

Angry cat exercise

, 80, 190

Animal milk

. *See* Bottle feeding

Animal products, inexpensive

, 42

Ante-natal or ante-partum checkups

.

See Prenatal checkups

Antibiotics

, 468, **474–475**

Antiretrovirals

. *See* ART

Antiseptic for MVA

, 425

Anti-shock garment

, 418, 506

Anus

- bulging during contractions, 195
- checking baby's, **263**
- baby's closed or missing, 263
- illustrated, 27, 376
- testing for torn muscle around, 357

Anxiety

. *See* Fear; Tension

Appendicitis

, 114

Arms, checking baby's

, 262

ART (Anti-Retroviral Therapy)

, 99, 101, 153, 163, 276, 293, 335, **496–502**

B

Baby

, **130–144**, **240–245**, **252–267**

Also see Heartbeat (baby); Position of the baby; Signs (baby)

ART for, **499**

birth defects, 45, 46, 95, **266–267**

breaking collar bone, 213

breathing, checking, **241**, **254**, **262**

caring for, during 3rd stage, **240–245**

checking after birth, 213, **240–245**, **252–267**

checking in womb, **130–144**

chlamydia and, **324**

clearing nose and mouth, **208–209**, 213–214

color, **244–245**, **266**, **279**

crowning during 2nd stage, 197

early birth, 83, 88, 94, **221**, **292**

feeling inside the womb, 87

first hours after birth, **252–267**

first weeks after birth, **274–279**

general appearance, **253–254**

gonorrhoea and, **324**

heart sounds, **262**

helping breastfeed, **245**

HIV and, 101, 276, 499

holding when breastfeeding, **282–283**

how it grows in pregnancy, 30

how it moves through the vagina, **197–198**

keeping warm and dry, **240**, **255**

kicking and other movements, 80, 87, 134, 138

large, **254**, **258**

large in past birth, 94, 115

length, 259

measuring the womb, 90, **130–135**

medical help for sick babies, **441**

model for teaching about pregnancy, **463**, **464**

muscle tone, **244**

oxygen for, 241

position of, **135–144**, **170–171**, **190–191**, **215–219**

reflexes, **244**

rescue breathing, **242–243**

- shoulders, delivering, 210–213
 sick or dead in past birth, 95
 small, 221, 254, 256–257, 292
 small in past birth, 94
 weight, 256–258
- Back**
 checking baby's, 265
 lower back deformity in mother, 97
 lying on during labor, avoiding, 162, 200
 pains, 80, 113–114
- Bacterial vaginosis (BV or gardnerella), 328**
- Bag of waters, 174–177**
 baby floating in, 30
 breaking as sign of labor starting, 151
 breaks early, medical help needed for, 106
 checking if broken, 174
 color of waters, 174–175, 208
 pelvic exam and, 374
 stool in waters, 174–175, 209, 213
 time between labor start and breaking of, 175–176
 tool for breaking, 439
 too little water, 134
 too much water, 133
- Baking, sterilizing tools by, 61**
- Barbiturates, 46**
- BCG vaccination, 267**
- Beam scale, homemade, 449–450**
- Beans, 35, 41**
- Bed nets, 98**
- Bedding, 58, 98, 163**
- Beliefs, harmful, 39–40**
- Belly**
 baby drops lower in, 149
 checking baby's, 263
 cleaning after birth, 247
 cramps in early pregnancy, 79
 growing larger, 86
 nausea (morning sickness), 73–74, 86, 110–111
 pain severe in, 109
 pain sudden, 79
 pain, sudden, steady, and severe, 125
 pain, warning signs versus healthy signs, 113–114
 pressure to stop bleeding after birth, 237
 pushing on, avoiding during birth, 205
 strap, 80
- Bilirubin, 279**
- Bimanual (2-hand) pelvic exam, 373, 387–390**
- Birth.** See Labor and birth
- Birth box (model for teaching), 465**
- Birth by operation.** See Cesarean surgery
- Birth control.** See Family planning
- Birth control pills, 307–308**
- Birth defects, 266–267**
 alcohol drinking by mother and, 46
 causes of, 267
 checking baby for, 266
 helping parents of children with, 266–267
 medicines and, 45
 in past pregnancies, 95
 rubella (German measles) and, 45, 95
- Birth of the placenta (stage 3 of labor), 223–245**
 Also see Labor and birth; Signs (mother in labor, birth, and after)
 “active management” of, 225
 baby has breathing problems, 240–241
 baby not breathing, 241–243
 bleeding after placenta is born, 236–239
 bleeding before placenta is born, 226
 bleeding, dangers of, 224–239
 caring for the baby, 240–245
 checking the baby's health, 240–245
 checking the physical signs of mother, 223
 checking the placenta and cord, 233–234
 death of baby and, 243
 guiding the placenta out by the cord, 228–229
 helping the mother push, 227–231
 helping the womb contract after, 224, 236–238
 if no helper is available, 223
 medicines for, 224, 225, 228, 231, 233, 237
 overview, 146, 157
 piece of placenta left inside womb, 234–235
 rubbing the womb after, 224, 236
 shock (signs and treatment), 239
 signs that the placenta has separated, 226–227
 taking out the placenta by hand, 230–231
 torn vagina, 239
 womb comes out with the placenta, 232–233
- Birth pants (model for teaching), 461**
- Bladder infection, 128–129**
 caring for, 129
 fever from, 120
 labor and, 179
 pregnancy problems and, 97
 preventing, 129
 signs of, 77, 128
- Bleach**
 disinfecting solution using, 57, 59
 never mixing with ammonia, 57
 for sterilizing tools, 59, 64
 washing floor with, 57
- Bleeding**
 Also see Blood; Monthly bleeding (menstruation)
 after abortion or miscarriage, 410, 416–418
 after birth, 224–239
 after female genital cutting (circumcision), 368
 after placenta is born, 236–239
 bladder of mother full and, 352
 blood pressure drops during labor and, 180
 with constant pain, late in pregnancy, 114
 with cramps during first 6 months, 112
 detached placenta (abruption) and, 114, 180, 184, 205, 219, 354
 during labor, 183, 205
 in early pregnancy, 79
 episiotomy and, 354
 first weeks after birth, 270
 gums, 117
 heavy, after abortion or miscarriage, 410, 416–418
 heavy, before placenta is born, 226
 heavy, in past pregnancies, 95
 heavy, medical help needed for, 106
 heavy, preventing after birth, 248
 high blood pressure and, 122
 IV for blood loss, 350–351
 with no pain, 112, 183
 show (mucus tinged with blood), 150–151
 spotting, 79, 112
 swollen veins around genitals and, 76
 torn vagina, 239
 twins and, 219, 220, 221
 from vagina (warning sign), 109, 112, 183
 warning signs versus healthy signs, 112
- Blindness**
 genital herpes and, 332
 preventing in baby, 260–261, 324

Blood

Also see Bleeding
 disposing of, 67
 as food, 42
 germs in, 49, 50
 HIV spread and, 99
 loss, IV for, 350–351
 preventing infection from, 50, 51
 transfusion (giving through an IV),
 440
 in urine, 128

Blood blister (hematoma)

in baby's head, 260
 in vagina after birth, 248–249

Blood clot in leg (warning signs), 81, 273**Blood pressure**

Also see High blood pressure
 checking during labor, 180–182
 checking during pregnancy,
 122–124
 drops during labor, 180
 equipment, 122
 goes up during labor, 180–181
 shock and drop in, 239
 warning signs, 122, 180–181

Blood sugar disease. *See* Diabetes (blood sugar disease)**Blood tests**

for anemia, 116
 for diabetes, 115
 lab tests, 438

Blue color (baby), 244–245, 266**Blurred vision (warning sign)**, 109, 125**Body changes in pregnancy.**

See Changes in pregnancy

Body wastes, disposing of, 67**Boiling**

gloves, 66
 sterilizing tools by, 62

Bones, pelvic. *See* Pelvis; Pubic bone**Bottle feeding**

Also see Breastfeeding
 breastfeeding hampered by, 286
 breastfeeding versus, 41
 dangers of, 276, 281
 with formula made from animal milk,
 295
 with formula, safety and, 294, 295
 with milk removed from breasts, 286

Bowels

Also see Stool
 constipation, 36, 76–77
 enemas, avoiding during pregnancy,
 77
 piles (hemorrhoids), 77

Brain infection (meningitis) in baby, 278**Breaking baby's collar bone**, 213**Breaking of waters**

checking if broken, 174
 color of waters, 174–175
 early, medical help needed for, 106
 pelvic exam and, 374
 as sign of labor starting, 151
 stool in waters, 174–175
 time between labor start and,
 175–176
 tools at hospitals or medical centers,
 439

Breastfeeding, 281–295

Also see Bottle feeding
 advantages of, 281
 alternatives to, 294–295
 antibiotics and, 475
 breast infection (mastitis), 289
 cleft lip or cleft palate and, 261
 colostrum (first milk), 72, 245, 283
 common difficulties, 286–291
 during pregnancy, 292
 early baby and, 292
 eating during, 283
 to encourage labor for second twin,
 220
 encouraging the baby, 275
 engorged (swollen) breasts and, 288
 extra food needed for, 34
 family planning and, 301, 306, 312
 fear of not having enough milk,
 286–287, 306
 feeding milk that has been removed,
 286
 flat or inverted nipples and, 287
 fortified milks versus, 41
 gas pains (colic) in baby, 291
 helping after birth, 252
 helping the baby, 245
 to help the womb contract, 236
 HIV and, 287, 293–294
 HIV spread and, 99, 287
 how to breastfeed, 282–283
 how to hold the baby, 282
 large baby and, 254, 258
 medicines and, 45, 292, 467, 475
 nipples cracked or sore, 290
 nutrition provided by, 41
 painful lump (abscess) in breast, 288
 heating breast milk to kill HIV, 294
 removing milk from breasts,
 284–285
 saving milk, 285
 sharing breast milk, 286
 sick mother and, 292
 small baby and, 254, 257, 292
 things to avoid during, 45–47
 thrush (yeast infection), 290
 twins and, 291
 weak baby and, 254

when to feed, 282
 work outside the home and,
 284–286

Breasts

growing larger, 87
 infection (mastitis), 289
 leaking, 76
 painful lump (abscess) in, 288
 removing milk from, 284–285
 swollen (engorged), 76, 288

Breathing (baby)

checking, 241, 254, 262
 clearing baby's nose and mouth,
 208–210
 not breathing, 241–243
 rate, checking, 254
 rescue breathing, 242–243
 signs of problems, 241, 254, 262

Breathing (mother)

difficulty, anemia and, 116
 fast and deep, 159
 shortness of breath, 78, 103, 114
 in stage 1 (opening), 170
 in stage 2 (pushing), 201

Breech baby (bottom down), 215–219

checking for, 137–138
 complete breech (folded legs), 215,
 216–218
 dangers of breech births, 215
 dangers of turning, 369
 delivering complete or frank breech,
 216–218
 delivering footling breech, 218–219
 difficulty of childbirth and, 137
 episiotomy for, 354–355
 footling breech (feet first), 215,
 218–219
 frank breech (straight legs), 215,
 216–218
 getting the baby to turn, 142
 home birth and, 143
 medical help needed for, 190, 215,
 218
 turning, 369–371
 twins and, 219
 what to do about, 142–143

Bulb syringe, 66, 209, 214**Burning plastic wastes, avoiding**, 68**Burning sensations**

in feet, 117
 in stomach or between breasts
 (heartburn), 74–75
 while urinating, 77, 128
 in vagina, 77

Burying wastes, 67–69, 235**Buttocks down position.** *See* Breech baby (bottom down)**BV (bacterial vaginosis or gardnerella)**, 328



- Calcium**, 37–38, 74, 81
- Calculator for due date**, 531
- Calendar for figuring due date**, 88–89
- Cancer**
of the cervix, 379, 380, 383
Pap test for, 379, 381–383
preventive treatment, 384–386
vinegar test for, 379, 380, 384–385
- Candida**. See Yeast infection
- Cannulas**. See Manual vacuum aspiration (MVA)
- Capsules**. See Medicines
- Caput on baby's head**, 260
- Carbohydrates (main foods)**, 34, 35
- Carbon dioxide**, 384
- Care in pregnancy**. See Health care in pregnancy
- Cars or transportation**, 10, 106–107, 164, 442
- Castor oil drink for starting labor**, 347
- Catheters**, 249, 356–357
- Causes of health problems**
finding, 13–15
root causes, 21–25
- CD4 test**, 496
- Cephalosporins**, 475
- Cervix**
Also see Opening (stage 1 of labor)
abnormal cells, 379, 380, 383, 384–386
bimanual (2-hand) exam, 387–390
cancer of, 383
cryotherapy, 384–386
illustrated, 28
mucus plugging, 28, 150, 155
numbing during MVA, 428
opening (stage 1 of labor), 146, 155–156, 167–193
Pap test for cancer or pre-cancer, 379, 381–383
placenta covering (placenta previa), 112, 183, 374
pushing before fully open, avoiding, 186, 196
size when ready for birth, 156
softening of, 155
speculum exam, 377–379
vinegar test for cancer or pre-cancer, 379, 380, 384–385
visible at vaginal opening after birth, 249
- Cesarean surgery (birth by operation)**
dangers of, 440
described, 96
HIV and, 440
need for, 136, 141, 142, 143, 177, 191, 440
overuse of, 440
in past birth, 96
- Chalk cravings**, 74
- Chancroid**, 330, 331
- Change of life (menopause)**, 31, 86
- Changes in pregnancy**, 73–83
discomforts and pains, 76–81
in eating and digestion, 73–75
feelings and emotions, 82–83
how the baby grows, 30
how women get pregnant, 29
sexual and reproductive parts, 27–28
in sleeping, 75
- Checkups**. See Prenatal checkups; Tests
- Chemicals**
Also see Drugs; Medicines
avoiding during pregnancy or breastfeeding, 47
infertility and, 31
for sterilizing equipment, 63–64
too dangerous to use, 64
- Chicken**, 42
- Children, number of**, 90–91
- Chlamydia**, 50, 323–325
- Chlorine bleach**. See Bleach
- Cholera**, 50
- Chromic gut sutures**, 358
- Cigarettes**. See Tobacco
- Circumcision (female)**
See Female genital cutting (circumcision or FGC)
- Circumcision (male)**, 264
- Clamping the cord**, 214. *Also see* Cutting the cord
- Clap, the (gonorrhea)**, 50, 323–325
- Clay cravings**, 74
- Cleanliness**
Also see Sterilizing equipment
before and during birth, 153, 168
cleaning bedding, 58
cleaning mother after birth, 247
cleaning the space, 57, 150
cord stump and, 215
during pregnancy, 42–43
first weeks after birth, 269
for preventing infection, 52
tooth and mouth care, 43
underpadding for birth on floor, 58
washing hands, 53–54, 153, 168
- Cleft lip (harelip) or cleft palate**, 261–262
- Clinics**. See Hospital or medical center
- Clitoris**, 27, 376
- Cloth models for teaching**
vagina, 456–457
womb, 454–455, 459–461
- Clot in leg (warning signs)**, 81, 273
- Cocaine**, 46
- Coffee**, 31, 81
- Colic (gas pains)**, 291
- Collar bone, breaking baby's**, 213
- Color (baby)**, 244–245, 266, 279
- Color (mother)**
dark patches on skin (mask of pregnancy), 79
legs red, 273
pale inside of eyelids, fingernails, and gums, 116
pale, shock and, 239
purple line between buttocks, 195
purple spots on skin, 79
waters, 174–175, 208
- Colostrum (first milk)**, 76, 245, 283
- Combination medicines, avoid**, 468
- Community**
Also see Family; Partners
changes to prevent health problems, 23–25
family planning and, 318–319
helper for birth, 151
people who affect a woman's health, 8–9
preventing unsafe abortions, 419
rituals and practices honoring pregnancy, 44
sexually transmitted infections (STIs) and, 337
sharing what you know with, 4–6
transport plan for medical help, 10, 106–107, 164, 442
women's health affected by, 8–9
working together to save lives, 10
- Complete breech (folded legs)**, 215, 216–218. *Also see* Breech baby (bottom down)
- Condoms**
for family planning, 301, 302–303
HIV and, 99, 100, 334
for sex during pregnancy, 83
using, 303
for women, 301, 302, 303
- Confidentiality**, 7, 101
- Constipation**
defined, 76
during pregnancy, 76–77
enemas for, avoiding during pregnancy, 76
from iron pills, 36
laxatives or purgatives for, avoiding, 77
piles (hemorrhoids) and, 77
preventing or treating, 76
- Contraceptives**, 298–319, 393–403, 494–495
- Contraceptive sponge method of family planning**, 317

Contractions

Also see Cramps (womb); Labor and birth; Pushing (stage 2 of labor)
cervix opened by, 156
easing pain of, 169–170, 187–188, 193
pain between, 184
practice contractions, 150, 155
resting between, 161
signs that stage 2 is near or starting, 195
in stage 1 of labor, 167
stronger and more frequent, 149–150
supporting the mother, 169–170

Conversation. *See* Talking

Convulsions (fits)

dangers of, 181
during labor, 181–182
medicines for, 181–182
in past pregnancies, 93
pre-eclampsia and, 20, 93, 125–127, 181–182
what to do during, 181

Copper T IUD. *See* Intrauterine devices (IUDs)

Copying patterns for models, 451**Cord**

around baby's neck, 209
baby's pulse in, 139, 177
breech baby and, 216, 218
caring for baby's stump, 277
checking the end of, 234
coming in front of baby (prolapsed), 176–177, 208, 218, 219, 354
guiding the placenta out by, 228–229
how to cut, 214–215
illustrated, 30
infection, signs in baby, 277
model for teaching about pregnancy, 462–463, 464
pulling on, dangers of, 228
pulse lacking in, 177
razor blades for cutting, 65
signs that the placenta has separated, 227
stump, keeping clean and dry, 215
twins and, 220
when to cut, 157, 214

Cotrimoxazole, for people with HIV, 101, 335, 481

Cracked nipples, 290

Cramps in legs, 80–81

Cramps (womb)

Also see Contractions
after cryotherapy, 386
bleeding with, during first 6 months, 112
in early pregnancy, 79
warning signs, 79, 112, 113

Cravings for foods, 74

Creams. *See* Medicines

Cretinism. *See* Hypothyroidism

Crowning, 197

Crying during pregnancy, 82

Cryotherapy, 384–386
Cryoprobe, 384–386
thermal ablation and, 386

C-section. *See* Cesarean surgery (birth by operation)

Cutting the cord

Also see Cord
around baby's neck, 210
how to cut, 214–215
razor blades for, 65
stump, keeping clean and dry, 215
twins and, 220
when to cut, 157, 214

Cutting the opening of the vagina.

See Episiotomy (cutting the vaginal opening)

D

Dalkon Shield, 403

D&E, 92. *Also see* Abortion

Dark patches on skin, 79

Date birth expected. *See* Due date

Death of baby

helping the mother and family, 135, 243
in past pregnancies, 95, 115
rubella (German measles) and, 45
womb growing too slowly and, 134–135

Deformity

birth defects, 45, 46, 95, 266–267
of mother's hips or lower back, 97

Dehydration

after birth, 251
bottle feeding and, 275
defined, 159
drinking during labor, 159–160
helping baby, 275
if mother cannot drink, 159
rehydration drink, 159–160
warning signs (baby), 275
warning signs (mother), 111, 120, 159, 178

Delayed labor. *See* Encouraging labor; Late labor

Delivering

Also see Birth of the placenta (stage 3 of labor); Labor and birth; Opening (stage 1 of labor); Pushing (stage 2 of labor)
baby's body and giving baby to mother, 214
breech baby (complete or frank), 216–218
breech baby (footling), 218–219
shoulders of baby, 211–213
twins, 219–221

Dental care, 43

Depression, 82, 95, 121, 251, 274

Detached placenta (abruption)

during pregnancy, 114
episiotomy and, 354–355
home birth and, 205
medical help needed for, 114, 184, 205
pre-eclampsia and, 180
pushing on mother's belly and, 205
signs of, 114, 184, 205
twins and, 219

Diabetes (blood sugar disease)

helping a woman with, 115
in a baby, 254, 258
infertility and, 31
in past pregnancies, 93
pregnancy problems and, 97
test for, 115
warning signs, 93, 115, 133

Diaphragms, 301, 304

Diarrhea (loose stool)

before labor, 150
bottle feeding and, 275
from castor oil drink, 343
germs and, 50
vomiting with, 111

Diet. *See* Bottle feeding; Breastfeeding; Eating and food

Dilation and curettage, 92. *Also see* Abortion

Dilation of cervix. *See* Opening (stage 1 of labor)

Dirt. *See* Cleanliness

Dirt cravings, 74

Disabilities

affecting thinking or the brain, 45, 46
alcohol drinking by mother and, 46
birth defects, 45, 46, 95, 266–267
helping parents of children with, 266–267
medicines and, 45
rubella (German measles) and, 45

Disabled Village Children, 267

Discharge (wetness from vagina)

- during pregnancy, 77
- germs in, 50
- normal versus infected, 323
- sexually transmitted infections (STIs), 323–328
- show versus, 151
- yeast infection, 101, 115, 326–327

Disease. *See* Illness; Infections; *specific diseases*

Disinfectants, 57, 59, 64

Disposing of wastes safely, 67–69

Dizziness

- late in pregnancy, 81
- shock and, 239
- as warning sign, 81, 109, 116

Doctors

- Also see* Hospital or medical center
- baby taken from mother by, 240
- bag of waters broken by, 439
- cesarean surgery overused by, 440
- checking baby with 2-vessel cord, 234
- nutritional advice from, 250
- unnecessary practices by, 437, 445
- working with, 442–444

Dopplers, 438

Double vision, 125

Dreams, strange, 82

Drinking alcohol

- avoiding during pregnancy or breastfeeding, 46
- infertility and, 31
- small baby and, 134

Drinking liquids. *See* Water and liquids

Drip, the (gonorrhea), 50, 323–325

Drops. *See* Medicines

Drug resistance, 468

Drugs

- Also see* Medicines
- avoiding during pregnancy or breastfeeding, 46
- small baby and, 134

Due date

- Also see* Early birth
- delayed labor, 88
- predicting, 88–89, 130, 133
- tool for calculating, 531

Duration of pregnancy. *See* Length of pregnancy

E**Early birth, 221**

- Also see* Small baby
- breastfeeding and, 292
- medical help needed for, 221
- more than 5 weeks early, 221
- normal and safe range, 88
- not starting after breaking of waters, 176
- in past pregnancies, 94
- sex during pregnancy and, 83
- twins and, 219

Early end to pregnancy. *See* Abortion; Miscarriage

Ears

- checking baby's, 260
- cleft lip or cleft palate and infections, 262

Eating and food, 33–42, 73–75

- Also see* Bottle feeding; Breastfeeding; Water and liquids
- after birth, 250
- avoiding foods, dangers of, 40
- bladder infection and, 129
- breastfeeding and, 283
- calcium-containing foods, 38
- changes during pregnancy, 73–75
- cooking food, 35, 36, 39, 42
- cravings for foods, 74
- during labor, 160
- eating enough, 33, 34, 39
- eating well with little money, 41–42
- feeding men first, 9
- first weeks after birth, 269
- folic acid-containing foods, 37
- girls' needs equal to boys', 22, 39
- glow foods (vitamins and minerals), 34, 35, 36–39
- go foods (fats, oils, and sugar), 34, 35
- grow foods (proteins), 34, 35, 250
- for a healthy pregnancy, 33–42
- high blood pressure and, 124–125
- ideas affecting health, 39–40
- iodine-containing foods, 38
- iron-containing foods, 36
- main foods (carbohydrates), 34, 35
- nausea and food dislikes, 73–74
- packaged and processed foods, 39
- poor nutrition, 33, 117, 134
- talking to women about food, 34–39
- tooth protection and diet, 43
- variety of foods, 33, 34–35, 40
- vitamin A-containing foods, 39
- vitamins and minerals to eat every day, 36–39
- womb growing too slowly and, 134
- women's needs equal to men's, 9

Eclampsia. *See* Convulsions (fits)

Edema. *See* Swelling

Education. *See* Learning by midwives; Teaching

Egg (human), 29

Eggs (fowl), 42

Emergencies

- Also see* Hospital or medical center; Medical help; Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)
- from abortion or miscarriage, 410–418
- being ready for, in labor and birth, 163–164
- contraception for, 316
- from female genital cutting (circumcision or FGC), 368–369
- tools at hospitals or medical centers, 438–440
- working with hospitals and doctors, 442–445

Emergency contraception, 316

Emotions and feelings

- Also see specific feelings*
- after birth, giving support for, 274
- anger or irritability, 82
- changes during pregnancy, 82–83
- death of baby and, 135, 243
- depression, 82, 95, 121, 274
- difficulty sleeping and, 75
- menopause and, 31
- mother not interested in her baby, 251
- pelvic exam and, 375
- signs of labor starting soon, 150
- support after early end to pregnancy, 407–408
- worry and fear, 82

Emptying the womb. *See* Manual vacuum aspiration (MVA)

Encouraging labor, 191–193, 341–344

- Also see* Long labor
- avoiding, if medical help needed, 191
- castor oil drink for, 343
- dangers of methods for, 341
- enemas for, 342–343
- medicines for, 175, 191, 341
- plant medicines for, 344
- second baby of twins and, 220, 221
- signs of need for, 341
- things to avoid, 191, 205
- time after breaking of waters and, 175–176

Ending pregnancy. *See* Abortion; Miscarriage

Enemas (giving rectal fluids)

avoiding during pregnancy, 77
dangers of, 342
for starting labor, 342–343
uses for, 342

Energy

Also see Anemia; Weakness
foods for, 35
sleepiness during pregnancy, 75, 86
tiredness, 93, 116, 159

Engorged breasts, 76, 288

Enjoyment

of pregnancy, 44
working for, 11

Episiotomy (cutting the vaginal opening), 354–355

circumcision scar and, 206, 354
dangers of, 354
how to do, 354–355
sewing after, 358–366
times when necessary, 354

Equipment. *See* Sterilizing equipment; Tools and supplies

Ergometrine

dangers if placenta not born yet, 224
to empty the womb after
incomplete abortion, 412
to help the womb contract, 224
to stop bleeding from the womb,
231, 232, 237

Estrogen, women who should not use, 306

Ethanol. *See* Alcohol (medical)

Ethyl alcohol

alcohol and glycerine hand cleaner,
54
soaking thermometers in, 65

Examinations. *See* Prenatal checkups

Exercise during pregnancy, 43–44

Exercises

angry cat, 80
squeezing (Kegels), 44

Eyes

blurred vision (mother), 109, 125
checking baby's, 260
chlamydia or gonorrhea and (baby),
324
color (baby), 279
double vision (mother), 125
genital herpes and, 332
preventing blindness (baby),
260–261, 324
sunken (mother), 159

F

Face

baby coming face first, 190
swollen in mother (warning sign), 76,
81, 126, 127

Factory chemicals, 47

Fainting or faintness

after birth, 226
during pregnancy, 116
shock and, 239

Family

Also see Community; Partners
abusive partners, 105
answering questions of, 267
feeding first, 39
food advice from, 250
helper for birth, 151
as people who affect a woman's
health, 8–9
permission for care from, 107
support from, 105–106
time alone after birth, 252
women's health affected by, 8–9

Family planning

Also see specific methods
choosing a method, 300–317
community and, 318–319
emergency contraception, 316
helping women have more choices,
299
manual vacuum aspiration (MVA)
and, 435
methods that do not work, 318
reasons for, 299

Fast heartbeat (baby), 173, 184, 243,
255

Fast pulse (mother)

problems indicated by, 121, 178
as sign of anemia, 116
as sign of dehydration, 159
as sign of infection, 251
as sign of shock, 239

Fat mother, 115, 118

Fats (go foods), 34, 35

FGC. *See* Female genital cutting
(circumcision or FGC)

Fear

during pregnancy, 82
of not having enough milk, 286–287
pelvic exam and, 375

Feeding tube, 441

Feelings. *See* Emotions and feelings;
specific feelings

Feet

burning sensations or numbness,
117
checking baby's, 265
swollen, 76

Female genital cutting (circumcision or FGC)

caring for woman after, 367–369
cutting the scar, 206, 354–355, 367
dangers of, 367
emergency care for, 368–369
repairing the cut, 367
warning signs, 368

Fertility awareness (natural family planning), 312–315

counting days method, 314–315
mucus method, 313
other methods compared to, 301
overview, 312–313

Fetoscope, 139, 438

Fever

causes of, 120
checking the baby's temperature,
255–256
checking the mother's temperature,
119, 178–179, 251
dehydration and, 120, 159, 178
during labor, 178–179
hot feeling during pregnancy, 78
in past pregnancies, 95
pregnancy problems and, 97
treating, 120
as warning sign (mother), 109, 119,
178

Fibroids, IUD dangers and, 394

Finger method for measuring the womb, 131–132

First few hours after birth, 247–267

Also see First weeks after birth
answering family's questions, 267
breathing rate of baby, 254
checking body of baby, 256–267
checking mother's genitals for tears
and problems, 248–249
checking physical signs of mother,
247
cleaning mother's genitals, belly, and
legs, 247
cleaning up, 267
examining the baby (overview),
252–253
general appearance of baby,
253–254
giving BCG immunizations (baby),
267
heartbeat of baby, 255
helping mother to eat and drink,
250
helping mother to urinate, 249
helping with breastfeeding, 252
overview, 157
preventing heavy bleeding (mother),
248
recording baby's signs, 253

temperature of baby, 255–256
 watching mother for infection, 251
 watching mother's feelings about her baby, 251
 what to do for the baby, 252–267
 what to do for the mother, 246–252

First weeks after birth, 269–279
Also see First few hours after birth
 baby not gaining weight or growing normally, 276
 baby not urinating or passing stool in first day, 275
 caring for the baby's cord, 277
 color of baby's skin and eyes, 279
 dehydration (baby), 275
 giving emotional support, 274
 helping mother care for herself, 269
 leaking urine or stool (mother), 273
 legs red, hard, swollen, or painful (mother), 273
 signs of infection (baby), 277–279
 vomit “shoots” out (baby), 276
 what to do for the baby, 274–279
 what to do for the mother, 269–274
 womb and bleeding, watching mother's, 270
 womb infection, signs of, 271

Fish, 35, 42

Fistula (hole in the vagina)
 leaking urine or stool and, 273
 long labor and, 186
 in past pregnancies, 94
 preventing, 22, 273

Fits. *See* Convulsions (fits)

Flat nipples, 287

Floor
 underpadding for birth on, 58
 washing, 57

Fluids. *See* Water and liquids

Folding scale, homemade, 449–450

Folic acid (folate), 37

Folk medicine, 17

Fontanels (soft spots in baby's head), 259

Food. *See* Bottle feeding; Breastfeeding; Eating and food

Foot. *See* Feet

Footling breech (feet first), 215, 218–219. *Also see* Breech baby (bottom down)

Forceps, 142, 439

Foreskin. *See* Circumcision (male)

Forgetfulness during pregnancy, 83

Formaldehyde, 64

Formula. *See* Bottle feeding

Frank breech (straight legs), 215, 216–218. *Also see* Breech baby (bottom down)

Friends. *See* Community

Fruits, 35, 42
Fumes, 47
Fungus. *See* Yeast infection

G

Garbage dumps, 69

Gardnerella (BV or bacterial vaginosis), 328

Gas pains (colic), 291

Generic names of medicines, 471

Genital herpes, 331–332

Genitals
Also see Pelvic exam; Sexually transmitted infections (STIs); Vagina
 bulging during contractions, 195
 checking baby's, 263–264
 checking mother's after birth, 248–249
 cleaning mother's after birth, 247
 illustrated, 27, 376
 itching, 77, 326, 327, 328
 swollen veins around, 76
 torn during birth, 248

Genital ulcers (sore on genitals), 329–333
 avoiding sex if present, 329
 chancroid, 330, 331
 genital herpes, 331–332
 HPV (genital warts), 333, 380
 syphilis, 329–330

Genital warts (HPV), 333, 380

German measles (rubella), 45, 95

Germ
 defined, 49
 how they get into the body, 50
 infection caused by, 49–51
 keeping away, 52–56, 175
 sterilization and, 60

Getting up and down during pregnancy, 78

Girls' need for food, 39

Gloves
 disposing of, 68
 how to put on sterile gloves, 55
 plastic bags as, 54
 for preventing infection, 51
 reusing, 66
 sterile packets of, 55, 65
 sterile, using, 54–55
 sterilizing, 66

Glow foods, 34, 35, 36–39. *Also see* Minerals; Vitamins

Glutaraldehydes, 64

Glycerine and alcohol hand cleaner, 54

Go foods (fats, oils, and sugar), 34, 35

Goiter, 38, 117

Gonorrhea (gono), 50, 323–325

Gourd model for womb, 458

Grains, 35, 42

Greed and medicine, 19

Grow foods (proteins), 34, 35, 250

Guarding the labor, 158

Guiding the labor, 159–163

Gums

pale, 116
 sore or bleeding, 117

H

Hands

Also see Touching inside the vagina
 checking baby's, 262
 swollen in mother (warning sign), 76, 81, 126, 127
 washing, 53–54, 153, 168

Hard stools. *See* Constipation

Harelip (cleft lip), 261–262

Harmful diet beliefs, 39–40

Headaches

during pregnancy, 81
 migraines, 81
 as warning sign, 81, 109, 125

Head of baby

Also see Breech baby (bottom down)
 beginning to show in birth, 196–197
 caputs and hematomas, 260
 checking after birth, 259–260
 clearing nose and mouth, 208–210
 finding in pregnant mother, 137–138

to one side in womb (asynclitic), 204
 shape, suture lines, fontanels, 259
 slowing the birth of, 207–208

Head up position. *See* Breech baby (bottom down)

Health care in pregnancy, 33–47

Also see Prenatal checkups
 cleanliness, 42–43
 eating well, 33–42
 exercise, 43–44
 illness during pregnancy, 97–101
 importance of, 70
 pregnancy health history, 85–107
 prenatal checkups, 108–145
 preventing infection, 49–69
 purposes of, 70
 record of prenatal care, 145
 sleep, rest, and relaxation, 44
 things to avoid, 45–47
 warning signs (medical help needed), 106, 109
 woman's body in pregnancy, 27–30, 73–83
 for women with HIV, 101, 335

- Health history, 85–107**
 age, 90
 health problems at present, 97–101
 medicines she is taking, 103
 miscarriages or abortions, 91–92
 months pregnant and due date, 88–90
 number of previous babies, 90–91
 other things affecting pregnancy and birth, 104–107
 overview, 85
 past problems with pregnancy or birth, 93–96
 problems with medicines, 103
 signs of pregnancy, 86–87
 tetanus vaccinations, 101–102
- Health workers.** *See* Doctors; Midwives
- Heartbeat (baby), 139–141, 172–173, 243**
 checking after birth, 243, 255
 checking during labor, 172–173
 checking speed of, 141
 equipment for listening to, 139
 fast, 173, 184, 243, 255
 finding, 139
 finding baby's position by, 140, 172
 listening to, 139–141, 172
 listening to heart sounds, 262
 missing (molar pregnancy sign), 134
 pulse in cord, 139, 177
 quiet, 141
 as sign of pregnancy, 87
 slow, 141, 172–173, 177, 184, 208, 243, 255
 stopped, 134
 swishy sound, 139
 twins, 143–144
 warning signs versus healthy signs, 141, 172–173
- Heartbeat (mother).** *See* Pulse (mother)
- Heartburn, 74–75**
- Heart (meat), 42**
- Heart monitors, 441**
- Heart problems**
Also see High blood pressure
 pregnancy problems and, 97
 signs of, 78
- Heat.** *See* Fever; Temperature
- Hee breathing, 170**
- Helper for birth, 151, 223**
- Helping Children Who Are Blind, 267**
- Helping Children Who Are Deaf, 267**
- Helping Health Workers Learn, 5, 41**
- Hematoma (blood blister)**
 in baby's head, 260
 in vagina after birth, 248–249
- Hemorrhage.** *See* Bleeding
- Hemorrhoids (piles), 77**
- Hepatitis, 336**
 HIV and, 496
 immunization for hepatitis B, 267
 pregnancy problems and, 97, 336
 signs of hepatitis B, 336
 stopping spread of, 50, 51
 treating hepatitis B, 336
- Herbal supplements in health history, 103**
- Herbicides, 47**
- Heroin, 46**
- Herpes, genital, 331–332**
- High blood pressure**
 bleeding and, 231
 caring for, 124–125
 during labor, 180–181
 family planning and, 306
 late in pregnancy, with headaches, 81
 in past pregnancies, 93
 pre-eclampsia and, 125, 126, 180–182
 pregnancy problems and, 81, 97
 protein in the urine and, 125, 126, 180
 as warning sign, 122, 180
 womb growing too slowly and, 134
- High Level Disinfection (HLD), 59.** *Also see* Sterilizing equipment
- Hips**
 checking baby's, 264–265
 deformity in mother, 97
 dislocated (baby), 265
- HIV, 99–101, 334–335**
Also see Sexually transmitted infections (STIs)
 AIDS, 99
 breastfeeding and, 286, 293–294
 care for pregnant women with, 101
 CD4 test, 496
 cesarean surgery and, 440
 family planning methods and, 300–301
 germs and, 50, 51
 helping to stop, 100
 how it is spread, 99–100, 286
 instrument birth and, 439
 medicines for, 101, 335, 496–502
 pregnancy and, 335
 pregnancy problems and, 97, 101
 PrEP, 101
 preventing after accidental exposure or rape, 497
 preventing mother to child transmission of, 499
 protecting against, 99–101, 334
 signs of, 334
 spermicides and, 305
 tests for, 99, 100, 334
- HLD (High Level Disinfection), 59.** *Also see* Sterilizing equipment
- Homemade equipment, 447–450**
 due date calculator, 531
 scales, 449–450
 stethoscopes, 449
 timers, 447–448
- Homemade sponge method for family planning, 317**
- Homemade teaching materials**
 basic methods for making, 451
 model of birth, 465
 model of pelvis, 452–453
 model of pregnancy, 458–464
 model of vagina, 456–457
 model of womb, 454–455
- Hookworm, anemia caused by, 37**
- Hormonal methods for family planning, 305–310**
 birth control pills, 307–308
 implants, 309
 injections, 309
 IUDs, 310–311
 other methods compared to, 301
 overview, 305–306
 side effects, 306
 women who should not use, 306
- Hospital or medical center**
 access to, 442–445
 anemia and birth in, 116
 baby taken from mother in, 240
 benefits and risks of, 16–17
 breech baby and, 142
 cleaning, 57, 58
 distance from care, 104
 infection danger and, 52
 lab tests, 438
 medicines from, 438
 midwives at, 444–445
 for pre-eclampsia treatment, 126, 127
 sonograms, dopplers, and X-rays at, 438
 tools for helping sick babies, 441
 tools for labor and birth emergencies, 439–440
 transfusion at, 440
 transport plan for getting there, 10, 106–107, 164, 442
 for twins' birth, 144
 types of help provided by, 437–441
 unnecessary practices and, 437, 445
- House conditions, 104**
- Household bleach.** *See* Bleach
- HPV (Human Papilloma Virus), 333, 380**
 and cancer of the cervix, 380
 genital warts, 333, 380
 test for, 380, 383
- Human Immune Deficiency Virus.** *See* HIV/AIDS
- Human Papilloma Virus.** *See* HPV

Hurrying labor. See Encouraging labor

Husband. See Partners

Hydrogen peroxide

- for sterilizing tools, 64
- washing floor with, 57

Hypodermic syringes. See Injections; Needles (hypodermic)

Hypothyroidism, 38, 117

I

Ideas about food, health and, 39–40

Illness

- Also see* Infections; Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after); *specific illnesses*
- breastfeeding by sick mother, 292
- keeping away from, during pregnancy, 45
- keeping sick people away from births, 50–51
- medical help needed for, 97
- medicines listed by, 476
- pregnancy health history, 97–101

Immunizations. See Vaccinations

Implants for family planning, 309–310

Incomplete abortion, 411–412, 421, 423

Incubator, 441

Indigestion. See Stomach problems

Inducing labor. See Encouraging labor

Infections

- Also see* Sexually transmitted infections (STIs)
- after abortion or miscarriage, 410, 413–415, 424
- after birth, 251
- in baby, 255, 256, 277–279
- bacterial vaginosis (BV) or gardnerella, 328
- basic rules for preventing, 52
- bladder, 77, 97, 120, 128–129, 179
- breast (mastitis), 289
- chancroid, 330, 331
- chlamydia, 50, 323–325
- during labor, 178–179
- from female genital cutting, 368–369
- fever from, 120
- germs and, 49–51
- gonorrhea, 50, 323–325
- hepatitis, 336
- herpes, genital, 331–332
- HIV and, 101
- HPV (Human Papilloma Virus), 333, 379, 380, 383
- IUD dangers for, 49, 394, 403

- kidney, 97, 128–129, 179
- labor not starting and signs of, 176
- medical help needed for, 106
- in past pregnancies, 95
- pregnancy problems and, 97
- preventing, 42, 49–69
- preventing, for people with HIV, 101, 335, 496–497
- rescue breathing and, 243
- syphilis, 329–330
- thrush (yeast infection), 290
- trichomonas (trich), 326
- urethra, 128, 129
- vaginal, 272
- womb, 120, 179, 185, 271, 399
- yeast, 101, 115, 290, 326–327

Infertility, 30–31

Injectable contraceptives, 309

Injections, 345–349

- Also see* Medicines; Needles (hypodermic); Vaccinations
- allergic reactions to, 345
- dangers of, 345
- drawing up the medicine, 346–348
- how to give, 346–349
- infection danger and, 50, 51, 56, 345
- numbing torn area before sewing, 360–361
- numb the cervix during MVA, 428
- times when helpful or necessary, 345
- using ampules of medicine, 346, 347
- using liquid in a bottle, 346, 347
- using only when necessary, 344
- using powder in a bottle, 346, 348
- vitamin, 42
- where to inject, 348

Injury inside the body (internal injury), 417

Insomnia, 75

Instrument birth, 439–440

Instruments. See Sterilizing equipment; Tools and supplies

Intrauterine devices (IUDs), 392–403

- advantages and disadvantages of, 394
- after inserting, checking, 402–403
- before inserting, explaining about, 396
- before inserting, sterilizing tools, 396
- before inserting, things to check, 395
- before inserting, things to know, 393
- Dalkon Shield,* 403
- dangers for some women, 394
- described, 393
- disadvantages and risks of, 311
- for emergency contraception, 316
- for family planning, 301, 310–311

- helping a woman decide about, 394–395
- hormones and, 311
- infection from, 49, 394, 403
- inserting, 396–402
- loading the *Copper T* IUD, 397–398
- removing, 403
- tools for inserting, 396
- warning signs, 311

Intravenous solution (IV), 350–351

Inverted nipples, 287

Iodine, 38, 117

Iron, 36, 74, 116

Irritability during pregnancy, 82

Isopropyl alcohol

- alcohol and glycerine hand cleaner, 54
- soaking thermometers in, 65
- for sterilizing tools, 64
- washing floor with, 57

Itching genitals, 77, 326, 327, 328

IUDs. See Intrauterine devices (IUDs)

IV (intravenous solution), 350–351

J

Jaundice signs in baby, 266, 279

Joint aches and pains, 79, 81

Judgment, avoiding, 6

K

Kegels (squeezing exercise), 44

Kicking by baby

- months pregnant and, 87
- painful, 80
- position of baby and, 138
- as sign of pregnancy, 87
- stopped, 80, 134

Kidney infection, 128–129

- labor and, 179
- pregnancy problems and, 97
- signs of, 128
- treating, 129

Kidney (meat), 42

Knots

- 4-layer, 364
- square, 214

L

Labor and birth

- Also see* Contractions; Encouraging labor; First few hours after birth; First weeks after birth; *specific stages of labor*
- baby does not fit through pelvis, 189, 204
- baby not born after 1 or 2 hours of pushing, 203–205
- baby stuck at shoulders, 210–212

- basic pattern, 146
 bladder of mother full and, 203, 352
 bleeding during, 183, 205
 caring for the mother during labor, 157–163, 169–170, 200–202
 cesarean surgery (birth by operation), 96
 changing bedding under mother, 163
 changing position every hour in labor, 162
 clearing baby's nose and mouth, 208–209, 213–214
 cord around baby's neck, 209
 dead baby and, 135, 243
 delivering baby's body and giving baby to mother, 212
 delivering baby's shoulders, 210–212
 drinking during labor, 159–160
 early birth, 83, 88, 94, 221, 292
 eating during labor, 160
 first few hours after birth, 157, 247–267
 guarding the labor, 158
 guiding the labor, 159–163
 helper for, 151
 helping the mother relax, 169–170
 home methods for starting labor, 341–344
 keeping sick people away, 50–51
 late, 88
 long labor, 91, 94, 186–191
 not lying flat on back, 162, 200
 overview, 155–157
 pain, easing, 169–170, 187–188, 193
 in past pregnancies, 94
 pelvic exam and, 374
 preventing problems, 163
 record keeping, 164–165, 170
 resting between contractions, 161
 signs of labor starting soon, 149–151
 signs of stage 2 near or starting, 195
 slowing the birth of the head, 207–208
 speed of birth, watching, 202–205
 stage 1 (opening), 146, 155–156, 167–193
 stage 2 (pushing), 146, 156, 195–221
 stage 3 (birth of the placenta), 146, 157, 223–245
 supplies to have, 152–153
 supporting labor, 158, 169–170, 200–202
 swollen veins around genitals and, 76
 transport plan for medical help, 10, 106–107, 164, 442
 urinating during labor, 161
 vaginal exams during, 186, 339–340
- warning signs (medical help needed), 147, 163, 204–205
 when to go to birth, 151
- Labsticks**, 126
- Lab tests**, 379, 380, 438
- Large baby**, 258
 medical help needed for, 258
 in past pregnancies, 94, 115
 tired, weak, or sick, 254, 258
- Late labor**
Also see Encouraging labor
 described, 167
 long labor and, 189
 normal and safe range, 88
- Laughter during pregnancy**, 82
- Laxatives, avoiding**, 77
- Leafy vegetables**, 36, 37, 39, 42
- Leaking breasts**, 76
- Learning by midwives**
 about medicines, 470
 before doing dangerous procedures, 21
 at hospitals, 444, 445
 as lifelong process, 1–2
- Legal concerns**
 for inserting IUDs, 393
 for manual vacuum aspiration (MVA), 421
- Legs**
 checking baby's, 264–265
 cleaning mother's after birth, 247
 clot, warning signs, 273
 constant pain in one leg, 81, 113
 cramps, 80–81
 pain in, 113–114
 red, hard, swollen, or painful (mother), 273
 relaxing when pushing, 201
- Legumes**, 35, 41
- Length of labor**. *See* Encouraging labor;
 Long labor
- Length of pregnancy**
 due date prediction, 88–89, 130, 133, 531
 early birth, 83, 88, 94, 221, 292
 figuring months or weeks pregnant, 88, 89, 90
 late labor, 167, 189
 normal duration, 88
- Lentils**, 35, 41
- Ligaments, pain in**, 79
- Light color**. *See* Pale color; White color
- Light labor**, 167, 188
- Limits, knowing yours**, 20–21
- Lips**
 cleft (harelip) in baby, 261–262
 dry (mother), 159
- Liquids**. *See* Water and liquids
- Listening in pregnancy care**, 7, 70
- Liver disease**. *See* Hepatitis
- Liver (meat)**, 42
- Living conditions**, 104
- Loading the Copper T IUD**, 397–398
- Lockjaw**. *See* Tetanus (lockjaw)
- Long labor**, 186–191, 202–205
Also see Encouraging labor
 active labor, 188
 baby does not fit through pelvis, 189, 204
 baby in difficult or impossible position, 190–191, 204
 baby not born after 1 or 2 hours of pushing, 203–205
 bladder of mother full and, 203, 352
 exhaustion from, 188–189
 fear or tension and, 187–188
 late labor, 189
 light labor, 188
 medical help needed for, 106, 204–205
 number of previous babies and, 91
 in past pregnancies, 94
 position of mother and, 203
 problems from, 186
 twins and, 220
 watching the speed of birth, 202–205
- Loose stool**. *See* Diarrhea (loose stool)
- Lugol's iodine**, 38
- Lump (abscess) in breast**, 288
- Lump problems (baby)**
 chlamydia or gonorrhea and, 324
 infection (pneumonia), 278
- Lying down**
Also see Rest; Sleep
 during labor, changing position every hour, 162
 during labor, not flat on back, 162, 200
 during labor, on side, 200
 during pregnancy, 78

M

- Macrolides**, 475
- Magnesium for leg cramps**, 81
- Main foods (carbohydrates)**, 34, 35
- Maize**, 35, 38
- Malaria**, 98–99
 anemia caused by, 37
 infertility and, 31
 labor and, 179
 miscarriage from, 91
 pregnancy problems and, 97
 preventing, 98–99
 rapid test for, 99
 treating, 98–99
- Malnutrition**. *See* Poor nutrition

Manual vacuum aspiration (MVA), 421–435

- before doing, things to know, 421
- cannula becomes clogged during, 433
- cannula comes out of womb during, 432
- checking on woman after, 434–435
- choosing a cannula, 429
- family planning and, 435
- getting ready, 423–425
- helping the woman be comfortable, 423–424
- how to do, 426–432
- infection danger and, 49
- injection to numb the cervix, 428
- overview, 421
- preventing infection, 424
- preventing pain, 423–424, 428
- problems that can be caused by, 434
- problems with, 432–434
- safety concerns, 92, 421, 422
- staying healthy after, 435
- sterilizing tools, 424–425
- syringe is full during, 431
- tools and supplies, 423–425
- uses for, 421
- vagus nerve and, 430
- warning signs versus healthy signs after, 434–435
- when to do, 422–423
- womb is too big to empty, 434

Mask of pregnancy, 79**Massage between contractions,** 169**Mastitis (breast infection),** 289**Materials for teaching.** *See* Models for teaching**Maternity center.** *See* Hospital or medical center**Measles, German (rubella),** 45, 95**Measuring medicines,** 472–473**Measuring the womb,** 130–135

- for checking baby's growth, 130
- cloth tape measure for, 132
- determining months pregnant, 90, 130
- for due date prediction, 130, 133
- feeling the womb, 130–131
- finger method for, 131–132
- warning signs, 132–135
- ways of measuring, 90, 130–132
- womb growing too fast, 133–134
- womb growing too slowly, 134–135

Meat, 35, 42**Meconium (baby's first stool)**

- defined, 174
- in waters, 174–175, 209, 213

Medical alcohol. *See* Alcohol (medical)**Medical center.** *See* Hospital or medical center**Medical Mission Sisters,** 63**Medical pregnancy test,** 87**Medication abortion,** 92**Medicines,** 466–501

- Also see* Injections; Vaccinations
- specific medicines,* 477–501
- for allergic reactions, 469
- allergic reactions to, 103, 469–470
- amount to take, 464, 466, 472–473
- antibiotics, 474–475
- avoiding during pregnancy or breastfeeding, 45, 467
- for bacterial vaginosis (BV or gardnerella), 328
- benefits and risks of, 16
- for birth of the placenta (stage 3), 224, 225, 228, 231, 233, 237
- for bladder infection, 129
- breastfeeding and, 292
- for breast infection (mastitis), 289
- for chancroid, 331
- for chlamydia, 324, 325
- choosing safe and helpful medicine, 19
- combinations, avoiding, 468
- dosage, 468, 470, 472–473
- for emptying womb after incomplete abortion, 412
- "families" of, 103
- for fever, 119
- forms of, 471
- for genital herpes, 332
- for gonorrhea, 324, 325
- greed and, 19
- health history, 103
- to help the womb contract, 224
- hepatitis B and, 336
- for HIV and AIDS, 101, 335, 496–502
- from hospitals or medical centers, 438
- how to take safely, 468–470
- for HPV (genital warts), 333
- for infection after abortion or miscarriage, 414
- for kidney infection, 129
- knowing about, 470
- listed by problem treated, 476
- for malaria, 98–99
- measuring, 472–473
- for medical abortion, 92
- for meningitis (brain infection), 279
- for migraines during pregnancy, 81
- names of, 471
- non-Western systems, 17
- for numbing torn area before sewing, 360

for pelvic inflammatory disease (PID), 325

plant medicines for starting labor, 344

for pneumonia (lung infection), 279

poisoning from, 470

for pre-eclampsia, 181–182

to prevent infection after birth of the placenta, 231, 233

for preventing pain during MVA, 423–424, 428

for sexually transmitted infections, 322

side effects, 468–469

signs of problems with, 468–470

for starting labor, 175, 191

to stop bleeding from the womb, 231, 237

for syphilis, 330

for tetanus (lockjaw), 278, 415

traditional medicine, 17, 474

for trichomonas (trich), 326

types of, 17–19, 474

Western medicine, 17, 18

when to take, 473–474

when to use, 467

for womb infection, 179

for yeast infection, 327

Meningitis (brain infection) in baby, 278**Menopause (end of monthly bleeding),** 31, 86**Menstruation.** *See* Monthly bleeding**Mercury**

in fish, 35

in thermometers, 119

Midwives, 1–11

emotional support after early end to pregnancy, 407–408

helping to stop HIV, 100

at hospitals, 444–445

knowing your limits, 20–21

learning lifelong for, 1–2

prenatal care and, 70–71

protecting yourself from infection, 56

sharing what you know, 3–6

supplies to have at birth, 152–153

unnecessary practices at hospitals and, 437, 445

working for the joy of it, 11

working to improve women's health, 8–10

working with hospitals and doctors, 442–445

Migraine headaches, 81**Milk.** *See* Bottle feeding; Breastfeeding

Minerals

calcium, 37–38, 74, 81
to eat every day, 36–38
glow foods, 34, 35
iodine, 38, 117
iron, 36, 74, 116
magnesium, 81
potassium, 81
preventing leg cramps, 81

Miscarriage, 405–419

Also see Manual vacuum aspiration (MVA)
bleeding too much after, 410, 416–418
defined, 91
diabetes and, 93
emergency care for problems, 410–418
emotional support after, 407–408
finding care after, 405–407
helping a woman after, 405–419
history of, 91
HIV and, 101
infection after, 410, 413–415
IUD dangers after, 394
physical care after, 408–409
preventing, 91
problems from, 405–409
shock after, 413, 418
spotting during cramps and, 79
tetanus (lockjaw) after, 415
warning signs, 79, 112
warning signs versus healthy signs, 408

Misoprostol, 489

to empty womb after
incomplete abortion, 412
to help the placenta come out, 224, 228
to stop bleeding from the womb, 231, 232, 234, 237

Models for teaching

baby, 463
basic methods for making, 451
birth, 465
cord, 462–463
pelvis, 452–453
placenta, 460–461
pregnancy, 458–464
sources for other teaching materials, 503–504
vagina, 456–457, 458
womb, 454–455, 458–461

Molar pregnancy (tumor), 134**Money**

eating well with little, 41–42
pregnancy problems and, 104

Monthly bleeding (menstruation)

and tests for cancer, 379
defined, 29
heavy, IUD and, 394
menopause and, 31
predicting due date using, 88–89, 133
stopped, as sign of pregnancy, 86
stopped, with birth control pills, 307

Months pregnant, figuring, 88, 89, 90.

Also see Length of pregnancy

Moon, figuring due date by, 89**Morning sickness, 73–74, 86, 110–111.**

Also see Nausea

Mouth

checking baby's, 261
cleft lip (harelip) or cleft palate, 261–262

Mouth care, 43**Movements by baby**

months pregnant and, 87
painful kicking, 80
position of baby and, 138
as signs of pregnancy, 87
stopped, 80, 134

Moving to encourage labor, 192**Mucus**

plugging cervix, 28, 150, 155
show (mucus tinged with blood), 150–151

Mucus bulb (bulb syringe), 66, 209**Mucus method of fertility awareness, 313****Mumps, infertility and, 31****Muscle tone (baby), 244****MVA. *See* Manual vacuum aspiration (MVA)****N****Nausea**

Also see Vomiting
causes other than pregnancy, 86
drinking during labor and, 159
liquids easier to drink, 159
morning sickness, 73–74, 86, 110–111
warning signs versus healthy signs, 110–111

Neck, checking baby's, 262**Needles for sewing tears, 56, 362, 366****Needles (hypodermic)**

Also see Injections
caring for, 66–67
disposing of, 68, 69
drawing up medicine into, 346–348
HIV spread and, 99, 334
preparing for injections, 346
reusable and disposable syringes, 66
safe handling of, 56

sterilizing, 66–67
used, dangers of, 349

Newborn. *See* Baby; First few hours after birth; First weeks after birth**Nightmares, 82****Nipples**

Also see Breastfeeding
during breastfeeding, 282
flat or inverted, 287
fluid leaking from, 76
sore or cracked, 290
stimulating to encourage labor, 192
thrush (yeast infection), 290

Nitrazine papers, 174**Nitrous oxide, 384****Non-Western systems of medicine, 17****Nose, checking baby's, 261****Numbering**

cervix during MVA, 428
torn area before sewing, 360–361

Numbness of feet, 117**Nutrition. *See* Bottle feeding; Breastfeeding; Eating and food****Nuts, 35, 38****O****Observing in pregnancy care, 70****Ointments. *See* Medicines****Opening of the vagina, enlarging. *See* Episiotomy (cutting the vaginal opening)****Opening (stage 1 of labor), 167–193**

Also see Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)
active labor, 167
baby does not fit through pelvis, 189
baby's heartbeat, checking, 172–173
baby's position, checking, 170–171
baby's position, difficult or impossible, 190–191
bag of waters, 174–177
bleeding during labor, 183
blood pressure, checking mother's, 180–182
breathing by the mother, 170
convulsions (fits) during, 181–182
cord coming in front of baby (prolapsed), 176–177
helping the mother relax, 169–170
keeping germs out of vagina, 175
labor patterns in, 168
late labor, 167
light labor, 167
long labor, 186–191
overview, 146, 155–156, 167–168
pain in the womb, 183–185
parts, 167
pre-eclampsia and, 180–182

pulse, checking mother's, **178**
 pushing, avoiding, **186, 196**
 signs for the midwife to check, **170–193**
 signs of progress, **185**
 size of fully open cervix, **156**
 sounds that are helpful, **169**
 temperature, checking mother's, **178–179**
 touching the mother, **169**
 vaginal exam, **186**
 when you first arrive, **168**

Operation, birth by. *See* Cesarean surgery (birth by operation)

Opium, 46

Organ meats, 42

Ovaries
 bimanual (2-hand) exam, **390**
 illustrated, 28, 29

Overweight mother, 115, 118

Oxygen, giving to baby, 241, 441

Oxygen tent, 441

Oxytocin
 in “active management” of stage 3, 225
 to help the placenta come out, 224, 228
 to help the womb contract, 236
 not giving at home, 438
 to stop bleeding from the womb, 230, 231, 232, 234

P

Packaged foods, 39

Pain

Also see Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)

baby kicking, 80
 back, **80, 113–114**
 belly, **79, 109, 113–114**, 125
 changes and discomforts in pregnancy, **76–81**
 between contractions, 184
 easing during labor, 169–170, 187–188, 193
 gas pains (colic) in baby, **291**
 headaches, **81, 109**
 joints, 79, 81
 legs, **113–114**
 lower belly, 128
 lump (abscess) in breast, **288**
 in one leg, constant, 81, 113
 preventing during MVA, **423–424, 428**
 stomach (heartburn), **74–75**
 unusual pains during pregnancy, 81
 on urination, 77, 128
 vagina, after birth, **248–249**

warning signs versus healthy signs, **113–114**
 in womb during labor, **183–185**

Pains, labor. *See* Contractions

Palate, cleft, 261–262

Pale color
 baby, **244–245, 266**
 cord white after birth, 157
 inside of eyelids, fingernails, and gums, 116
 shock and, **239**

Panting, 170, 201

Pap test for cancer or pre-cancer, 379, 381–383

Paper mache models, 451

Paper pelvis model, 452–453

Parasites, 37, 74, 86, 111, 118

Partners
 abusive, 105
 family planning and, **318**
 feeding first, 9
 helper for birth, 151
 for improving women's health, 9
 as people who affect a woman's health, **8–9**
 permission for care from, 107
 sex during pregnancy and, 83
 support from, 105, 106
 women's health affected by, 8–9

Patterns. *See* Models for teaching

Peas, 35, 41

Peeing. *See* Urinating

Pelvic exam, 373–390
 asking about history before, **375**
 before the exam, **375–376**
 bimanual (2-hand) exam, 373, **387–390**
 making safe, **374–375**
 Pap test for cancer or pre-cancer, 379, **381–383**
 parts of, 373
 speculum exam, 373, **377–383**
 tools for, 376
 uses for, 373
 vinegar test for cancer or pre-cancer, 379, **380, 384–385**
 visual exam, 373, **376**
 when to do and not to do, **374**

Pelvic infection (pelvic inflammatory disease or PID), 325, 384

Pelvis
Also see Pelvic exam; Pubic bone
 baby does not fit through, **189, 204**
 baby moving down through, 137, 171
 baby stuck at shoulders, 211–213
 illustrated, 27
 model for teaching about, **452–453**

not formed well in mother, 96
 small, symphysiotomy for, **440**
 squeezing exercise for (Kegels), 44

Penicillins, 475

Penis
Also see Sexually transmitted infections (STIs)
 baby's, 263, **264**
 partner's, 29, 83

People. *See* Community; Family; Partners

Pesticides, 31, 47

Pharmaceutical drugs. *See* Medicines

Physical discomforts during pregnancy, 76–81

Physicians. *See* Doctors; Hospital or medical center

PID (pelvic inflammatory disease), 325, 384

Piles (hemorrhoids), 77

Pills. *See* Medicines

“Pill, the,” 307–308

Placenta
Also see Birth of the placenta (stage 3 of labor)
 birth of (stage 3 of labor), 146, 157, **223–245**
 checking after birth, **233–234**
 covering the cervix (placenta previa), 112, 183, 374
 detached (abruption), **114, 180, 184, 205, 219, 354**
 disposing of, 67, 235
 guiding out by the cord, **228–229**
 heavy bleeding before birth of, 226
 helping the mother push it out, **227–231**
 helping the womb contract after birth of, 224, 231, **236–238**
 illustrated, 30
 model for teaching about, **460–461, 464**
 piece left inside womb, **234–235**
 problems in past pregnancies, 95
 pushing on mother's belly and, **205**
 separation from womb after birth, 157
 signs of separation from womb, **226–227**
 taking out by hand, **230–231**
 womb comes out with, **232–233**

Placenta previa, 112, 183, 374

Plant medicines for starting labor, 344

Plastic bags as gloves, 54

Plastic waste, safe disposal of, 68

Pneumonia (lung infection) in baby, 278

Poisoning from medicine, 470

- Poisonous chemicals**, 47
- Polyvidone iodine**, 38
- Poor nutrition**, 33, 117, 134
- Position of the baby**, 135–144,
170–171, 190–191, 215–219
breech (bottom down), 137, 138,
142–143, 190, 215–219,
369–371
checking early in labor, 170–171
difficult or impossible position,
190–191, 204
face first or forehead first, 190, 204
facing back, 136, 171
facing stomach (posterior), 136, 171,
190, 204
feeling the mother's belly, 135–138
finding by listening to heartbeat, 140
finding the head, 137–138
head to one side (asynclitic), 204
heartbeat of baby and, 139–141
kicking or other movements and,
138
medical help needed and, 190–191
moving down through pelvis, 171
recording, 140
sideways, 143, 191, 219, 220–221,
369, 371
turning a breech or sideways baby,
369–371
twins and, 219, 220–221
vertical (up and down), 136
warning signs versus healthy signs,
135
- Position of the mother during birth**
baby stuck at shoulders and, 212
changing every hour, 162
delivering baby's shoulders and, 211
good for pushing, 200
letting her choose, 200
long labor and, 203
not lying flat on back, 162, 200
- Posters, making from slides**, 451
- Potassium for leg cramps**, 81
- Poverty**. *See* Money
- Practice contractions**, 150, 155
- Pre-cancer**, 379–380
- Pre-eclampsia**
caring for, 127
checking for, 126–127, 180
convulsions (fits) from, 93, 126,
181–182
during labor, 180–182
medical help needed for, 106, 125,
126, 127, 180–181
in past pregnancies, 93, 97
prevention of, 127
signs of, 76, 81, 122, 125–126, 180
- Pregnancy**
Also see Abortion; Family planning;
Health care in pregnancy;
Miscarriage; Prenatal checkups
age and, 90
antibiotics and, 475
breastfeeding during, 292
caring for body during, 42–44
changes and discomforts, 76–81
distance from care and, 104
due date, 88–89, 130, 133, 527
eating and digestion changes in,
73–75
eating well, 33–42
family support during, 105–107
feelings and emotions in, 82–83
figuring months or weeks pregnant,
88, 89, 90
harmful diet beliefs, 39–40
health history, 85–107
hepatitis B and, 336
herpes and, 332
HIV and, 335
how the baby grows, 30
how women get pregnant, 29
illness during, 97–101
living conditions and, 104, 104
mask of, 79
medicines and, 45, 103, 467, 475
menopause and, 31
model for teaching about, 458–464
molar (tumor), 134
money and, 104
number of previous babies and,
90–91
problems with medicines and, 103
problems with past pregnancies or
births, 93–97
sex during, 83
sexual and reproductive parts, 27–28
signs of, 86–87
sleeping changes in, 75
syphilis and, 330
tetanus vaccination and, 101–102
things to avoid during, 45–47
transport plan for medical help, 10,
106–107, 164, 442
woman's body in, 27–30, 73–83
work and, 105
- Pregnancy health history**. *See* Health history
- Premature birth**. *See* Early birth
- Prenatal care**. *See* Health care in pregnancy
- Prenatal checkups**, 109–145
Also see Signs (baby); Signs (mother during pregnancy)
after the checkup, 144
checking the baby, 130–144
checking the mother's body,
116–129
importance of, 70–71
pregnancy health history, 85–107
record of prenatal care, 145
scheduling, 144
talking with the mother, 109–115
- PrEP**, 101
- Pressure steaming, sterilizing tools by**, 61–62
- Preventing**
Also see Family planning
abortions, unsafe, 419
anemia, 36
bladder infection, 129
blindness (baby), 260–261, 324
cancer of the cervix, 379, 383
constipation, 76
fistula (hole in the vagina), 22, 273
goiter, 38
health problems, community changes for, 23–25
heavy bleeding after birth, 248
HIV, 99–100, 335
infection, 42, 49–69
labor problems, 163
leg cramps, 81
malaria, 98
miscarriages, 91
pre-eclampsia, 127
sexually transmitted infections (STIs), 336–337
tears, 206–208, 356
tetanus (lockjaw), 102, 278, 415
yeast infection, 327
- Primaquine**, 98
- Privacy**, 7
- Processed foods**, 39
- Prolapsed cord (coming in front of baby)**
episiotomy for, 354–355
footling breech (feet first) and, 218
slowing birth not recommended for,
208
twins and, 219
watching for, 176–177
what to do about, 177
- Protective clothing for preventing infection**, 56
- Protein in the urine**
as bladder infection sign, 128
as pre-eclampsia sign, 125, 126–127,
180
- Proteins (grow foods)**, 34, 35, 250
- Pubic bone**
Also see Pelvis
baby stuck at shoulders, 211–213
illustrated, 27

symphysiotomy (cutting in middle), 440
 using to feel for baby's head, 137

Pulling out (withdrawal) during sex, 301, 317

Pulse in cord, 139, 177. *Also see* Heartbeat (baby)

Pulse (mother)
 in belly, 139
 checking during labor, 178
 checking during pregnancy, 120–121
 fast, 116, 121, 159, 178, 239, 251
 shock and, 239
 slow, 178
 warning signs versus healthy signs, 120

Purgatives, avoiding, 77

Purple color
 line between buttocks as stage 2 approaches, 195
 spots on skin, 79

Pus, draining from vaginal infection, 272

Pushing (stage 2 of labor), 195–221
Also see Contractions; Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)
 baby does not fit through pelvis, 204
 baby not born after 1 or 2 hours of pushing, 203–205
 baby stuck at shoulders, 211–213
 bladder of mother full and, 203, 352
 breathing by the mother, 201
 checking physical signs of mother and baby, 199
 clearing baby's nose and mouth, 208–210
 cord around baby's neck, 210
 crowning, 197
 cutting the birth opening (episiotomy), 206, 354–355
 delivering baby's body and giving baby to mother, 214
 delivering the baby's shoulders, 211–213
 head of baby begins to show, 196–197
 helping the mother give birth, 206–215
 helping the mother push, 201–202
 how the baby moves through the vagina, 197–198
 overview, 146, 156, 196–198
 position of the mother, 200
 safe birth, helping, 199–202
 signs that stage 2 is near or starting, 195

signs to watch for, 202–205
 slowing the birth of the head, 207–208
 supporting the mother, 200–202
 supporting the vaginal opening, 206
 too early, before cervix is dilated, 186, 196
 warm cloths around the vaginal opening, 207

Q

Quarter-circle scale, homemade, 450

Questions

Also see Talking
 about eating habits, 34
 answering family's questions, 267
 finding root causes of health problems, 21–22
 in pregnancy health history, 85–107
 in prenatal checkup, 109–115
 midwives asking “why”, 2, 21–22

R

Rashes

avoiding during pregnancy or breastfeeding, 45
 from medicine, 103
 poor nutrition and, 117

Razor blades, 65

Records

baby's position, 140
 baby's physical signs in first few hours, 253
 of labor, 164–165, 170
 prenatal care, 144–145
 womb measurement, 131, 132

Rectal fluids, giving, 342

Rectal sphincter, sewing, 366

Red color

baby, 266
 legs (mother), 273

Reflexes

baby, 244
 over-active (mother), 125

Rehydration drink, 159–160

Relaxation

Also see Rest
 between contractions, 161
 helping mother during labor, 187–188

Removing

intrauterine devices (IUDs), 403
 milk from breasts, 284–285

Rescue breathing, 242–243

Respirator, 441

Rest

Also see Relaxation; Sleep; Tiredness
 between contractions, 161

during pregnancy, 44
 first weeks after birth, 269
 getting up and down during pregnancy, 78
 heartburn and, 75
 for high blood pressure, 124
 sleepiness during pregnancy, 75, 86

Rh incompatibility, 508

Role playing, 4

Root causes of health problems

finding, 21–22
 making changes in community, 23–25

Rubella (German measles), 45, 95

S

Salt, high blood pressure and, 125

Sand timers, 447–448

Scales

homemade, 449–450
 weighing baby using, 258

Scars

circumcision (female genital cutting), 206, 354–355, 367–369
 on womb from abortion, 92
 on womb from cesarean surgery, 96

Schedules

prenatal checkups, 144
 signs to check during stage 1 of labor, 170
 tetanus vaccinations, 102

Seeds, 35, 37

Seeing. *See* Eyes

Seizures. *See* Convulsions (fits)

Semen. *See* Sperm (semen)

Sewing a tear or episiotomy, 356–366

general rules, 361
 getting ready, 359
 how to sew, 362–365
 judging whether stitches are needed, 356–358
 medical help needed for, 358
 numbing the torn area, 360–361
 preventing tears, 356
 rectal sphincter, 366
 safe handling of needles, 56
 sewing within 12 hours, 358
 testing for torn muscle around anus, 357
 tools for, 358–359
 tying stitches, 364

Sex

Also see Family planning; Sexually transmitted infections (STIs)
 abusive partners, 105
 after birth, 269
 during pregnancy, 83
 HIV spread and, 99, 334

- pulling out (withdrawal) during, 301, 317
without intercourse, 301, 312
- Sexually transmitted infections (STIs)**
Also see HIV
affecting whole body, 334–336
bacterial vaginosis (BV or gardnerella), 328
chancroid, 330, 331
chlamydia, 323–325
community and, 337
discharge (wetness from vagina), 323–328
genital herpes, 331–332
germs and, 50
gonorrhea (gono), 50, 323–325
hepatitis B, 336
how they are passed, 322
HPV, 333, 380, 383
infertility and, 31
itching of the genitals, 328
IUD dangers and, 394
labor not starting after breaking of waters and, 176
miscarriage from, 91
overview, 321
pelvic inflammatory disease (PID), 325
preventing, 336–337
sex during pregnancy and, 83
signs of, 321
sores on the genitals, 329–333
syphilis, 329–330
treating, 321, 322
trichomonas (trich), 326
yeast infection, 326–327
- Shame, pelvic exam and,** 375
- Sharing knowledge**
Also see Teaching
with the community, 4–6
with other health workers and midwives, 3–4
- Sharp wastes, disposing of,** 67
- Shit.** *See* Stool
- Shock**
after abortion or miscarriage, 413, 418
after female genital cutting (circumcision or FGC), 368
after heavy bleeding, 239
allergic reaction to medicine, 469–470
anti-shock garment, 418, 506
signs and treatment, 239
- Shortening labor.** *See* Encouraging labor
- Short labor in past birth,** 94
- Shortness of breath (mother),** 78, 103, 114
- Shots.** *See* Injections
- Shoulders (baby)**
checking, 262
delivering, 210–212
episiotomy for stuck shoulders, 354–355
- Show (mucus tinged with blood),** 150–151
- Sickness.** *See* Illness; Infections; *specific sicknesses*
- Side effects**
of hormonal methods for family planning, 306
of medicines, 468–469
- Sideways baby**
checking for, 136
dangers of turning, 369
medical help needed for, 136, 191
turning, 369, 371
twins and, 219, 220–221
what to do about, 143
- Sight.** *See* Eyes
- Signs (baby),** 252–267
Also see specific conditions
breathing problems, 240–241, 254, 262
breathing rate, 254
breech (bottom down), 137, 138, 142–143, 190, 215–219
checking after birth, 240–245, 252–267
checking in womb, 130–144
chlamydia and, 324
cleft lip (harelip) or cleft palate, 261–262
color, 244–245, 266, 279
cord around neck, 210
cord coming in front (prolapsed), 176–177, 208, 218, 219, 354
dehydration, 275
dislocated hip, 265
drops lower in belly, 149
first hours after birth, 252–267
first weeks after birth, 274–279
gas pains (colic), 291
general appearance, 253–254
gonorrhea and, 324
heartbeat (checking), 139–141, 172–173, 243, 262
heartbeat fast, 173, 243, 255
heartbeat slow, 141, 172–173, 177, 184, 208, 243, 255
infection, 255, 256, 277–279
kicking stopped, 80, 134
length, 259
limp, weak, or does not wake up, 253–254
low blood pressure, 122, 180
measuring the womb, 90, 130–135
moving less or not at all, 184
not breathing, 241–243
not gaining weight or growing normally, 276
not urinating or passing stool in first day, 275
physical signs during 2nd stage, 199
position, 135–144, 170–171, 190–191, 215–219
prenatal checkup, 130–144
recording signs in first few hours, 253
reflexes, 244
stuck at shoulders, 211–213
temperature low, 255–256
thrush (yeast infection), 290
twins, 133, 138, 143–144
vomit “shoots” from mouth, 256
weight, 256–258
womb growing too fast, 133–134
womb growing too slowly, 134–135
- Signs (mother during pregnancy)**
Also see Infections; Pain; Signs (mother in labor, birth, and after); *specific conditions*
after abortion or miscarriage, 408, 410, 413–418
allergic reactions to medicine, 103, 469–470
anemia, 78, 81, 116
back pains, 80, 113–114
bladder infection, 77, 128
bleeding from vagina, 109, 112
bleeding, heavy, 106
bleeding in early pregnancy, 79
blurred vision, 109, 125
breasts leaking, 76
burning sensations, 74–75, 77
changes and discomforts in pregnancy, 76–81
constipation, 36, 76–77
cramps (womb), 79
dehydration, 111
depression, 82
detached placenta, 114, 219
diabetes (blood sugar disease), 93, 115, 133
diarrhea, 50, 111
discharge (wetness from vagina), 50, 77
dizziness, 81, 109
double vision, 125
fever, 97, 101, 109, 112, 113, 119, 120
general health, 110
headaches, 81, 109, 125
high blood pressure, 81, 93, 97, 122, 124–125, 134
iodine lack, 117
itching, 77

- kidney infection, **128**
leg cramps, **80–81**
measuring the womb, **90, 130–135**
medical help needed (most important signs), **106, 109, 147**
medicines, problems with, **468–470**
miscarriage, **79, 112**
nausea or vomiting, **73–74, 86, 110–111**
pain in belly, back or legs, **113–114**
pain in one leg, constant, **81, 113**
placenta previa, **112, 374**
poor nutrition, **117**
pre-eclampsia, **76, 81, 125–126, 127**
of pregnancy, **86–87**
prenatal checkup, **109–129**
pulse fast, **120, 121**
purple spots on skin, **79**
scars on womb, **92, 96**
sexually transmitted infections (STIs), **321, 323–335**
shortness of breath, **78, 103, 114**
sleepiness, **75, 86**
spotting, **79, 112**
stools black, **36**
sweating during pregnancy, **78**
swollen face and hands, **76, 81, 126, 127**
swollen feet, **76**
tiredness, **35, 75, 86, 93**
tubal pregnancy, **79, 113**
tumor (molar pregnancy), **134**
urethra infection, **128**
urination frequent, **77, 86**
urination painful or burning, **77**
vaginal infection, **77**
vagina smells bad, **77**
weakness, **111**
womb growing too fast, **133–134**
womb growing too slowly, **134–135**
- Signs (mother in labor, birth, and after)**
Also see Contractions; Signs (mother during pregnancy); *specific conditions*
allergic reactions to medicine, **469–470**
baby does not fit through pelvis, **189, 204**
baby stuck at shoulders, **211**
bag of waters, **174–177**
being ready for emergencies, **163–164**
bleeding after birth, preventing, **248**
bleeding before placenta is born, **226**
bleeding during labor, **183, 205**
blood pressure, **180–182**
breast infection (mastitis), **289**
cervix visible at vaginal opening after birth, **249**
checking genitals for tears and problems, **248–249**
checking physical signs after birth, **247**
clot in leg, **273**
convulsions (fits), **181–182**
cord coming in front of baby (prolapsed), **176–177, 208, 218, 219, 354**
dehydration, **159, 178**
detached placenta (abruption), **184, 205, 219, 354**
eating and drinking, cannot or will not after birth, **250**
episiotomy needed, **354**
fever, **178–179**
first few hours after birth, **247–252**
fistula (hole in the vagina), **273**
genitals torn after birth, **248**
hematoma (blood blister) in vagina after birth, **248–249**
infected womb, **185**
infection after birth, **251**
labor starting soon, **149–151**
leaking urine or stool, **273**
legs red, hard, swollen, or painful, **273**
medical help needed, **176, 177, 179, 180–181, 204–205**
medicines, problems with, **468–470**
nausea or vomiting after drinking, **159**
not interested in her baby, **251**
pain in the womb, **183–185**
placenta previa, **183, 374**
placenta separated from womb, **226–227**
position of the baby, **170–171, 190–191**
pre-eclampsia, **180**
progress of labor, **185**
pulse, **178**
sexually transmitted infections (STIs), **321, 323–335**
shock, **239**
speed of birth, watching, **202–205**
in stage 1 (opening), **170–193**
in stage 2 (pushing), **202–205**
stage 2 (pushing) near or starting, **195**
temperature, **178–179**
thrush (yeast infection), **290**
torn womb, **185, 205**
vaginal infection, **272**
watching for, **163**
when to go to birth, **151**
womb infection, **179, 185, 271**
- Single mothers**, **105**
Sitting up when pregnant, **78**
Size
Also see Weight
large baby, **254, 258**
large baby in past, **94, 115**
measuring the womb, **90, 130–135**
small baby, **125, 221, 254, 256–257, 292**
small baby in past birth, **94**
womb bigger than normal, **115**
- Skin**
Also see Color (mother)
checking baby's, **265**
color (baby), **244–245, 266, 279**
dark patches, **79**
loss of stretchiness, **159**
pale, shock and, **239**
purple spots, **79**
- Sleep**
Also see Rest; Tiredness
during pregnancy, **44, 75**
getting up and down during pregnancy, **78**
heartburn and, **75**
strange dreams and nightmares, **82**
- Sleepiness**
Also see Tiredness
causes other than pregnancy, **86**
during pregnancy, **75, 86**
- Slides, making posters from**, **451**
Slow birth. *See* Encouraging labor; Long labor
Slow heartbeat (baby), **141, 172–173, 177, 184, 208, 243, 255**
Slow pulse (mother), **178**
Small baby, **221, 256–257**
Also see Early birth
breastfeeding and, **292**
causes of, **257**
limp, weak, or does not wake up, **254**
medical help needed for, **221, 256**
in past pregnancies, **94**
problems possible for, **256**
what to do for, **257**
- Smelly vagina**, **77, 321**
Smoke, avoiding during pregnancy, **104**
Smoking. *See* Tobacco
Sodium hypochlorite solution.
See Bleach
Soft spots in baby's head (fontanels), **259**
Sonogram, **90, 437, 438**
Sore nipples, **290**
Sores
on genitals (genital ulcers), **329–333**
poor nutrition and, **117**

Sounds

Also see Heartbeat (baby)
 helping the mother push, 201
 making in stage 1 (opening), 169

Speculum exam, 377–383

described, 373
 giving, 377–379
 Pap test for cancer or pre-cancer,
 379, 381–383
 vinegar test for cancer or pre-cancer,
 379, 380, 384–385

Speeding labor. *See* Encouraging labor;
 Long labor**Spermicides, 301, 304, 305****Sperm (semen)**

germs in, 49, 50
 reproduction and, 29, 30

**Sponge method for family planning,
 317****Spontaneous abortion.** *See* Miscarriage
Spots

rubella (German measles), 45, 95
 on skin, 79

Spotting, 79, 112. *Also see* Bleeding**Spring scale, homemade, 450****Square knot, 214****Squeezing exercise (Kegels), 44****Stage 1 of labor.** *See* Opening (stage 1
 of labor)**Stage 2 of labor.** *See* Pushing (stage 2
 of labor)**Stage 3 of labor.** *See* Birth of the
 placenta (stage 3 of labor)**Starting labor.** *See* Encouraging labor
Steaming

gloves, 66
 sterilizing tools by, 61–63

Sterile gloves. *See* Gloves**Sterile packets, 65****Sterilization for family planning, 301,
 315****Sterilizing equipment**

Also see Cleanliness
 by baking, 61
 bedding, 58
 before birth, 153, 168
 before inserting IUDs, 392
 before manual vacuum aspiration
 (MVA), 425
 by boiling, 62
 chemicals for, 63–64
 defined, 59
 gloves, 66
 High Level Disinfection (HLD) and, 59
 infection prevented by, 51
 items requiring sterilization, 60
 mucus bulb (bulb syringe), 66
 needles, 66
 by pressure steaming, 61–62

razor blades, 65
 by steaming, 62–63
 storing tools and supplies, 64–65
 thermometers, 65
 tools, 59–64

Stethoscopes, 139, 449**STIs.** *See* Sexually transmitted infections
 (STIs)**Stitches.** *See* Sewing a tear or
 episiotomy**Stomach problems**

nausea (morning sickness), 73–74,
 86, 110–111
 pain (heartburn), 74–75
 poor nutrition and, 117

Stool

baby does not pass in first day, 256
 black, 36
 constipation, 36, 76–77
 diarrhea (loose stool) in baby, 275
 diarrhea (loose stool) in mother, 50,
 111, 150, 343
 disposing of, 67
 enemas, avoiding during pregnancy,
 77
 germs in, 49
 leaking freely after birth (mother),
 273
 meconium (baby's first stool),
 174–175, 209, 213
 in waters, 174–175, 209, 213

Stopping pregnancy. *See* Abortion;
 Miscarriage**Storing**

bedding, 58
 tools and supplies, 64–65

Strengthening labor. *See* Encouraging
 labor**Suction trap, 213****Sugars (go foods), 34, 35****Sulfas (sulfanomides), 475****Supplements in health history, 103****Supplies.** *See* Tools and supplies**Supporting labor, 158, 169–170,
 200–202****Surgical birth.** *See* Cesarean surgery
 (birth by operation)**Suture lines in baby's head, 259****Sutures, 358****Sweating**

during pregnancy, 78
 shock and, 239

Swelling

breasts (engorged), 76, 288
 face and hands (warning sign), 76,
 81, 109, 126, 127
 feet, 76
 with headaches, 81
 legs red, hard, or swollen, 273

from medicine, 103
 veins (varicose veins), 76

Symphiotomy, 440**Symptoms.** *See* Signs (baby); Signs
 (mother during pregnancy); Signs
 (mother in labor, birth, and after)**Syphilis, 329–330****Syringes**

Also see Injections; Needles
 (hypodermic)
 bulb syringe, 66, 209, 213
 for manual vacuum aspiration (MVA),
 424–425

T**Tablets.** *See* Medicines**Talking**

about difficult subjects, 7
 keeping things private, 7
 listening more than, 7
 with mother in prenatal checkup,
 109–115
 to women about food, 34–39

TB. *See* Tuberculosis**Teaching**

classes in the community, 4–5
 finding materials for, 505
 helper for birth, 151
 homemade materials for, 451–465
 how to prevent STIs, 336
 to prevent health problems, 23–25
 as purpose of pregnancy care, 70
 sharing knowledge, 3–6

Tears

Also see Fistula (hole in the vagina);
 Sewing a tear or episiotomy
 degrees of, 356–358
 genitals, checking after birth, 248
 judging whether stitches are
 needed, 356–358
 medical help needed for, 184, 205
 preventing, 206–208, 356
 pushing on mother's belly and, 205
 sewing, 356–366
 testing for torn muscle around anus,
 357
 time for sewing, 358
 vagina, 239
 vaginal infection, 272
 vaginal opening, during birth, 206
 womb during labor, 184–185, 205

Teas

for bladder infection, 129
 to help sleep, 75
 for migraines during pregnancy, 81
 for nausea relief, 74

Teeth, caring for, 43

Temperature

Also see Fever

- checking baby after birth, 255–256
- checking mother after birth, 251
- checking mother during labor, 178–179
- checking mother during pregnancy, 119
- hot feeling during pregnancy, 78
- low (baby), 255–256
- warning signs (mother), 109, 119, 178

Tension

- helping mother relax, 169–170, 187–188
- long labor and, 187–188
- when pushing, avoiding, 201, 202

Testicles

- Also see* Sexually transmitted infections (STIs)
- baby's, 263, 264
- father's, 29

Tests

- for anemia, 116
- blood pressure, checking the mother's, 122–124, 180–182
- CD4, 335, 492
- for cancer of the cervix, 383–386
- for diabetes, 115
- for HIV, 99, 100
- for HPV, 380
- lab tests, 438
- for malaria, 99
- measuring the womb, 90, 130–135
- for pregnancy, 87
- for protein in the urine (pre-eclampsia sign), 126–127
- pulse, checking mother's, 120–121
- temperature, checking the mother's, 119
- for too much water in the womb, 134

Tetanus (lockjaw)

- after abortion or miscarriage, 415
- cutting the cord and, 214
- means of infection with, 102
- protecting against, 102, 278, 415
- signs in baby, 278
- signs in mother, 415
- vaccinations, 102

Tetracyclines, 475

Thermometers, 65, 119. *Also see* Temperature

Thin mother, 118

Three-minute hand wash, 53–54

Thrush (yeast infection), 290

Thump test for water in the womb, 134

Time

Also see Early birth; First few hours

- after birth; First weeks after birth; Long labor; Schedules
- for cutting the cord, 157
- delayed labor, 88
- due date, 88–89, 130, 133
- to go to birth, 151
- homemade timers, 447–448
- between labor start and breaking of waters, 175–176
- months or weeks pregnant, 88, 89, 90
- for sewing tears, 358
- short labor in past, 93
- signs of labor starting soon, 149–151
- to take medicines, 473–474

Timers, homemade, 447–448

Tiredness

- Also see* Anemia; Weakness
- dehydration and, 159
- go foods for energy, 35
- in past pregnancies, 93
- sleepiness during pregnancy, 75, 86
- as warning sign, 116

Tobacco

- avoiding during pregnancy or breastfeeding, 46
- avoiding smoke during pregnancy, 104
- infertility and, 31
- small baby and, 134, 257

Tonics, 103**Tools and supplies**

- Also see* Homemade equipment; Sterilizing equipment; *specific tools and supplies*
- blood pressure, 122
- bulb syringe, 66, 209
- caring for, 65–67
- cloth tape measure for womb, 132
- cryoprobe, 383a–383b
- disposing of wastes safely, 67–69
- at hospitals or medical centers, 439–441
- for inserting IUDs, 396
- items requiring sterilization, 60
- for listening to heartbeat, 139
- low-cost and homemade, 447–450
- for manual vacuum aspiration (MVA), 424–425
- for pelvic exam, 376
- for sewing tears, 358–359
- sterile packets of, 65
- storing, 64–65
- suction trap, 209
- supplies to have at birth, 152–153

Toothbrush, homemade, 43

Tooth care, 43

Torn flesh. *See* Tears

Touching inside the vagina

- Also see* Intrauterine devices (IUDs); Pelvic exam
- avoiding during birth, 195, 206
- baby stuck at shoulders and, 213
- cryotherapy, 384–386
- pelvic exam, 373–390
- piece of placenta left inside womb, 234–235
- pressure to stop bleeding after birth, 238
- taking out the placenta by hand, 230–231
- vaginal exams during labor, 186, 339–340
- womb comes out with the placenta, 232–233

Touch in stage 1 (opening), 169

Toxemia of pregnancy.

See Pre-eclampsia

Traditional medicine, 17, 467

Training. *See* Learning by midwives; Teaching

Transfusion (giving blood through an IV), 440

Transport plan for medical help, 10, 106–107, 164, 442

Treating health problems, 13–25

- Also see specific health problems*
- avoiding unnecessary procedures, 20
- benefits and risks, 16–17
- finding root causes, 21–25
- finding the best treatment, 16–21
- finding the causes, 13–15
- knowing your limits, 20–21
- steps for solving problems, 13–15
- types of medicine, 17–19, 474

Trichomonas (trich), 326

Tubal ligation (sterilization for women), 315

Tubal pregnancy, 79, 113

Tuberculosis

- HIV and, 496
- infertility and, 31
- pregnancy problems and, 97
- vaccination (BCG), 267

Tubes

- illustrated, 28, 29
- tubal ligation (sterilization for women), 315
- tubal pregnancy, 79, 113

Tumor (molar pregnancy), 134

Turning a breech or sideways baby, 369–371

Twins, 143–144

- breastfeeding and, 291
- dangers of twin births, 219
- delivering, 220–221
- listening to heartbeats, 143–144
- medical help needed for, 144
- signs of, 133, 138, 143

U**Ulcers.** See Sores**Ultrasound**, 90, 437–438**Umbilical cord.** See Cord; Cutting the cord**Upset stomach.** See Stomach problems**Urethra**

- caring for infection, 129
- illustrated, 27, 376
- signs of infection, 128

Urinating

- Also see Sexually transmitted infections (STIs)
- baby does not urinate in first day, 256
- blood in urine, 128
- catheter (tube to help urinating), 249, 352–353
- during labor, 161
- frequent, 77, 86, 115
- helping mother after birth, 249
- to help the womb contract, 236
- leaking freely after birth, 273
- painful or burning, 77, 128
- protein in the urine, 125, 126–127, 128, 180
- squeezing exercise (Kegels) and, 44
- ways of encouraging, 249, 352

Uristicks, 126**Uterus.** See Womb (uterus)**V****Vaccinations**

- Also see Injections
- about, 276
- hepatitis B, 267
- tetanus, 102, 415
- tuberculosis (BCG), 267

Vacuum aspiration, 92. Also see Manual vacuum aspiration (MVA)**Vacuum extractors**, 439**Vagal reaction**, 430**Vagina**

- Also see Bleeding; Genitals; Pelvic exam; Sexually transmitted infections (STIs); Touching inside the vagina
- cervix visible at opening after birth, 249
- fistula (hole in the vagina), 22, 94, 186
- hard lump under skin, 272
- hematoma (blood blister) in, 248–249
- how the baby moves through, 197–198
- illustrated, 27, 28, 29, 376
- infection, 272
- keeping germs away, 175
- menopause and, 31
- models for teaching about, 456–457, 458, 464
- pain after birth, 248–249
- preventing tears, 206–208, 356
- show (mucus tinged with blood), 150–151
- smells bad, 77, 321
- spotting, 79, 112
- squeezing exercise for (Kegels), 44
- supporting opening during birth, 206
- torn, 239
- touching during birth, avoiding, 195, 206
- vaginal exams during labor, 186, 339–340
- warm cloths around opening, 207
- wetness from (discharge), 77

Vaginal exams during labor, 186, 339–340**Vaginal infection**, 272**Vagus nerve**, 430**Varicose veins**, 76**Vasectomy (sterilization for men)**, 315**VD (gonorrhea)**, 50, 323–325**Vegetables**, 35, 36, 37, 42**Vehicles or transportation**, 10, 106–107, 164, 442**Veins**

- giving fluid through (IV), 350–351
- swollen (varicose), 76

Vicryl sutures, 358**Vinegar test for cancer or pre-cancer**, 379, 380, 384–385**Vision**

- Also see Eyes
- blurred, 109, 125
- double, 125

Visual pelvic exam, 373, 376**Vitamin A**, 39**Vitamin B-6**, 73**Vitamin C**, 116 **Vitamins**

- Also see specific vitamins
- buying, avoiding, 42
- to eat every day, 37, 39
- glow foods, 34, 35
- injections, 42
- pills, 36, 42

Vomiting

- Also see Nausea
- drinking during labor and, 159
- “shooting” from baby, 276
- warning signs versus healthy signs, 110–111

Vulva. See Genitals**W****Walking to encourage labor**, 192**Warning signs.** See Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)**Warts, genital (HPV)**, 333, 380**Washing**

- Also see Cleanliness; Sterilizing equipment
- bedding, 58
- hands, 53–54, 153, 168
- mother after birth, 247
- tools, 59

Waste disposal

- placenta, 67, 235
- safe, 67–69

Water and liquids

- Also see Dehydration
- after birth, 250
- boiling to kill germs, 54
- breastfeeding and, 283
- constipation and, 76
- dirty, germs in, 50
- drinking during labor, 159–160
- for fever, 178
- first weeks after birth, 269
- giving fluid through a vein (intravenous solution or IV), 350–351
- in healthy diet, 39
- high blood pressure and, 125
- rehydration drink, 159–160

Water in the womb. See Bag of waters**Water retention.** See Swelling**Waters.** See Bag of waters**Water timers**, 448**Water weight.** See Swelling**Weakness**

- Also see Anemia; Tiredness
- in past pregnancies, 93
- poor nutrition and, 117
- as warning sign, 111, 116

Weeks pregnant, figuring, 88, 89, 90.

Also see Length of pregnancy

Weight

Also see Size

baby not gaining, 276

checking the baby's, 256, 258

checking the mother's, 118–119

large baby, 254, 258

large baby in past, 94, 115

overweight mother, 115, 118

small baby, 221, 254, 256–257, 292

small baby in past birth, 94

sudden gain by mother, 118, 119

thin mother, 118

Western medicine, 17, 18

Wetness from vagina. *See* Discharge (wetness from vagina)

Where There Is No Doctor, 41, 115, 328

Where Women Have No Doctor, 46, 105, 111, 322

White color. *See* Pale color

White discharge. *See* Yeast infection

Womb (uterus)

Also see Contractions; Manual

vacuum aspiration (MVA);

Measuring the womb; Placenta;

Position of the baby; Touching

inside the vagina

bigger than normal, 115

bimanual (2-hand) exam, 387–390

comes out with the placenta, 232–233

cramps in early pregnancy, 79

feeling baby inside, 87

first weeks after birth, 270–271

growing too fast, 133–134

growing too slowly, 134–135

helping contract after the placenta is born, 224, 236–238

how a baby grows, 30

how women get pregnant, 29

illustrated, 28, 29

infection, 120, 179, 185, 271, 403

infection in past pregnancies, 95

measuring, 90, 130–135

models for teaching about, 454–455, 458–461, 464

pain during labor, 183–185

piece of placenta left inside, 234–235

position of the baby, 135–144, 170–171, 190–191

pushing on mother's belly and, 205

rubbing after the placenta is born,

224, 236

scar from cesarean surgery, 96

scars from abortion, 92

signs that the placenta has

separated, 226–227

sore after birth, 159

staying soft after placenta is born, 236–238

tissue coming out, after abortion, 412

torn, 184–185, 205

water in, too little, 134

water in, too much, 133

Work

breastfeeding and, 284–286

in pregnancy health history, 105

Working with chemicals, 47

Worms. *See* Parasites

Worry during pregnancy, 82

X

X-rays, 438

Y

Yeast infection, 326–327

frequent, diabetes and, 115

preventing, 327

signs of, 326

thrush, 290

treatment, 327

Yellow color (baby), 266, 279

Young mothers, 22, 105