Index

NOTE: Find the organizations mentioned in this book on pages 155 to 158, with their page numbers and contact information. All "Activities" and "How to's" are listed at the end of the Table of Contents.

Α

Abortion, denial of health care, 113 **Abuse**

as part of intimate partner violence, 75 senior scams and, 126, 156 also see Family violence; Intimate partner violence; Sexual violence; Trauma

Acupuncture

for addiction detox and more, 94-95 training, 97

Addiction treatment programs, 92-96

Acupuncture and acupuncture, 94–95 building community as basic to, 92 detox facilities and treatments, 94 drug testing and, 93 harm reduction strategies, 95–96 health insurance and Medicaid, 93 medication treatments, 92, 94, 95 National Helpline for, 93, 155 peer counseling training program, 83 residential programs, 93 support groups, 89, 92, 93 time needed for recovery, 92–93

Addictions, to activities, 89

also see Alcohol and drug addiction
Adolescence, 112–121

also see Youth/adolescence
Adult Children of Alcoholics, 92
Adults, building connections as, 122–124
Advertising, for alcohol, 96, 97
Advice, refrain from rushing in with

Activity: Practice good listening, 29 How to: Offer support, 26–27 pregnancy and parenting, 101 working with young people, 113

Aging, 125-127

also see **Death and dying**; **Older people** and aging

Al-Anon groups, 92, 163

Alcohol and drug addiction, 87-97

community education, 92, 97 denial, shame and stigma, 87, 90, 91, 92 and family members, 92, 96 mental health conditions and, 89–90, 93 questions to ask, 87–88 as self-treatment, 89–90 signs of physical addiction, 88 talking with someone about, 25, 90–92 withdrawal, 88, 94 youth and, 96–97, 113, 118

also see Addiction treatment programs;
Alcohol use; Drug use

Alcohol use

advertising and pressure to use, 96, 97 for grief, loss, stress, 19, 42, 90 events and spaces free of, 10, 97 historical use, 87 increased use, sign of illness, 53 also see **Alcohol and drug addiction**

Anger, 84-86

Activity: Working with emotions, 85–86 children and, 67, 84, 85–86 dying and, 129 How to: Regain calm, 31 How to: Use finger-holding, 21 injustice and, 67, 69, 84 mental health/illness and, 53, 67 stress and, 19 violence and, 67

Anxiety, 30-33

alcohol or drugs and, 89–90
How to: Help during a panic attack, 32
How to: Regain calm, 31
How to: Use finger-holding, 21
junk food and, 24
in pregnancy or after birth, 104
PTSD and, 55
stress and, 19, 20, 80
youth and, 24, 118

also see Panic attacks

Arts

Activity: Repair the protective shield, 39 Activity: Speak the unspeakable, 36–37 Activity: Working with emotions, 85-86 crafts, 36-37, 44, 86, 111 dance and movement, 7, 24, 38, 120, 123, 125, 136, 140 drama and theater, 8, 38, 136 drawing, 36-37, 38, 39, 85-86, 111, 135-136 grief and grieving and, 40, 44, 69 How to: Use puppets with children, 111 murals, 52, 99 music, 7, 21, 22, 40, 114, 129, 136, 150 storytelling, 10, 16, 38, 78, 111, 136, 141 support groups and, 136, 140-141 trauma experiences, 38 writing, 36–37, 38, 40, 135, 136, 140–141 zines, 38 also see Music; Writing as selfexploration Assumptions see Judgements and assumptions, avoiding Asthma, 79

В

Babies and children, 106-111

Athletics, 76

behavior changes, 43, 53, 109
community events and, 10, 103, 108
How to: Use puppets with children, 111
playspaces, advocacy for, 108
separations from caregivers, 110
also see Childcare; Children; Children,
communication with; Pregnancy
and parenting
Bail debt, campaigns to cancel, 81
Bike paths, 12, 24

Blame

Activity: Repair the protective shield, 39 child self-blaming, 43, 76 motherhood and depression, 103 self-blaming for burnout, 148 trauma survivors and betrayal, 39

Blood infection (sepsis), as cause of behavior change, 59

Body, talk therapies involving, 55 Body and mental health see Physical illnesses; Signs

Body language, 29, 62, 83, 139 Body size and shape, 19, 117 Brain development

adolescents/youth, 97, 112 young children, 106 **Brain injury**, 59

Breastfeeding advocacy, 104
Breathing

Activity: Pause and reset, 140 calming practices, 31

How to: Help during a panic attack, 32 **Buprenorphine (suboxone, bupe)**, 95

Buprenorphine (suboxone, bupe), 95 Burnout, 148-154

de-stressing with salsa dance parties, 123 **Businesses, family-friendly**, 108

C

Calmness

Activity: Pause and reset, 140
Activity: Working with emotions, 85–86
communicating and psychosis, 57
de-escalating a crisis, 62–65
How to: Offer support, 26–27
How to: Regain calm, 31
service dogs and, 56

CBT (cognitive behavioral therapy), 55 **Childcare**

community events and, 103, 108 and routine separation, 110 sharing, 104 support for new parents, 101, 103, 104, 107

Bipolar disorder, 49, 55

Black Panther Party, 94

Childhood, traumatic experiences in

drug and alcohol abuse risk higher, 96 feeling of betrayal by caretakers, 39 memories of, 34 ongoing or long-lasting, 34 separations from caregiver, 110 stress and, 19

Children

Activity: Working with emotions, 85–86 anger and, 67, 84, 85-86 behavior changes, 43, 53, 109 blaming themselves, 43, 76 disciplining, 77 grieving process of, 43 How to: Use finger-holding, 21 meditation and, 22 mental health warning signs, 53, 118 play, need for, 107, 111, 108 separation from caregivers, 110 and violence in the home see Cycle of violence; Family violence also see Babies and children; Childcare; Childhood, traumatic experiences in; Children, communication with; Pregnancy and parenting; Schools; Youth/adolescence

Children, communication with

adults as role models, 43, 77, 78, 110 and cycle of violence, 77–78 on death and other losses, 43, 110 emotions, acknowledging, 77 good behavior, recognizing and praising, 77

How to: Use puppets with children, 111 storytelling, 78

stressful situations, 109, 110

Child Welfare Services, 110 Chiropractic care, and detox, 94 Climate crisis, activism, 113, 120

Cognitive behavioral therapy (CBT), 55 College students

alcohol- and drug-free dorms, 97 sexual violence and, 70 also see **Youth/adolescence**

Communication skills

Activity: Working with emotions, 85–86 and addiction, 25, 90-92 with dying person, 128–129 emotions, acknowledging, 77 How to: Communicate during crisis, 63

How to: Communicate during psychosis, 57 How to: Talk about alcohol and drugs, 91

and manic states, 55

modeling communication, 75-77

and severe depression, 54 and sexual violence, 71, 75

storytelling, 78

also see Children, communication with; Crisis situations; Listening skills/ being present

Community centers, 23, 122 Community gardens, 8, 24

Community gatherings, planning

access, 10, 124 actively inviting people in, 124 alcohol-free events, 10, 97 Death Cafe Guide, 127, 166 diverse identities in, 9 families with children, 10, 103, 108 language diversity, 10, 124

Community meal programs, 24 Community organizing

actively inviting people, 124 adapting information for, 5 adult friendship and community networks, 122–124

affirming and positive process, 13 changes build on each other, 13 grieving and, 44 health promoters (*promotores*), 11 as long-term project, 13 for mental health emergencies, 60 as stress reduction and prevention, 22 successes, analyzing, 17

working conditions in, 149, 152–154 youth participation in, 80, 113

also see Community gatherings,
planning; Peer counseling and
support; Social change, relation to
mental health; Social conditions
cause mental health problems;
Support groups

Compassion , 83, 112, 149	Cutting (self-harm), 118
Complementary care, 128	also see Suicide
Connectedness	Cutting of female genitals (FGM/C), 38
Activity: Yarn web of relationships, 82	Cycle of violence
as essential support in mental illness, 53,	approaches to ending, 82–83
54	children and, 75, 77–78, 81
healthy communities and, 7	de-escalating violence, 14, 62, 83
violence as harming, 82	peer counseling, 83
also see Isolation	restorative justice and, 81–83
Controlling partner see Intimate partner	also see Violence
violence	
Counseling	D
for anxiety, 30	D
during pregnancy or after birth, 101, 103,	- II III
105	Daily life, not coping with
for PTSD, 55	anxiety and, 33
for survivors of gun violence, 69	depression and, 45
also see Peer counseling and support;	grieving and, 42
Talk therapies	psychosis and, 56
Crafts, 36-37, 44, 86, 111	Dance and movement, 7, 24, 38, 120, 123
Crisis situations, 59–65	125, 136, 140
calling trusted friends or family, 57, 60, 63	Danger, trauma alertness to, 34, 35
police, alternatives to calling, 60, 64	Death and dying, 127–129
safety during see Safety for mental	"Death Cafes," 127, 166
health workers	How to: Use finger-holding, 21
also see Emergency situations; Safety,	of someone close, 40, 128–129
for person in crisis; Safety for	of someone in the community, 40
mental health workers	of someone in a difficult relationship, 40,
Crying, depression and, 45	42, 129
Cultural traditions	stigma and shame about cause of, 42
acupuncture, 94–95	also see Grief and grieving
actions and speech, interpretations, 83	Death doulas, 129
and anger, expression of, 84	Debt, campaigns to cancel, 81
birth care, 102	Decision making
calming practices, 31	for people in crisis, 63
and cycle of violence, 78, 81	stress and effects on, 19 for trauma sufferers, 35, 55
for death and grief, 44	
healthy habits, 24	Delusions, psychosis and, 56, 57 Denial
immigrants and, 103	addiction and, 90, 91, 92
Indigenous knowledge, 24, 78	trauma and, 34
and intimate partner abuse, 73	trauma anu, 54
pregnancy and parenting supports, 101,	
102, 103	
PTSD management and, 55	
storytelling for children, 78	
stress reduction practices, 22	
talking stick, 136	

Depression, 44–47	Drug use
burnout and, 148	behaviors due to, 59
as medical condition, not personal	and drop-in site interactions, 62, 145
weakness, 45	drug-free events and spaces, 97
in pregnancy or after birth, 103	harm reduction strategies, 95–96
self-medicating, 89–90	historical use of, 87
severe depression, 45, 49, 54, 103	increased use and mental illness, 53
stress as cause of, 20, 47, 80	intergenerational effects of abuse, 96
trauma and, 34	overdose deaths, 42
Diabetes	peer pressure, 72, 93
as cause of strange behavior, 59	self-medication, 19, 42
stress causing or worsening, 20, 24	youth and, 96–97
Diet see Food advocacy; Food and mental	also see Alcohol and drug addiction
health	E
Disabilities, people with	-
access to events, 10	Coult shildhood soo Bobies and shildren
discrimination against, 19	Early childhood see Babies and children; Childcare; Children, communication
grieving in adjustment to, 40	with; Pregnancy and parenting
Disasters, and grief, 40	Eating see Food advocacy; Food and
Discrimination	mental health
addiction struggles of unhoused, 94	Economic intimidation , as violence, 72, 73
as cause of stress, 19, 80	Economic stress
for customs or language, 19	debt, as structural violence, 81
for mental health challenges, 19, 49,	pregnancy, parenting and, 100, 105
51–52	working several jobs, 19
news and social media fueling, 69, 113	Elders see Older people and aging
poverty and, 79–80, 94	EMDR therapy, 55
for religion, 10	Emergency rooms
types of, 19	rape, staff trained to support victims, 71
young people's awareness of, 113	Emergency situations
also see Homophobia; Racism; Sexism	alternatives to police, 60
Divorce addressing children about, 43	heart attack, panic attack resembles, 32
grief and, 40	procedures for, organizational, 60
Dogs, service, 56	psychosis of new mother, 105
Domestic violence see Family violence;	also see Crisis situations; Safety for
Intimate partner violence	mental health workers
Domestic workers, 8, 28, 38, 127	Emotional support, 25–29
Doulas , 101, 102	emotional safety after trauma, 35
Orama and theater, 8, 38, 136	for family and friends, 119
Drawing , 36–37, 38, 39, 85–86, 111, 135–	in grief and grieving, 40–41
136	How to: Offer support, 26–27
also see Arts	How to: Use finger-holding, 21
Orugs, prescription see Medication;	for intimate partner violence, 74
Medicines (psychiatric)	in serious mental illness, 52
• •	also see Emotions; Listening skills/being
	present

Emotions

Activity: Your "Digital Loop," 115–116

Activity: Pause and reset, 140

Activity: Working with emotions, 85-86

of dying person, 129

How to: Talk about feelings, 138

How to: Use puppets with children, 111

Pregnancy, parenting and, 100, 104, 105

psychosis and changes in, 56

as spreading through interactions, 143

support groups and, 131

trauma and unpredictability of, 34 understanding and processing, 85–86

youth and intensity of, 112, 118

also see Anger; Anxiety; Emotional support; Grief and grieving; Guilt feelings; Hate; Sadness; Shame

Energy, lack of

burnout, 148 depression and, 45 severe depression and, 54 stress as causing, 20 as warning sign, 53

youth and, 118

Environmental justice

and structural violence, 79, 121 youth and, 119, 120-121

Exercise see **Physical activity**

F

Family

"chosen family," 121 intimate partner violence and, 73 person with addiction in your, 92 of youth in crisis, 119

also see Family life; Intergenerational health issues

Family life

creating strong, loving family, 77 meet-ups for young families, 108 parents' networks, 104 stress from, 19

also see Children; Cycle of violence; Family support for person with mental health challenges; Family violence; Intimate partner violence; Pregnancy and parenting

Family support for person with mental health challenges

asking for explanation of unusual behavior, contacting during crisis, 55, 57 monitoring effects of medicines, 50, 51 support for, 119

Family violence, 76-78

LGBTQ+ youth and, 121 in pregnancy or parenting, 105 trauma resulting from, 34, 76 also see Childhood, traumatic experiences in; Cycle of violence; Intimate partner violence

Farmers' markets, 12, 24

Food advocacy

Fears

How to: Use finger-holding, 21 also see Anxiety; Trauma Female genital cutting (FGM/C), 38 Finger-holding to manage emotions, 21 Flashbacks, trauma and, 34, 55

community gardens, 8, 24 community meal programs, 24 cooking as support, 14, 23, 117 farmers' markets, 12, 24 food pantries, 22, 35 grocery stores, activism, 69 How to: Pick a health habit, 23–24 nutrition, 117 restaurants, family-friendly, 108 school snacks, healthier, 24 to support mental health, 50

urban farmers, 12

youth and, 24, 117

also see Food and mental health

Food and mental health

addiction detox and, 94 changes in eating as warning signs, 53 depression and lack of interest in, 45 "food apartheid" (food deserts), 69 grieving and problems with, 40, 42 lack of, depression and, 47 pregnancy, parenting and, 101, 107, 108 youth, eating patterns, 117, 118 also see Food advocacy

Food pantries, 22, 35

Friends and friendships

during adulthood, 122–124 depression and, 45, 47 How to: Pick a health habit, 23–24 mental health helpers and, 150, 151 partner forbidding contact, as abuse, 73 youth activism supported among, 113 also see **Friends support for person with**

mental health challenges Friends support for person with mental health challenges

asking for explanation of unusual behavior, 59 contacting during crisis, 55, 57 monitoring effects of medicines, 50, 51 support given to the friend, 119

G

Gaming addiction, 89 Gang violence, 14, 81

Gender-based violence, **70–78**female genital cutting (FGM/C), 38
sexual orientation and gender identity, 70,

121
also see Intimate partner violence;
Sexual violence

Gender identity

challenges faced by youth, 46, 112 resources and hotlines, 61, 121 violence based on, 70 also see **LGBTQ+ people**

Generational issues *see* **Intergenerational health issues**

Grief and grieving, 40-44

depression distinguished from, 44–45 How to: Use finger-holding, 21 mass shootings, community grieving, 69 also see **Grief and grieving, blocked**

Grief and grieving, blocked, 42

alcohol/drug use to avoid grief, 42, 90 cultural loss and unresolved grief, 15

Guilt feelings

in depression, 45 in trauma, 34 also see **Blame**; **Shame**

Gun violence, 68-69

Activity: Speak the unspeakable, 36–37 mass shootings, 34, 69 prevention of, 14, 68, 69 school shootings, 113 young people as aware of, 113

Н

Hallucinations, psychosis and, 56, 57, 61, 63, 105

Harm reduction strategies, 95–96 **Hate**, in news and social media, 69, 113

Headaches, as sign anxiety, 30 burnout, 148 serious mental illness, 53 stress, 20 trauma, 34

Health care, lack of access, 47, 49–50, 100 also see Medical care

Health habits, 23–24

Health insurance

drug/alcohol treatment costs, 93 lack of coverage for mental health, 49 also see **Medicaid**; **Medicare**

Heart attack vs. panic attack signs, 32 Heart disease, 20

Helping ourselves do this work, 143-154

crisis situations, support following, 65 trauma group facilitators, support for, 37 also see **Burnout**

Hepatitis C, 95

High blood pressure, 20, 24, 80 High school students

anxiety of, and junk food, 24 elders, volunteer with, 125 gender and sexuality, 46 How to: Work with young people, 113 online lives, 114, 115–116 spaces and places to connect, 113 violence prevention and relationships, 76

History of community

healthy habits, revival of, 24 marking or restoring sites, 7, 44 oral histories, 126

also see Youth/adolescence



serious mental illness and, 53, 56

trauma and, 34, 36 also see Connectedness

Jealousy, 72 Jobs

loss of, grieving, 40 partner stopped from getting, as abuse, 73 guitting, in manic state, 55 workforce development, 12, 80, 83 working too much, 42 for youth, 80, 113 also see Workplace

Judgments and assumptions, avoiding

How to: Communicate during psychosis, 57 How to: Offer support, 26-27 and situations of violence, 83

L

Lack of access

aging, support for, 125 health care, 47, 49–50, 100 mental health care, 49-50 pregnancy care and leave, 100, 103, 104 also see Housing; Structural violence

Lamaze classes, 103

Language

abusive, aimed at helpers, 145 abusive or insulting, as violence, 73, 76 bilingual programming, 28, 93, 125, 126 consideration for gatherings, 10, 124 discrimination against non-English speakers, 19 inclusive word choices. 6 non-English language resources, 60 words used to discuss mental illness, 51 words use, group agreement, 133

Last Will and Testament, 127 Lead exposures, 121

Legal rights and legal aid

Advance Health Care Directive, wills, 127 intimate partner abuse, support with, 74 psychosis in pregnancy, parental and medication rights, 105

LGBTQ+ people

"chosen family" and, 121 churches welcoming, 124 intimate partner violence, 72 support groups for, 141 violence toward, 70 youth, 46, 121

also see Gender-based violence;

Homophobia;

Libraries, as "third place," 122 Listening skills/being present

Activity: Practice good listening, 29 Activity: Speak the unspeakable, 36–37 grieving process, 41 hotlines for seniors, 126, 155 How to: Offer support, 26–27 manic state, person in, 55 offering emotional support, 26–27 in support groups, 137 trauma experiences, 37 violence prevention, 14 working with young people, 113

Loss

as a part of life, 40 as contributing to depression, 47 also see Grief and grieving

Love

children's need for, 43, 77, 107 "chosen family" and, 121 for a dying person, 128, 129 resilience and, 2 **LSD**, 55

М

Mania, 54-55

also see Mental illness, serious Marriage, forced, 70 Massage, and addiction detox, 94 Mass shootings, 34, 69 **MDMA**. 55 Medicaid

and doula costs, 101 and drug/alcohol treatment costs, 93 help applying for, 125

Medical care

Advance Health Care Directives for, 127 debt from, 81, 156 also see Emergency rooms; Emergency situations; Health insurance; Medication; Mental health; Physical illnesses

Medicare, 125 Medication

addiction treatment, 92, 94, 95 pain control in death and dying, 128, 129 also see **Medicines (psychiatric)**

Medicines (psychiatric)

community and, 50, 51 compliance and, 50, 51, 54, 55 for depression (anti-depressants), 46, 54 effects of, 50, 54 finding right treatments/doses, 46, 50, 54 in pregnancy or after birth, 101, 103, 105 psychedelic drugs/substances, 55 for PTSD, 55 and social conditions, 46, 50

Meditation, 22

Activity: Pause and reset, 140

Memory

of childhood trauma, incomplete, 34 flashbacks, trauma and, 34, 55 traumatic memory, EMDR therapy, 55

Mental health

community promotion, 4

also see Alcohol and drug addiction;
Anger; Crisis situations; Mental
health at different times of life;
Mental illness, serious; Social
conditions cause mental health
problems; Stresses affect mental
health: Violence

Mental health at different times of life, 99–129

also see Babies and children; Death and dying; Older people and aging; Pregnancy and parenting; Youth/adolesence

Mental health helpers

health promoters (promotores), 11
people turning to you for support, 59
also see Communication skills;
Community organizing; Crisis
situations; Emergency situations;
Emotional support; Helping
ourselves do this work; Mental
health providers; Safety for mental
health workers

Mental health promoters see Mental health helpers; Mental health providers

Mental health providers

emergency responders, 60
insensitivity to racism, 49
ongoing connection with, 46
also see Communication skills; Crisis
situations; Emergency situations;
Helping ourselves do this work;
Mental health helpers; Safety for

Mental illness, serious, 49-58

alcohol & drug misuse, co-occurring, 89–90. 93

mental health workers

also see Crisis situations; Mania;
Medicines (psychiatric); Mental
health providers; Psychosis; PTSD
(post-traumatic stress disorder);
Severe depression

Methadone, 95 Methamphetamine, 59 Midwives, 101, 102 Military members, 122 Missing/murdered women of color, 70 Mobile phones

Activity: Your "Digital Loop," 115–116 contacts list for health workers, 60 hotline for abused partners, 74 reminders for responsibilities, 114 sleep practices of setting aside, 23 walking, not using while, 114 youth activism for limiting use, 114–115 also see **Hotlines**

Money issues see Economic intimidation; Economic stress; Poverty Mood changes, serious mental illness, 53
Moral injury, 149
Movement and touch therapies, 45
Murals, 52, 99
Music
community events and, 7
in death and dying, 129
grief and grieving and, 40

in death and dying, 129 grief and grieving and, 40 instead of online time, 114 as stress reducer, 21, 22, 150 support groups and, 136

N

Naloxone (Narcan), 95 Naltrexone, 92 Narcan (naloxone), 95 Nausea, 34 Neighborhoods

as community, 9
"Know Your Neighbor" get-togethers, 10
and structural violence, 79–80

Neighbors

knowing, as depression prevention, 47 notifying about abuser, 74

Neurodiverse people, 19, 58

Newborns see Babies and children; Pregnancy and parenting

Numbness

burnout and, 148 depression and, 45 PTSD and, 55 self-treating with drugs or alcohol, 89–90 as trauma reaction, 34

Nutrition, 117

also see Food advocacy; Food and mental health

0

Older people and aging, 125-127

abuse and scams, 126 care workers, working conditions, 127 library services for , 122 panic attacks and heart attacks, 32 support groups, 125, 126 transportation options, 25, 126 also see **Death and dying**; **Senior centers**

Online life

Activity: Your "Digital Loop," 115–116 body shape and size, messages about, 117 elder abuse and scams, 126 get-togethers, 9 scrolling to avoid emotions, 42 support groups, 58, 89, 131, 133 youth self-limiting, 114–115 also see **Mobile phones**

Oral histories, 126 Outdoor experiences

community gardens, 8, 24 exercise habit, 23 mental health and need for, 12, 22 physical health and need for, 22–24 summer camps, 46, 119 youth and need for, 113 also see Community gardens; Parks

Ρ

Pain

acupuncture as treatment, 95 anxiety as cause, 30 in death and dying, medication, 128, 129 massage as addiction detox treatment, 94 self-treating with drugs or alcohol, 89–90 serious mental illness as cause, 53 stress as cause, 20

Palliative care, 128 Panic attacks

How to: Help during a panic attack, 32 How to: Regain calm, 31 signs of, 32, 118 youth and, 118

Parenting see Children; Pregnancy and parenting

Parks

community use of, 24 as "third places," 122 yoga and dance classes in, 24 also see **Outdoor experiences**

Patience

in calming and de-escalating crisis, 62 with children, 43 How to: Offer support, 26–27 lack of, 112, 143

Peer counseling and support

alcohol and drug abuse recovery, 93 counselor's trauma activated by, 147 harm reduction programs, 96 helpers, among elders, 126 library resources, 122 resources on crisis reference sheet, 60 respite house, 58 uses of, 28, 58, 83 "warmlines" and, 60, 61 working with "difficult" people, 144-147 for youth, 112 also see Counseling; Support groups;

Talk therapies
Peer pressure, 93, 96, 112
Phones see Mobile phones

Phones see Mobile phones
Physical activity

basic need, to support mental health, 50 classes in yoga, dance, movement, 24 community or senior center and, 23 grieving process and self-care, 40 as health essential, 22 How to: Pick a health habit, 23–24 youth and need for, 113

Physical illnesses

anger as causing, 84
asthma, 79
and behavior problems, 59
communication with children about, 43
grieving and, 40
How to: Use finger-holding, 21
medical ID bracelets, 59
sexually transmitted illnesses (STIs), 71
stress and, 19, 20, 24, 80
structural violence causing, 80
trauma causing, 34
also see Intergenerational health issues

Play-acting, and children, 111
Play, child development and 107–108, 111
Police

alternatives to, hotlines, 60 avoidance of involving, 51, 57, 60 rape reports and documentation, 71 reporting to, legal requirements, 134 violence by, 14, 79, 80, 113

Post-traumatic stress disorder see Poverty, PTSD (post-traumatic stress disorder)

discrimination and addictions, 94
as structural violence, 79–80, 81
also see Economic stress; Housing;
Racism; Structural violence
Power/control in relationships, 72–73, 156
Power and control wheel, 73, 156

rape and prevention of, 71 reproductive health care, denial, 79, 113

Pregnancy and parenting, 100-105

Pregnancy

building community during, 103, 108 childcare assistance, 101, 103, 104, 107 community events, including babies and children, 10, 103, 108 practical support (meals, transportation), 101, 107

also see Babies and children
Prison see Incarcerated persons
Protective shield, repair of, 39
Psychedelic drugs, as therapy, 55
Psychiatric medicines see Medicines
(psychiatric)

Psychosis, 56-57

accepting their version of reality, 57, 61 do not touch without permission, 57, 61 hallucinations, 56, 57, 61, 63, 105 in pregnancy or after birth, 105 as serious mental illness, 49 also see **Mental illness, serious**

PTSD (post-traumatic stress disorder), 55–56

emotional safety, creating, 35, 55 as serious mental illness, 49 signs of, 34, 55 also see **Mental illness, serious**

Puberty, 112

also see Adolescence

Public health departments

alcohol advertising, 97 detox facilities, establishing, 94

Puppets, 111

R

Racism

acknowledging, during support, 35 as discrimination, 19 disproportionate imprisonment as, 96 and environmental justice, 79, 121 "food apartheid" (food deserts), 69 housing redlining practices, 79 lack of access to health care, 100 lack of addiction treatment services. 94 mass shootings, 69 mental health provider insensitivity, 49 news and social media fuel, 69, 113 pregnancy, parenting and, 100, 102, 105 stress caused by, 20, 49, 80 and stress-related physical problems, 20, 80, 102 as structural violence, 69, 79–80, 121 as trauma to be taken seriously, 35, 49 unequal treatment due to, 35 violence and, 14, 35, 69, 79, 80 youth awareness of, 113 also see **Discrimination**: **Structural**

Rape, 70, 71

Refugees, see **Immigrants and refugees Relationships**

abusive, and stress, 19
consent, teaching about, 76
death of someone you had a difficult
relationship with, 40, 42, 129
end of, and grieving, 40
healthy ones prevent violence, 75–76
puberty and increased interest, 75, 112
trauma and strain in, 34
unhappy, and stress, 19
youth and need to build, 113

also see Intimate partner violence; Sex

Religion and spirituality alcohol and drug programs and, 93 alcohol, pledges not to drink, 96 calming practices (prayers, mantras), 31 death rituals, 40, 44 discrimination based on, 10 and the dying person, 129 grieving process and, 42 older people, need for transportation, 25 Reproductive health care, denial, 79, 113 Restaurants, family-friendly, 108 Restlessness, 30 Restorative justice, 81–83 Role plays to practice skills, 63 **Rural programs**, 81, 99, 125 also see Outdoor experiences

S

Sadness

How to: Use finger-holding, 21
How to: Use puppets with children, 111
ups and downs of life, 1, 44–45
also see Depression; Grief and grieving;
Mental illness, serious
Safety, for person in crisis

emotional safety for trauma survivors, 35 expressions of concern, 64, 65 making space for, 61 removing dangerous objects, 64

violence

Safety for mental health workers

awareness of surroundings, 59 calling experienced person, 62, 64 contacting trusted person, 59, 60 consciousness of safety, 63 as first priority, 59, 63, 64, 83 know your limits, 60 and psychosis, communication during, 57 removing others from a situation, 64 resources available, reference sheet, 60 stay out of reach/safe distance, 59, 64 threatening body language, 62 weapons, 59

also see Crisis situations

Safety plan, for abused intimate partner, 74 **Schizophrenia**, 49, 57

also see Psychosis

Schools

absences and performance as warning signs, 53 activism supported in, 113 difficulty keeping up with, 118 gun violence in, 113 healthy relationships and, 75–76 safety walking home from, 30 snack choices, 24 spaces and places to connect, 113 stress from, 19 teachers noting behavior changes, 109 underfunded, as structural violence, 79 violence for children at home, 76 violence prevention, 76, 156 also see College students; High school students

Self-harm (cutting or other), 118

also see Suicide

Senior centers, 125

as "third places," 122 workshops or classes, 23

Seniors see Older people and aging Serious mental illness see Mental illness, serious

Service dogs, 56

Severe depression, 54

as serious mental illness, 49 signs of, 45 support for person with, 45, 54 also see **Mental illness**, serious

Sex

depression and lack of interest in, 45 modeling healthy relationships, 75–76 puberty and interest in, 112 youth sources of information about, 75 also see **Relationships**; **Sexual violence**

Sexism

reproductive health care denial, 79, 113 as structural violence, 79–80

Sexually transmitted infections (STIs), rape and. 71

Sexual orientation

challenges faced in defining, 46 discrimination see **Homophobia** resources and hotline, 121 violence based on, 70 also see **Gender identity**; **LGBTQ+ people**

Sexual violence, 70-71

healthy relationships prevent violence, 75–76 hotline for, 71, 155 peer counseling and, 28 sexual abuse, "mandatory reports," 134 sexual abuse, youth and, 118, 134 support for survivors of, 28, 71 also see Intimate partner violence; Violence

Shame

alcohol, drug addiction and, 87, 90, 92 following a death, 42 by new mothers with depression, 103 trauma and failure to protect someone, 39 of trauma survivors, 36 of trauma survivors who were also abusers, 34

Signs	Social conditions cause mental health		
addiction, 87–88, 89	problems		
constant worry/anxiety, 30	Activity: But why?, 16–17		
depression, 45	Activity: Individual and community mental		
heart attack, 32	health, 3–4		
intimate partner violence, 72	anger as response to, 67, 69, 84		
mania, 54	anxiety from, talking about, 30		
panic attack, 32	as crisis, 50		
physical health emergencies that look like	depression and, 47		
mental health emergencies, 59	hard times as worsened by, 15		
PTSD, 34, 55	identification of, 3–4, 15–17		
serious mental illness, 53–54	individual problems and, 2		
stress, 20	medicine can't fix problems caused by, 46,		
trauma, 34	50		
youth mental health challenges, 118	medicines, and lack of other options, 50		
Sleep and sleep problems	structural inequalities see Structural		
anxiety, 30	violence		
burnout, 148	trauma and ongoing conditions, 35		
depression, 45	violence as worsening, 67, 84		
getting enough, 22	youth awareness of, 113		
grief and self-care, 40, 42	also see Lack of access; Social change,		
How to: Pick a health habit, 23	relation to mental health		
mania, 55	Social media		
ongoing stress and, 20, 80	Activity: Your "Digital Loop," 115–116		
psychosis, 56	addictive by design, 114		
psychosis after birth of child, 105	body shape and size, messages, 117		
PTSD, 55	confidentiality needs and violence, 74		
trauma, 34	disrespectful behavior, 76		
as warning signs, 53	lawsuits, for fueling hate and violence, 69		
youth and, 113, 118	spending too much time on, 113, 114		
SMART recovery, 93	youth activism to limit, 114–115		
Social change, relation to mental health	Somatic experiencing, 55		
action on lack of mental health care, 50	Spending money in harmful ways, 55, 89		
building community, 4, 7, 15, 47	Spirituality, see Religion and spirituality		
burnout, 148–149, 152	Sports , and healthy relationships, 76		
medicines will not fix, 46, 50	Stigma		
systemic inequalities see Structural	of alcohol and drug problems, 92		
violence	of breastfeeding, 104		
traumatic separation of children, 110	on cause of loved one's death, 42		
also see Community organizing, Social	Stomach and intestinal problems		
conditions cause mental health	burnout, 148		
problems	stress, 20, 80		
	trauma, 34		
	as warning signs, 53		
	Storytelling , 10, 16, 38, 78, 111, 136, 141		

Stress reduction, 20–29

Activity: Pause and reset, 140 acupuncture as treatment, 95 meditation, 22, 140

also see Burnout; Calmness; Helping ourselves do this work

Stresses affect mental health, 19-47

avoidance of topic of death as, 127 babies and children, separations, 110 effects on health, 20, 80 massage as addiction detox treatment, 94 ongoing harmful stresses, 19, 20, 47, 80 pregnancy and parenting newborns and, 100, 104

also see Anxiety; Depression; Grief and grieving; Mental illness, serious; Stress reduction; Trauma

Stroke, 59

Structural violence, 79–83

youth and, 118

burnout of mental health helpers, 148–149, 152 environmental racism, 79, 121 "food apartheid" (food deserts), 69

racism, 69, 79, 80, 121

Student loan debt, 81, 156

Suboxone (buprenorphine), 95

Substance use and abuse see Alcohol and drug addiction; Alcohol use; Drug use

Suicide

construction workers and, 25 crisis situation of person considering, 65 hotline, 60 "mandatory reports" to police, 134 severe depression and, 45 taking it seriously, 54, 65 talking and thinking about, as warning sign, 53, 54

Support groups, 131–141

for addiction (12-step and others), 89, 92, for depression, 45 for elder abuse, scam recovery, 126 for family of alcohol & drug abusers, 92, 131, 132 for grief and grieving, 40 How to: Regain calm, 31 for LGBTQ+ people, 141 for new parents, 103 online, 58, 89, 131, 133 participation, balancing group members, 137, 139, 144, 146 peer support, 58 for PTSD, 55 for severe depression, 54 for specific problems, 131, 132, 133 for trauma, 36-37 women's healing needs, 141 also see Helping ourselves do this work Sweating, excess, 30 Symptoms see Signs

T

Take Back The Night marches, 70 Talk therapies

cognitive behavioral therapy (CBT), 55 traumatic memories (EMDR), 55 what is felt in the body (somatic experiencing), 55

also see Counseling; Support groups

Tea, 22, 23

Teens see College students; High school students; Youth/adolescence

Television, and avoidance of emotions, 42 **Theater**

domestic worker advocacy via, 38 support groups and use of, 136

"Third places", 122 Transportation

older people, help with, 25, 126 planning events and, 10, 124

support for pregnancy and parenting, 101,

Trauma, 34-39

acupuncture as treatment for, 95
female genital cutting (FGM/C), 38
peer counselor's trauma activated, 147
harm reduction programs, 95
in pregnancy and after birth, 105
self-treating with drugs or alcohol, 89–90
also see Childhood, traumatic
experiences in; PTSD (posttraumatic stress disorder); Violence

Trust

crisis situations and, 62, 63 demonstrating through behavior, 35 for peer counselors, 28 psychosis and, 57 support groups and, 141

U

Unhoused people see Housing Urban farmers, 12

V

Verbal abuse

of mental health helpers, 145 as intimate partner violence, 73, 76 **Veterans**, 61

Video/computer games, 42, 89, 113, 114 Violence, 67–86

against LGBTQ+ youth, 121
crisis situations and threats of, 62, 64–65
gang violence, 14, 81
grieving losses from, 40
news and social media fueling, 69, 113
police violence, 14, 79, 80, 113
racist violence, 14, 35, 69, 79, 80
also see Family violence; Gender-based
violence; Gun violence; Intimate
partner violence; Structural
violence; Violence prevention and
recovery

Violence prevention and recovery

Activity: Power in relationships, 73
Activity: Yarn web of relationships, 82
"call-ins" (meetings), 68
cultural healing for youth, 81
gun violence, 14, 68, 69
healthy relationships, 76
incarcerated peer counseling, 83
intimate violence, abuser accountability, 75
restorative justice, 81–83
Take Back The Night marches, 70
Tops Market shooting and activism, 69
also see Cycle of violence
Visualization, calming practice with, 31

W

Warmlines, 61 Warning signs see Signs Water to drink

addiction detox and need for, 94 How to: Pick a health habit, 23–24 lead exposures in Flint, Michigan, 121 schools and, as alternative to sodas, 24 unsweetened herb tea. 23

Weight loss, as warning sign, 53 Wheel of power and control, 73 Will, preparation of, 127 Workforce development, 12, 80, 83 Working conditions

community organizations and workplaces, 149, 152–154 domestic workers, 8 freelance and gig workers, 123 immigrant advocacy, 8, 28 unions, 123 women's advocacy, 8, 28 workplace committees, 123, 154 also see **Workplace**

Workplace

absences and performance, as warning signs, 53 grieving and return to work, 42 relationships, advocacy for, 47, 123 stress from, 19 also see **Jobs**; **Working conditions**

Worry see Anxiety Writing as self-exploration

grief and grieving and, 40 support groups and, 135, 136, 140-141 trauma and, 36-37, 38 also see Arts



Yoga, 24 Young children see Babies and children Young people see College students; High school students: Youth/adolescence

Youth/adolescence, 112–121

brain development, 97, 112 peer pressure, 93, 96, 112 sex and romantic feelings intensifying in, 75–76, 112

also see College students; High school students; LGBTQ+ people; Youth, activism and organizing; Youth, mental health challenges

Youth, activism and organizing 119-121

Activity: Your "Digital Loop," 115-116 cultural healing and living, 81, 120 elder group home project, 125 elder oral histories project, 126 food and nutrition, 117 green space programs, 12 healthy relationships prevent violence, 75-76

How to: Work with young people, 113 including kids who are shy or need encouragement, 113 and multi-generational solutions, 125 online time, limiting, 114–116 participation in community, 80, 113 peer support programs, 112 sports and activities, to prevent drug and alcohol abuse, 96-97

summer camps, 46, 119 violence prevention, 14, 76, 81

housing activism, 80

also see Cycle of violence; LGBTQ+ people

Youth, mental health challenges

abuse or pressure on, 118 body shape and size, messages, 117 community support and, 112 drug & alcohol abuse harmful for, 96-97 eating patterns, 117 excessive time online, 114-116 housing and, 80 self-harm, 118 signs of, 118 support for family and friends of, 119