

Index

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

A

- Abdomen** (See Belly)
Abortion, 243, 284, **416–417**
 (Also see Miscarriage)
Abscess, 421
 breast, 278
 caused by injecting, 67, 69, 74
 liver, 144–145
 of the teeth, 230–231
 under the skin, 202
Acid Indigestion, 128–129
Acne (pimples), 211, 396, 421
Acquired Immune Deficiency Syndrome (See HIV and AIDS)
Acupuncture, 74, 403
Acute abdomen, 15, **93–94**, 421
 (Also see Gut, Swollen belly)
Addiction, 418–419
Afterbirth (placenta), **262–264**, 269, 428
AIDS, **401–403** (Also see HIV and AIDS)
Alcoholic drinks
 and heat stroke, 81
 problems caused by, 119, 148–149, 325, 326, 402, 418
Alcoholics Anonymous, 149, 419, 431
Alcoholism, **148–149**, 418–419, 421
Allergic reaction, 23, 54, **166**
 in the skin, 203, 285, 290
 medicines for, 337, 387–388
 to medicines, 54, 56, 68, 70–71, 350
Allergic rhinitis (hay fever), **165**, 428
Allergic shock, **70**, 105, 350, 387–388, 412
Aloe vera, 13, 129
Amebas, **144–145**, 336, 369–370, 421
Amputation, 411, 421
Anabolic steroids, 51
Analgesics (painkillers), 380–382
Anemia, **124**, 421
 causes of, 113, 124
 during pregnancy, 248–249
 in children, 307, 321
 treatment, 335, 393–395
Anesthetics, 381–382
Angel's Trumpet, 12
Angina pectoris, 325
Antacids, 52, 64, **129**, 248, 324, 382–383
Antibiotics, 52, **55–58**, 156, 350–363
Anti-diarrhea medicines, 156
Antihistamine, 70, 165, 204, **387–388**, 421
Antiretroviral medicines, 398, 400
Antispasmodic, 235, 329, **382**
Antitoxins, **389–390**, 421
 and allergic shock, 70, 105
 for tetanus, 390
 (Also see Antivenom)
Antivenom, 70, 389–390
 for scorpion sting, 389
 for snakebite, 105, 389–390
Anus, **233**, 421
 hemorrhoids in it, 175
 sores in it, 238, 402, 404, 405
Apoplexy, 37, 78, 288, **327**
Appendicitis, 36, **94–95**
Appendix, **94**
Arms
 muscles and nerves in, 37
 numbness or pain in, 23, 325
Arteriosclerosis, 326
Arthritis (joint pain), **173**, 324
 medicines for, 51, 380–381
Ascaris (roundworm), **140–141**, 422
 and asthma, 167
Asthma, **167**, 337, 386–387
Athlete's foot, 205

B

- Babies**
 examining, 34
 feeding, 120–121
 with diarrhea, 159, 358
 with skin problems, 215
 (Also see Children, Newborns)
Back pain, **173–174**, 248
Bacteria, **19**, 55, 422
Bacterial dysentery, 145
Bacterial infection of the blood, 273–275
Bag of waters, 256, 258, **259–260**, 422
Bandages, 85, 87, **101–102**, 336
Bathing
 and hygiene, 133
 newborns and babies, 7, 215, 263
 postpartum mothers, 8, 276
 sick persons, 7, 39
B.C.G. vaccination, **147**, 180, 185

- Beaded lizard bite**, 106
- Bedbugs**, 200
- Bed sores**, 13, 214, 422
- Beliefs**
harmful, 4, 5, 10–11
healing power of, 2
- Bell's Palsy**, 327
- Belly**
acute abdomen, 93–94
examination of, 35–36
lumps in, 280
pain in lower belly, 243
(Also see Gut, Swollen Belly)
- Bewitchment**, 2, 6, 422
- Bilharzia**, 146
- Biliousness**, 329
- Birth** (See Childbirth)
- Birth control** (See Family planning)
- Birth control pills**, 285, 288–289, 395–396
- Birth defects**, 6, 247, 272, 289, 318–321, 414
- Birth kits**, 254–255
- Birth opening** (See Vagina)
- Bites**
of wild animals (rabies), 181
poisonous, 104–106
that may cause infection, 89
treatment, 86
- Bitot's spots**, 226
- Black flies**, 227–228
- Blackheads**, 211, 422
- Black magic**, 5, 24
- Black widow spider bite**, 106
- Bladder**, 233
infection, 234, 243
stones, 234, 235
- Bleach**, 74, 403
- Bleeding**
and anemia, 124
during menopause, 246
during pregnancy, 249, 281
gums, 107, 231
how to control, 13, 82–83
in an unconscious person, 78
in the whites of the eyes, 225
of the newborn, 272, 337, 394
severe, 82, 243, 246, 264, 281, 406, 412, 416
stopping after birth, 263–266, 337, 392–393
(Also see Blood)
- Blindness**, 221–222, 414
from injuries to the eye, 218
night blindness, 113, 226–227
protection for babies, 221, 237, 380
river blindness, 227–228, 379
- Blisters**
from medicines, 356, 359
from touching certain plants, etc., 204
with burns, 96
with chickenpox, 311
with eczema, 216
- Blood**
and AIDS, 75, 82–84, 401, 403
clots, 288
coughing up blood, 168
flukes, 146
in stools, 128, 144–146, 157–158, 306, 403
in the urine, 146, 234
in vomit (cirrhosis), 328
in vomit (ulcer), 128
(Also see Bleeding)
- Blood pressure**, 422
high, 125, 249, 289, 326–327, 412–413
how to measure, 412–413
low, 77, 413
(Also see Shock)
- Blood transfusion**, 401, 403
- Blueness of skin, lips, and nails**, 30
- Body-building foods**, 110
- Boil (abscess)**, 202, 422
- Bones**
calcium for, 246
deformities of, 125, 319
hit by a bullet, 90
that have come out of place at a joint, 101
(Also see Broken bones)
- Bottle feeding**, 120, 154, 296
- Bowel movement**, 242, 422
(Also see Feces, Stools)
- Braces**, 315
- Brain damage**, 319–320
and seizures, 319
from high fever, 76
from tapeworm cysts, 143
- Bran**, 16, 126, 384
- Brand-name medicines**, 55, 333, 339, 422
- Breakbone fever** (See Dengue)
- Breast abscess (mastitis)**, 278, 426
- Breast cancer**, 279
- Breast feeding**, w 12, 120–122
and birth control, 285, 289, 294, 396
and good nutrition, 114, 116, 304
and preventing diarrhea, 154, 156
of newborns, 271, 277, 407
traditional beliefs about, 2, 7
(Also see Breasts)
- Breasts**
care of, 277, 279
swelling of, 278–279
- Breathing (respiration)**, 428
difficulties, 23, 57, 168, 181, 274, 325, 412
hot water vapors 47, 168
of a sick person, 32
rate, 32
stopped, 80
(Also see Lung diseases, Mouth-to-mouth breathing)
- Breech delivery**, 257, 268
- Broad-spectrum antibiotics**, 56, 58, 352, 355–358
- Broken bones**, 14, 98–99
- Bronchitis**, 170
- Brucellosis (Malta fever)**, 27, 188
- Bubos**, 238, 405, 422

Bullet wound

- in arms or legs, 90
- in the belly, 15, 92–93
- in the head, 91

Burns, 13, 96–97

- and leprosy, 192
- of the eye, 219

C**Calcium**

- and rickets, 125
- danger of injecting, 53, 67
- for spider bite, 106
- for weak bones, 246
- in eggshells, 116

Callus, 210**Cancer, 25, 414, 422**

- and oral contraceptives, 288–289
- and smoking, 119, 149, 168
- of the breast, 279
- of the eyes, 33, 217
- of the skin, 197, 211, 401
- of the womb, 280

Candida (thrush), 232, 242, 402**Canker sores, 232****Carbohydrates (energy foods), 110, 121, 422****Carbonated drinks, 115, 150****Cardon cactus, 13, 232****Cascara, 16****Cassava, 117, 130, 422**

- for constipation, 16, 126, 384

Cast, 14, 98, 319, 422**Castor oil, 16****Cataract, 33, 217, 225, 323, 422****Catheter, 239–240, 336, 422****Causes of illness, w6–w7, w10, w27, 17–19****Cavities in teeth, 229–230, 422****Cellulitis, 212****Cereal, 152, 383****Cerebral malaria, 30, 178, 186, 369****Cerebral palsy, 320****Cerebro-vascular accident (CVA), 37, 78, 288, 327****Cervix, 286, 291, 422****Chancere, 237****Chancroid, 236, 238, 405****Chemical burns of the eye, 91****Chest wounds, 91****Chickenpox, 204, 311****Chiggers, 201, 422****Chikungunya, 187****CHILD-to-child program, 322****Child Health Chart, w20, w24, 297–304, 422****Childbirth**

- bleeding after, 264–265
- correct use of oxytocics, 265–266
- cutting the cord, 262–263
- difficult births, 267–269, 319
- infection, 260, 276
- position of the baby, 257, 261, 267
- position of the mother, 260

- premature, 262
- preparing for, 254–256
- signs of labor, 258
- tearing of the birth opening, 269

Childbirth fever, 27, 276, 283, 422**Children**

- and diarrhea, 151–153, 159
- foods for, 112, 113, 120–122, 295
- giving injections to, 73
- growth of, 107, 297–304
- having the number you want, 283–294
- infectious diseases of, 311–315
- malnourished, 112–114, 154, 303, 305–306
- mentally slow, deaf, or deformed, 318
- problems they are born with, 316–321
- severely ill, 214
- vaccinations for, 147, 296
- (See also Babies, Newborns)

Chlamydia, 221, 234, 236–237, 355, 359, 380**Choking, 79, 314****Cholera, 158****Cigarettes (See Smoking)****Circulation, poor (See Varicose veins)****Circumcision, 74, 403, 406****Cirrhosis of the liver, 108, 148, 328****Cleanliness, 131–139**

- basic guidelines of, 133–139
- in childbirth, 260, 263
- of children, 136, 296
- of equipment, 74, 403
- of mouth and teeth, 229–231
- personal cleanliness, 39, 41, 133–135
- public cleanliness, 137–139
- to prevent infection, 74, 84, 403, 416
- when injecting, 68, 74, 403

Cleft palate, 318–319, 423**Climacteric (menopause), 246****Clitoris, 233****Clubbed feet, 319****Cocaine, 418–419****Coitus interruptus, 285, 294****Cold and hot sicknesses, 119****Cold compresses, 193–194****Colds and the 'flu', 45, 57, 163, 308**

- diet with, 123

Cold sores or fever blisters, 48, 171, 232, 404**Cold weather, 410–411****Colic (gut cramps), 35, 145, 157, 423****Colostrum, 277, 423****Coma, 78, 423****Combination medicines, 52, 399****Combined methods of birth control, 285, 292****Comfort of a sick person, 39****Complications from abortion, 243, 416–417****Compresses, 193–195, 423****Condom, 239, 285, 287, 397, 403****La Congestión, 23****Conjunctivitis, 219–221, 308****Constipation, 16, 126**

- as a sign of acute abdomen, 94
- during pregnancy, 248

- treatment and prevention, 126, 384
- Consumption** (See Tuberculosis)
- Contact dermatitis**, 204, 423
- Contraception**, 283–294, 395–398
- Contraceptive foam**, 290, 397
- Contractures**, 314, 423
- Convulsions**, (See Seizures, Spasms)
- Cooperatives**, w24
- Cornea**, 217, 218, 224, 225, 226, 228
- Corn silk**, 12
- Corns**, 210, 423
- Cortico-steroids**, 51, 129, 372
- Cortisone**, 51
- Cough**, 168–169
 - chronic, 168, 324, 402
 - common causes, 168
 - cough with blood, 140, 171, 174, 179
 - medicines for, 52, 385
 - smoker's, 149
- Counting days method**, 292
- Cradle cap**, 215
- Cramps**, 423
 - gut, 12, 35, 106, 145, 147, 243, 382
 - heat, 81
- Cretinism** (See Hypothyroidism)
- Crop rotation**, w13, 115, 117, 429
- Cross eyes**, 223, 318
- Crutches, how to make**, 315
- Cupping**, 22, 423
- Cuts**, 84–86
- CVA (Cerebro-vascular accident)**, 37, 78, 288, 327
- Cyst**, 143, 243, 280, 423

D

- Dacryocystitis**, 223
- Dandruff**, 215, 423
- Dandy fever** (See Dengue)
- Dangerous illnesses**, w28, 42, 179–192
- Dangerous use of medicine**, 50
- Date of expiration**, 332
- Deafness**
 - home cure for, 11
 - in children, 318
 - with ringing and dizziness, 327
- Death, accepting**, 330
- Decongestants**, 164, 165, 423
- Defects, birth**, 7, 289, 316–321, 423
- Deformities**, 423
 - from birth, 289, 316–321
 - with leprosy, 191–192
- Dehydration**, 151–152, 423
 - and diarrhea, 46, 155
 - causing sunken fontanel, 9, 274
 - danger of laxatives with, 15, 384
 - medicine not to take, 52–53, 156
 - prevention and treatment, 152, 156, 383
- Delhi boil** (See Leishmaniasis)
- Delirium**, 24, 423
 - and malaria, 186
 - and typhoid, 189
- Dengue**, 187
- Dermatitis, contact**, 204, 423
- Diabetes**, 127, 251, 329, 412
- Diaper rash**, 215, 424
- Diaphragm**, 285, 291, 397
- Diarrhea**, 151–160
 - and dysentery, 144–145, 153, 306
 - babies with, 159, 271
 - causes of, w7, 17, 107, 132–33, 135, 153, 401, 402
 - causing sunken fontanel, 9
 - home cures for, 11
 - prevention of, w7, 46–47, 154
 - severe, 151, 160
 - treatment of, 58, 152, 155–158, 385
 - with blood, 144–145, 157–158, 306, 403
 - with vomiting, 151, 157
 - with worms, 142
- Diet**, 423
 - congestion and, 23
 - for fever, 8
 - for postpartum mothers, 8, 123, 276
 - for sick persons, 40, 123
 - for small children, 120–122
 - for specific diseases, 40, 124–130, 154–156
 - harmful ideas about, 123
 - things to avoid, 119
 - what to eat to stay healthy, 110–111
 - while taking medicines, 123
 - with oral contraceptives, 286
 - (Also see Foods, Nutrition)
- Diets for specific diseases**, 40, 124–130
 - acid indigestion, heartburn, and ulcers, 128–129
 - anemia, 124
 - constipation, 16, 126, 384
 - diabetes, 40, 127
 - diarrhea, 155–156, 159
 - goiter, 130
 - high blood pressure, 125
 - people who are too heavy, 126
- Digestion**, 13
- Diphtheria**, 147, 296, 313–314
- Direct pressure**, 82
- Disability**
 - how injections cause, 74, 314
 - in children, 74, 314, 318–321
- Diseases** (see sicknesses)
- Dislocations**, 38, 101, 316, 424
- Dizziness**, 249, 327
- Dolor de ijar*, 22
- Dosage information**, 340
- Double vision**, 227
- Douche**, 241, 247, 258, 281, 293, 424
- Down syndrome (mongolism)**, 318, 427
- D.P.T. vaccination**, 147
- Drinking (alcohol)**, 148–149, 318, 325, 326, 328, 402, 418
- Drowning**, 79, 424
- Drug abuse**, 401, 403, 418–419
- Dry eyes**, 107, 113, 226, 393
- Dry malnutrition (marasmus)**, 112–113

Dumdum fever (See Leishmaniasis)
Dysentery, 144–145, 424 (Also see Diarrhea)

E**Ears**

how to examine a sick person's, 34
 infections of, 309
 nodes behind, 88
 ringing of, 107, 327

Earwax, 407**Eclampsia, 249, 392, 424****Ectopic pregnancy, 22, 36, 93, 243, 249, 280, 416****Eczema, 216****Emergency**

contraception, 288, 396–397
 problems of the gut, 93–95
 supply of medicines, 332
 use of injections, 66

Emergencies caused by cold, 410–411**Emergencies caused by heat, 81****Empacho, 22****Emphysema, 170****Enema, 15, 76, 92, 424****Energy foods, 110–111****Enterobius (pinworm, threadworm), 141****Epilepsy, 38, 178, 319, 390–392****Epsom salts, 16****Erysipelas, 212****Evaluation, w20, 424****Evil eye, 5, 424****Examining**

a pregnant woman, 250–253
 a sick person, 29–38
 breasts, 279
 eyes, 33, 217
 eyesight, 223
 for appendicitis, 36, 95
 for hernia, 94, 317
 for knee reflexes, 183

Excision, 406**Exhaustion, heat, 81****Expectorants, 52, 385, 424****Experimenting, w15****Extra finger or toe, 318–319****Eyes, 217–228**

cross eyes, 223
 danger signs, 33, 217, 227
 dryness of, 107, 113
 examining the eyes, 33
 eye problems of older people, 227, 323
 eye problems with leprosy, 192
 foreign objects in eyes, 48, 218
 of newborns, 221, 270, 380, 393
 red and painful, 219, 225
 spots and “floaters”, 227, 323
 yellow, 30, 172, 274, 328, 329

Eyesight testing, 223**F****Face**

dull, 318
 lumpy skin on, 191
 paralysis of, 37, 327

Fainting, 78, 79, 81, 325, 327**Falciparum malaria, 158, 186, 363****False labor, 258****Family planning, w16, 246, 283–294, 395–398**
 and infertility, 244**Farming, w13, 414–415****Farsightedness, 323, 424****Fatigue, 23, 124, 323, 402****Fats, 111, 121****Feces, 424**

and infections, 84, 96, 131
 in home remedies, 11
 in newborn's mouth and nose, 268
 (Also see Stools)

Feces-to-mouth, disease spread from, 131–133,
 140, 188**Feet**

clubbed, 319
 loss of feeling in, 127, 162, 173, 191–192
 swelling of, 113, 124, 144, 176, 248, 249, 323

Female condom, 287**Fertile days, 244, 291–292****Fertility awareness, 291–292****Fetoscope, 252, 255, 424****Fever**

childbirth, 27, 276, 283
 diet with, 8
 high, 15, 75–76, 335
 how to bring down, 75, 76, 335
 in children, 306
 in the newborn, 270, 273
 patterns in different diseases, 26–27, 30, 31

Fever blisters or cold sores, 48, 171, 232*La Fiebre, 26***Fire wood, 135****First aid, 75–106, 424****Fits** (See Seizures)**Flannel-boards, w22****Fleas, 190****Flies**

and disease, w23, 135, 227–228, 408

Flu, 45, 57, 163, 308, 424**Flukes, blood, 146, 378, 424****Fluoride, for teeth, 229****Foam, contraceptive, 285, 290, 397****Folic acid, 118, 321, 394, 424****Folk beliefs, 3, 6–8, 123**

(Also see Home remedies)

Folk disease, 21–26**Follicles inside the eyelids, 220****Fontanel (soft spot)**

sunken, 6, 9, 151, 274
 swollen, 274
 (Also see Dehydration)

Food poisoning, 23, 103, **135**, 153, 161

Foods

- at low cost, 116–118
- for a person with diarrhea, 155–156
- for sick persons, 41
- for small children, 120–122
- nutritious, 110–111, 295
- plant, 116
- producing, w11
- spoiled, 103, 135
- (Also see Diet, Nutrition)

Fractions, **59–60**, 340

Fractures (See Broken bones)

Fright, **24**, 424

Frostbite, 411

Frozen skin, 411

Fungus infection, 19, 58

- ringworm, tinea, 205–206, 373–374
- thrush, 232
- vaginal yeast, 242, 371

G

Gallbladder, 424

- home cure for, 12
- pain in, 36
- problems, 329

Gangrene, 213

Garlic, 12, 241, 242

Gastritis, 128–129

Gelusil, 173

Generic medicines, 333, **339**, 425

Genital herpes, 404–405

Genital warts, 375, 404

Genitals, 205, 232, **233–244**, 425

- sores on, 237, 404–405

German measles (Rubella), 247, **312**, 320

Germs, 19, 425

Giardia, **145**, 336, 369–371, 425

- and diarrhea, 153, 158

Gila monster bite, 106

Glaucoma, 33, **222**, 323

Gloves, rubber or plastic, 255, 262, 264, 403

Glue sniffing, 418

Goiter, 10, **130**, 425

Gonorrhea, 221, **236–237**, 359

- (Also see Sexually transmitted infections)

Grams, measuring in, **59–60**, 425

Groin, lymph nodes in, **88**, 238, 425

- (Also see Hernia)

Group discussions, w24 w27

Growth, children's, 107, **297–304**

Guaco, 3

Guinea worm, 408–409

Gums, 229–232

- bleeding of, 107, 231
- pale, 124
- swelling caused by medicine, 231

Gut

- cramps, 12, 106, 145, 157, 243, 382
- emergency problems of, 35, 93–94

- infection, 47, 131, 144–145, 153, 189

- obstructed, 22, 94

- out of anus (prolapse), 142

- outside a wound, 92

- wounds in, 92

(Also see Abdomen, Swollen belly)

H

Hair

- changes with malnutrition, 107
- examination for lice, 200
- loss of, 107

Hansen's disease (See Leprosy)

Hare lip, **318**, 425

Hay fever, 34, **165**, 429

Head

- fungus infections of, 205
- injury, 37, 78, 91
- swollen lymph nodes on, 88

Headaches, **162**, 249, 412

Health, w7, w11

Health worker, w1 w7, w29, 43, 246, 340

Heart

- attacks, 23, 325
- confusion with heartburn, 128
- trouble, 33, 310, 325, 412

Heartbeat, **32–33**, 77

Heartburn, 425

- diet for, 128–129
- during pregnancy, 248
- medicines for, 382–383
- medicines to avoid, 54, 64

Heat

- cramps, 81
- exhaustion, 81
- stroke, 78, 81

Hemorrhage (See Bleeding)

Hemorrhoids (See Piles)

Hepatitis, **26**, **172**, 418

Herbal teas, 1, 8

Herbs, curative, **12–13**, 425

Hereditary problems, **18**, 318–319, 321, 425

Hernia, **177**, 425

- during pregnancy, 256
- in groin of newborn, 317
- obstructing the gut, 94

Heroin, 418–419

Herpes simplex or labialis (See Cold sores)

Herpes zoster, **204**, 375, 402

Hexing, 2

High blood pressure, **125**, 249, 325–326, 413

History, taking, 20, 25, 29, 44, 250–253, 425

HIV and AIDS, 20, 75, 153, 171, 236, 245, 286, 290, 398, **401–403**, 418

- and medicines, 398–400
- and pregnancy, 249, 400
- and shingles, 204
- and thrush, 232
- and tuberculosis, 179
- and vaccinations, 147
- caring for someone with, 403

HIV test, 402
preventing, 403
Hives, 68, 166, **203**, 425
Home remedies, 1–3
enemas and purges, 15
for infertility, 244
how to tell if they work, 10–11
questions and answers about, 6–8
sensible use of, w2, 24
Home visits, w24
Hookworm (Uncinaria), 133, **142**, 296, 307
Hordeolum (sty), 224
Hormones, 224, 287, 395, 425
Hot and cold sicknesses, 119
Hot compresses, 193–195, 408
Housing, w10
Human immunodeficiency virus (See HIV and AIDS)
Hydrocele, 317
Hygiene (See Cleanliness)
Hypertension (See High blood pressure)
Hyperventilation, 24, 425
HypHEMA, 225
Hypochondria, 329
Hypopyon, 225
Hypothermia, 410
Hypothyroidism, 318, 425
Hysteria, 2, 24, **425**

I

Illnesses (See Sicknesses)
Imferon, 51, 67
Immunizations (vaccinations), 19, **147**, 296, 337
Impetigo, 25, **202**
Implants (birth control), 285, **289–290**, 398
Indigestion
diet for, 128–129
during pregnancy, 248
medicines for, 382–383
medicines to avoid, 54, 64
Infantile paralysis (See Polio)
Infants (See Babies, Newborns)
Infection, 425
after giving birth, 276
and diarrhea, 154, 157
in newborns, 182–183, 275
in wounds, 88–89, 96, 213
medicines for, 55–58, 335–336
minor, 58
of the appendix, 94–95
of the eyes, 217, 219, 220, 221
of the genitals, 236–239, 241–242
of the gut, 94–95, 135, 140–146, 243
of the tear sac, 223
of the urinary tract, 234–235
resisting, 108, 120, 271
signs of a serious, 88, 194, 272–275
Infectious diseases, 18–19, 135, 425
Infertility, 244

Inflamed tonsils (tonsillitis), 309
Inhalers, for asthma, 167, 386
Injections, 65–73
dangerous reactions from injections, 54, 70–71
emergencies needing, 66
faith in, w19, 4, 50
family planning, 289–290
medicines not to inject, 51, 56, 67
of vitamins, 118
risks and precautions, 68–69
supplies for, 336
that can disable children, 74, 314
to prevent pregnancy, 285, 293, 397
when to inject, 65, 67
Injury
moving an injured person, 99–100
of an unconscious person, 78
severe, 33
to the eye, 218
Insecticides, 19, 103, 187, 372, **414–415**, 425
Insomnia (loss of sleep), **328**, 425
Intestinal worms, 13, **140–145**, 425
Intestines (See Gut)
Intrauterine device (IUD), 281, 285, **290**, 397–398
Intravenous solution (I.V.), 40, **53**, 67, 152
Intussusception, 94, 425
Iodized salt, 130, 318
Iritis, 33, 219, **221**
Iron
cooking pots, 117
foods rich in, 124
from nails in lemon juice, 118
pills, 51, 118, 124, 307, 335, 394, 407
Itching
caused by fungus, 205, 242
caused by medicines, 68, 70–71, 166
caused by plants, 204
medicines for, 335, 387
of hands with syphilis, 238
of the anus (pinworm), 141
rashes, allergies, 68, 166, 203, 236, 238
with chickenpox, 311
with scabies, 199
with worm infections, 140–142, 228
IUD (See Intrauterine device)

J

Jaundice, 30, **172**, 274, 318, 321, 328–329, 394, 426
Jock itch, 205
Joints, painful, 101–102, 173, 310, 324

K

Kala azar (See Leishmaniasis)
Kangarooing, 407, 410
Kidneys, 233–234, 426
Kidney stones, 235, 426
Kilograms, measuring in, 62, 426
Kwashiorkor (wet malnutrition), 30, **113**, 426

L

Labor, 258–262, 264, 426
 false labor, 258
 problems with labor, 267
 signs that show labor is near, 258
 stages of, 259–262
 (Also see Childbirth)

Land
 distribution of, w7, w11, 415
 use of, w11, w13–w16, 115

Latido, 23

Latrines, 137–139, 153

Laxatives, 15–16, 384
 misuse of, 126

Lazy eye, 223

Leadership, w5

Learning, w4, w21–w28, **322**

Legs
 crossed like scissors, 320
 examination of legs, 37
 pain in, 288, 321

Leishmaniasis, 408

Lepra reaction, 191, 362

Leprosy, 10, 38, **191–192**, 206, 337, 362–363
 or *lepra*, 25

Lice, 134, 190, **200**, 374

Limits, knowing, w4

Liquids, 39–40, 151

Liters, measuring in, 61, 426

Liver, 36, 426
 abscesses, 144–145
 diseases, 172, 288, 328
 infection of, 172

Liver extract, 65, **67**

Lockjaw (See Tetanus)

Loss of blood (See Blood, Bleeding)

Loss of consciousness (See Unconscious person)

Loss of feeling, 38, 127, 162, 173, 191, 192, 279

Loss of sight, 225, 414

Loss of sleep (insomnia), 328

Loss of weight (See Weight loss)

Low body temperature, 411

Low back pain, 173, 248

Low blood pressure, 413

Lumps
 in the abdomen, 35, 243, 280
 in the breast, 279
 on face and body, 191, 228
 that keep growing, 196, 280
 (Also see Lymph nodes)

Lung diseases
 and smoking, 149
 asthma, 167
 bronchitis, 170
 pneumonia, 171
 tuberculosis, 179

Lymph nodes, swollen, 88, 317, 426
 caused by an abscess, 202
 in the groin, 238, 405

signs of infection, 194
 TB of, 212
 with AIDS, 402
 with breast cancer, 279
 with brucellosis, 188 or typhus, 190
 with German measles, 312
 with scabies or lice, 199, 200

Lymphogranuloma venereum, 238, 422

M

Malaria, 186–187
 falciparum, 158, 363
 fever pattern, 26
 medicines for, 337, 363–369
 with seizures, 307
 with sickle cell disease, 321

Malnutrition
 and diarrhea, 153–155
 causes of, 115, 283, 414
 checking for, 109, 112–113, 297–304
 during pregnancy, 248
 in children, 107, 114, 305–306
 kinds of, 112–114
 prevention and treatment of, 108, 109,
 112–113, 155–156, 393–395
 problems caused by, 107, 306
 signs of, 30, 37, 108, 112, 113, 208–209, 305

Malta fever (brucellosis), 27, 188

Marasmus (dry malnutrition), 112

Marijuana, 418

Mask of pregnancy, 207

Massaging
 sprains or fractures, 99, 102
 the birth opening, 269
 the womb, 264–265

Mastitis (breast abscess), 278, 426

Measles (Rubeola), 30, 108, 226, **311**, 393
 vaccination, 147, 312, 321

Measuring
 blood pressure, 412–413
 in pounds and kilos, 62
 medicine, 59–61, 340

Medical attention
 illnesses that always need, 179–192
 when to seek, 43, 159

Medicinal plants, 12–13

Medicine kit, 331–337

Medicines
 brand name, 55, 333, 339
 care in giving to the newborn, 54, 272
 dangerous misuse of medicine, 50–53
 during or after birth, 266
 during pregnancy, 54, 247, 400
 for small children, 62
 generic, 333, 339
 guidelines for use, w18–w19, 49–73, 339–400
 healing without medicines, 45–48
 how to measure and give, 59–64, 340
 how to write instructions for, 63–64
 limited use of medicines, w18–w19, 49
 medicines not to inject, 56

reactions to, 68, 70–71, 350
 uses, dosage, and precautions, 339–400
 when not to take them, 54–64

Ménière's disease, 327

Meningitis, 185, 275, 307

Menopause, 246, 426

Menstrual period, 245–246, 281, 291–292, 395–398

Mental problems, 18, 318

Mental slowness, 114, 306, 318, 320–321, 428

Microscope, 19, 144

Midwives

danger signs in pregnancy, 249
 information for, 245–282
 prenatal care, 250
 special risk at birth, 256
 things not to do, 260
 things to have ready before birth, 254–255

Migraine, 162, 426

Milk

and brucellosis, 188
 and diarrhea, 156
 and ulcers, 129
 powdered, 393
 (Also see Breastfeeding)

Milk of magnesia, 16, 384

Mineral oil, 16, 384

Minerals, 111, 116–118, 427

Minipill, 285, 288, 396

Miscarriage (spontaneous abortion), 246, 249, 266, 281, 416

Models for teaching, w22

Mongolism (See Down syndrome)

Morning sickness, 248, 287

Mosquitos, 186–187

Mothers

health after childbirth, 276, 280
 health and sicknesses of children, 295–321
 information for, 245–282
 prenatal care, 250–253
 (Also see Family planning)

Mouth, 107, 229–232

Mouth-to-mouth breathing, 78–80, 415
 with newborns, 262

Moving an injured person, 99–100

Mucus, how to drain, 169, 427

Mucus method, 285, 292

Mumps, 312

Muscles

examining, 37–38
 lack of control of, 320

N

Narrow-spectrum antibiotics, 56, 427

Natural balance, 58

Nausea (See Vomiting)

Navel (umbilicus), 427

cutting the cord, 262–263
 hernia of navel, 317, 318
 infection of navel, 182, 272

Neck

broken, 99
 stiff, 38, 182–185, 274

Needs, felt and long-term, w8–w12

Needles, 74, 401, 403

Neonatal conjunctivitis, 221
 (Also see Newborns)

Nerves, 427

muscles and, 37–38

Newborns

and tetanus, 182–183
 bacterial infection of the blood, 275
 bathing, 7, 263, 270
 eyes, 221, 237, 270
 feeding, 120, 263, 271
 hernia, 317
 illnesses of, 272–275
 medicines for, 54, 272, 337
 problems with delivery, 268
 small, early, and underweight, 407
 the cord, 262–263, 270
 twins, 269
 (Also see Dehydration)

Night blindness, 113, 226–227, 337

Nodes (See Lymph nodes)

Non-infectious diseases, 18

Nose, stuffy or runny, 164–165, 385

Nosebleed, 11, 83

Numbness (See Loss of feeling)

Nutrition, w11, w13–w16, 107–130, 295
 (Also see Malnutrition)

O

Obstructed gut, 22, 94

(Also see Gut)

Older persons, 83, 214, 235, 323–330

Onchocerciasis, 227–228, 379

Opium, 418

Oral contraceptives, 285–289, 395–396

Outhouses, 137–139

Ovarian cyst, 280

Ovaries, 36, 280, 427

Oxytocics, 50, 265–266, 319, 392

Oxyuris (pinworm, threadworm), 141

P

Pain

asking about, 29
 back, 173–174, 248
 chest, 179, 325
 in the belly, 12, 35–36, 94–95, 128, 146, 243
 in the eye, 217, 219, 221, 222
 in the joints, 101–102, 173, 310, 324
 in the leg, 288
 in the teeth, 165, 231
 in urination, 146, 235–236, 239, 242–243
 medicines for, 19, 52, 75–76, 162, 335, 380–382
 (Also see Cramps, Headaches)

Pannus, 220

Pap smear, 280

Papaya, 13

Paralysis

- examining for, 37
- from pesticides, 414
- from ticks, 201
- in a spastic child, 320
- in leprosy, 191
- in polio, 314–315
- in stroke, 37, 327
- in TB of backbone, 180
- of face, 37, 327

Parasites, 19, 427

- intestinal, 19, 140–145, 308
- on skin, 19, 199–201

Patient report, 44

Pellagra, 114, **208–209**

Pelvic inflammatory disease, 237, **243**, 244, 397

Penis, 199, 232, 233, 235–240, 286, 404–405

Peritonitis, 94–95, 129, 189, 427

Pertussis (See Whooping cough)

Pesticides

- burns in eyes, 219
- causing birth defects, 247
- misuse of, 414–415

Pharmacist, words to, 338

Phlebitis, 288

PID (See Pelvic inflammatory disease)

Piles (hemorrhoids), 16, **175**, 425

- during pregnancy, 248
- medicine for, 393

the Pill (for birth control), 285, **288–289**, 395–396

Pimples, 211, 421

(Also see Chickenpox)

Pink eye, 219–221, 308

Pinta, 207

Pinworm (threadworm, Enterobius), 12, **141**

Placenta (afterbirth), **262–264**, 269, 428

Placenta previa, **249**, 428

Plantar warts, 210

Plants

- medicinal, 12–13
- that cause itching, 204

Play acting, w23

Pneumonia, 27, 41, **171**, 401, 402

Poisoning, 103

- food, 23, 135, 153, 161
- urine, 239–240

Poisonous

- bites, 104–106
- plants, 204

Poliomyelitis (infantile paralysis), 314

- signs of, 37
- vaccination, 147, 296, 314

Population, w10, 115

Posters, w22

Postpartum, 428

- diet, 123
- hemorrhage, 266, 392

Postural drainage, 169

Power of belief or suggestion, 2–5, 24, 428

Pre-eclampsia, 176, **249**, 251, 424

Pregnancy, 247–255, 286

- anemia during, 124, 248–249, 393–395
- bleeding during, 249, 264, 281
- check ups during, w24, 250–253, 412
- danger signs in, 249–251
- difficulty becoming pregnant, 244
- ectopic, 22, 36, 93, 243, 249, 280, 416
- German measles during, 247, 312
- growth and position of baby, 251–252, 257
- how to prevent, 283–295
- how to stay healthy during, 247
- how to tell the baby's birth date, 252
- medicines during, 6, 54, 247, 400
- minor problems of, 174, 248, 251
- nutrition during, 118, 250
- record of prenatal care, 253
- signs of, 247
- supplies to have ready before birth, 254–255 (Also see Family planning)

Pregnancy mask, 207

Prenatal care, 250–253

Presentation of an arm, 268, 428

Pressure points, 82

Pressure sores (See Bed sores)

Preventive medicine, w17, 17, **131–150**

- cleanliness, 131–136
- how to avoid many sicknesses, 108, 148–150, 242, 326
- sanitation, 137–139
- sexually transmitted infection, 239, 403–405
- vaccinations (immunizations), 147
- worms and other intestinal parasites, 140–146

Prolapse of the rectum, 142, 428

Prophylactic (condom), 239, 285, **290**, 397, 403–405

Prostate gland, 233, 235–236, 428

Protective foods, 110, 428

Proteins, 110, 111, 112, 113, 116–118, 121

Psoriasis, 216

Pterygium, 224, 428

Pulling out (to prevent pregnancy), 285, **293**

Pulse, 32–33, 41, 412–413, 428, inside back cover

Pulsing or throbbing of stomach, 23

Pupils, examining, 217

Purges, 15–16

- misuse of, 92, 126

Pyorrhea, 231

Q

Questions to ask a sick person, 29, 44

R

Rabies, 181

Rash on the skin, 216, 236, 402

- diaper rash, 215, 423
- like tiny bruises (typhus), 190
- of allergic reaction, 68, 166, 203–204, 356
- of chickenpox, 311

- of German measles, 312
- of measles, 30, 311
- of syphilis, 238
- of typhoid, 189
- preventing, 133
- with itching, 199–200, 203
- Reactions** (See Allergic reactions)
- Rebound pain**, 35, **95**, 428
- Rectum**
 - prolapse of, 142, 428
- Reflexes, testing**, **183**, 428
- Rehydration Drink**, **152**, 311, 381, 400, 428
 - and vomiting, 161
 - as an enema, 15
 - for acute abdomen, 95
 - for dehydration, 9, 46, 158, 306
 - for newborns, 273
 - for very sick persons, 40, 53
- Remedies** (See Home remedies)
- Resistance**, 428
 - to antibiotics, w19, 57–58, 237, 350
 - to infection, 108, 120, 271
- Resources**, w8, w12, 115, 283, 428
- Respiration** (See Breathing)
- Retardation, mental** (See Mental slowness)
- Rheumatic fever**, 27, **310**
- Rheumatoid arthritis**, 324
- Rhinitis, allergic (hay fever)**, **165**, 428
- Rhythm method**, (See Counting days method)
- Ribs, broken**, 99
- Rickets**, 125
- Ringings of the ears, deafness, and dizziness**, 107, **327**, 358, 361, 380
- Ringworm**, 11, **205–206**, 373
- River blindness**, **227–228**, 379
- Road to health chart** (See Child Health Chart)
- Rotating crops, w13**, 115, 117, 429
- Roundworm (ascaris)**, 140–141
- Rubber (condom)**, 239, 285, **290**, 397, 403–404
- Rubella** (See German measles)
- Rubeola** (See Measles)
- Rupture** (See Hernia)

S

- Salt**
 - iodized, 130, 247, 318
 - purges, 16
 - using little, 120, 125, 176, 249, 325, 326
- Sanitation**, w10, **137–139**, 153, 429
- Scabies**, 34, **199–200**, 335, 374
- Scales (to weigh babies)**, 297
- Scars**
 - on the cornea, 224, 226, 228
 - on the eyelids, 220
 - preventing burn scars, 97
- Schistosomiasis**, 146, 337, 378
- Scorpion sting**, 11, 70, **106**, 337, 389
- Scrofula**, 212
- Scrotum**, 233, 429
 - small sores on, 199
 - swollen, 317
- Seborrhea**, 215
- Seizures**, 23, **178**, 424
 - caused by high fever, 76
 - from birth defects, 273, 319
 - in cerebral malaria, 186, 369
 - in children, 307, 319
 - in meningitis, 185
 - in pregnant women, 249, 392
 - medicines for, 336, 390–392
 - (Also see Spasms)
- Senna leaf**, 16
- Septicemia**, 275, 429
- Serious illnesses**, w28, 42, **179–192**
- Seven year itch**, 199–200, 335, 374
- Sexually transmitted infections (STI)**, 236–239, 285–286, 290, **401–405**, 429, 430
- Sheath** (See Condom)
- Shigella**, 145, 158, 353, 358
- Shingles**, **204**, 375, 402
- Shock**, 30, **77**, 325, 429
 - allergic, 70, 105, 166, 350
 - from serious burns, 97
 - heartbeat during, 33, 412–413
 - in postpartum mother, 265
- Shoulder, dislocated**, 101
- Sickle cell disease**, 30, 321, 394
- Sicknesses**
 - causes of, 17–20, 107
 - common, 151–178
 - dangerous, w28, 42, 179–192
 - “home,” 21
 - “hot” and “cold,” 119
 - infectious, 18–19
 - non infectious, 18
 - of children, 215, 272–275, 311–314
 - of older people, 323–330
 - of women, 241
 - prevention of, 131–150
 - spread of, 131–137, 140, 188–189, 237–239, 401
 - telling apart, 20–21, 26–27
- Side pains**, 22
- Signs**, 20, **29**, 429
- Sinus trouble (sinusitis)**, 165, 429
- Skin**
 - cancer of, 211, 401
 - chart of different diseases, 196–198
 - diseases, 193–216, 408, 423
 - dryness of, 107, 208
 - how to examine, 34
 - in children, 215, 308
 - medicines for, 334–335, 372–375
 - painless sores, 191, 237, 279
 - TB of, 179, 212
 - ulcers, 212–213
- Slipped disc**, 173
- Slowness** (See Defects, Mental problems)
- Smallpox**, 147
- Small sores with pus**, 201, 211
- Smoking**
 - during pregnancy, 318, 418
 - problems caused by, 119, 129, 149–150, 289, 325, 326, 402, 418

Snails, 146

Snakebite, 104–105
 antitoxin, 70, 105, 337, 389
 home cure for, 3

Soaks, 102

Social conditions, 283, 403, 417, 419

Soft drinks, 155, 161, 229

Soft spot (See Fontanel)

Solda con solda, 14

Sores

bed sores, 41, 214
 chronic, 20, 127, 212, 213, 236, 324, 408
 large, open, 127, 213–214
 mouth, 232
 of the feet, 324
 on penis or genitals, 199, 205, 232, 237, 238,
 242, 402, 404–405
 sugar or honey treatment for, 213, 214
 that keep growing, 127, 191, 211, 213, 214
 without feeling, 191, 237, 279
 with pus, 199, 201, 408
 (Also see Skin)

Sore throat, 163, 309–310

Spasms, 183, 429

in spider bite, 106
 in tetanus, 182–184
 (Also see Seizures)

Spastic, 38, 319–320

Sperm, 233, 244

Spermicide, 285, 290, 397

Sphygmomanometer, 412

Spider bite, 106

Spleen, large, 158, 186, 394, 429

Sponge method, 294

Spontaneous abortion (See Miscarriage)

Spots before the eyes, 227

Sprains, 102, 429

Spread of disease, 131–137, 140, 190, 237–239,
 401–405

Squint, 223

Starches, 110, 203, 410, 429

Starvation (See Malnutrition)

Sterile, 429

bandages, 87
 men and women, 236, 244, 414

Sterilization, 429

of equipment, 74, 403
 of syringes, 69, 72, 74
 to prevent pregnancy, 285, 293

Steroids, 51

Stethoscope, 412

Sting

bee, 70
 scorpion, 106

Stitches (sutures), 86, 255, 269, 425
 anesthetics for, 381

Stomach ache, 12, 93, 429
 (Also see Belly, Cramps)

Stomach ulcers, 128–129, 149, 382–383

Stools

in acute abdomen (obstruction), 94
 in diarrhea (dysentery), 144–145
 like rice water, 158
 white or pale, 172
 with blood, 128, 146, 189
 with schistosomiasis, 146, 378
 with typhoid, 189–190
 with ulcer (black, tarry stools), 128
 (Also see Constipation, Feces)

Story telling, w23

Strabismus, 223

Strains, 102

Strep throat, 310

Stretcher, 100

Stroke, 37, 78, 288, 327, 412
 (Also see Heat stroke)

Sty (hordeolum), 224, 429

Suction bulb, 84, 255, 262, 268

Sugars, 110, 111, 429

Sulfonamides, 55, 356

Sunken fontanel (See Fontanel)

Sunlight

and acne, 211
 and rickets, 125
 and skin problems, 195

Supplies

for childbirth, 254–255
 for the medicine kit, 334, 336

Suppressants, 429
 cough, 52, 385

Surgery

immediate need for, 91–95, 177, 222, 267
 possible need for, 102, 175, 177, 211, 222,
 225, 235, 243, 279, 280, 293, 317, 319, 329

Susto, 24

Suture (See Stitches)

Sweets, 115, 119, 122, 229, 410

Swelling

breast swelling and lumps, 278–279
 caused by medicine, 68, 70–71, 231
 home cure for, 12
 in old age, 323
 of broken arms or legs, 14
 of hands and face, 108, 239, 249
 of strains and sprains, 102
 of the eyes, 144, 221, 313
 of the feet, 113, 124, 144, 176, 248–249, 321
 of the scrotum or testicles, 312, 317
 with infection, 194
 (Also see Lymph nodes, Swollen belly,
 Varicose veins)

Swollen belly

different causes of, 20
 in children, 107, 112, 114, 321
 in giardia infection, 145
 in gut obstruction, 94
 in malnutrition, 112, 114
 in pregnancy, 248, 249
 (Also see Gut)

Symptoms, 29

Syphilis, 10, **237–238**, 405

Syringe, **72**, 74, 336, 339, 403, 407

T

Taboo, **23**, 430

Tapeworm, **143**, 377

TB (See Tuberculosis)

Teaching, w2, w4–w5, **w21–w28**, 321
materials, addresses for, 431–434

Tear sac, infection of, 217, **223**

Teaspoons, for measuring, 61

Teeth, 133, **229–232**

Temperature, **30–31**, 272, 411, inside back cover
(Also see Fever)

Tepeguaje, 14

Testicles, 233, 286

swellings of testicles, 312, 317

Tetanus (lockjaw), 182–184

from a wound, 84, 89, 105–106, 390, 409

in the newborn, 182–183, 273

medicine for, 184, 336–337, 390

vaccination, 147, 184, 296

Thalassemia, **394**, 430

Thermometer, **31**, 334

Threadworm (pinworm, Enterobius), 141

Throat

lump on the throat, 10, 130, 425

object stuck in, 79

sore throat, 163, 309–310

Throwing up (See Vomiting)

Thrush (Candida), 232, 402

Ticks, 190, **201**, 430

Tinea, 205–206

Tinea versicolor, 206

Tobacco, 129, 418–419

Tongue, 232

Tonsillitis (Inflamed tonsils), 309

Toothache, 231

Toothbrush, homemade, 230

Toothpaste, 230

Toxemia of pregnancy (See Pre-eclampsia)

Trachoma, 220

Traditions, w3, w11, 1, 2, 21

Trichinosis, 144

Trichocephalus (whipworm, Trichuris), 142

Trichomonas, 241

Trichuris (whipworm, Trichocephalus), 142

Tropical sore (See Leishmaniasis)

Tubal ligation, 294

Tuberculosis, 108, **179–180**, 337

and AIDS, 398, 402

and children, 136

and measles, 311

medicines for, 359–361

of the lymph nodes, 212

of the skin, 212

of the spine, 173

signs of, 30, 37

vaccination, 147

Tumors (See Cancer)

Twins, 251, 256, **269**, 289

Twisted joint (sprain), 102

Typhoid fever, **188–190**

fever pattern, 26

medicines for, 356

pulse with, 33

resistance to medicines, 58

Typhus, 26, **190**

U

Ulcer, 430

on the cornea (eye), 224–225

skin, 20, 212, 213, 324

stomach, 13, 36, 53, 128–129, 149, 383

Umbilical cord, 430

and tetanus, 182

how to cut, 262–263

infection of, 270, 272

wrapped around the baby's neck, 268

Umbilical hernia, 317, 318, 430

Umbilicus (See Navel)

Uncinaria (hookworm), 133, **142**

Unconscious person, **78**, 426

breathing of, 32

difference in pupil size, 33

in shock, 77

Under-Fives Program, w20, w24, **297**, 430

Undulant fever (brucellosis), 27, **188**

Units, measuring in, 60

Uremia, 239–240

Ureters, 233

Urethra, 233, 235, 286, 430

Urination, difficulties with, 234–236, 239–240, **324**, 405, 412

Urinary tract, 36, **233–234**, 430

Urine

blood in, 146, 234, 378

brown, 172

dark yellow, 151

less than normal, 151, 236

too much or often, 127, 234

pus in, 236

Using this book, inside front cover, w28

Uta (See Leishmaniasis)

V

Vaccinations, 19, **147**, 180, 250, 296, 321, 337, 407

Vagina, **233**, 286, 430

infections of, 241–242, 371

placenta blocking, 249

tearing during birth, 269

Vaginal discharge, **241–242**, 371

Vapors, breathing hot water vapors, 47, **168**

Varicose veins, **175**, 213, 288, 412, 430

and chronic sores, 20, 212, 213, 324

during pregnancy, 248

Vasectomy, **294**

Venereal diseases (VD) (See Sexually transmitted infection)

Venereal lymphogranuloma, 238, 422

Ventilated improved pit latrine, 139

Verrucase (warts), 210

Village health committee, w24

Village health worker, w1–w7, w29, 43, 340

Village medicine kit, 336–337

VIP latrine, 139

Virus, 19, 401–403

Vision (See Eyes)

Vital signs, 41, inside back cover

Vitamins, 110, 111, 116–118, 393–395, 407

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 393

vitamin B, 208

vitamin C, 248, 335,

vitamin B₆, 360, 395

vitamin B₁₂, 51, 65, 394

vitamin K, 265, 272, 337, 394

(Also see Iron, Zinc)

Vitiligo, 207

Vomiting, 161

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 390

in the newborn, 273

medicines for, 161, 335, 387–388

violent vomiting, 151

with blood, 128, 328

with diarrhea, 151, 157

with urine poisoning (uremia), 239

W

Wandering eyes, 223

Warm compresses, 193–195

Warts, 210, 212, 402, 404

Water, healing with, 45–48

and cleanliness, 46, 131, 135, 137–139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 385

Weakness, fatigue, 23, 124, 323, 402

Weight

and diet, 110–111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125–127, 325–326

in pounds and kilos, 62

measuring medicines, 59–61

weight gain, in children, 297–304

weight gain in pregnancy, 247, 250

Weight loss

chronic, 179, 180, 402

different causes, 20

how to lose weight, 126

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

Welts (hives), 68, 203, 238

Wet malnutrition (kwashiorkor), 113

Whipworm (Trichuris, Trichocephalus), 142

White spots and patches on the skin, 206–207, 232

Whooping cough (pertussis), 168, 313

medicines for, 313

vaccination, 147, 296

Witchcraft, 5, 24

Withdrawal

from drug addiction, 419

to prevent pregnancy, 285, 294

Womb, 286, 430

cancer of, 280

contractions of, 258, 266

infection (See Childbirth fever)

massaging, 264–265

position of the baby in, 251, 257

Women's health care, 241

Working together, w5, w24

Worms, 140–146, 227–228, 408–409

causing obstructed gut, 94

in children, 308

medicines for 335, 375–377

prevention of, 47, 131–134

Wounds

abdomen, 92

bullet, 90–93

chest, 91

controlling bleeding of, 82

deep, 89–92

from a broken bone, 99

how to close them, 85–86

infected, 88–89, 213, 403

knife and bullet, 89–93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217–218

X

Xerophthalmia, 113, 226, 306, 337, 393, 430

Xerosis (See Xerophthalmia)

X ray, 102

Y

Yaws, 198, 202, 238

Yeast infection, 19, 58, 232, 242, 371–372, 374

Yellow Fever, 187

Yesca, 11

Yogurt, 57, 155, 232, 242

Z

Zika, 187

Zinc, 155, 159, 395