

# Index

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.  
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

## A

- Abdomen** (See Belly)  
**Abortion**, 243, 284, **416–417**  
 (Also see Miscarriage)  
**Abscess**, 421  
 breast, 278  
 caused by injecting, 67, 69, 74  
 liver, 144–145  
 of the teeth, 230–231  
 under the skin, 202  
**Acid Indigestion**, 128–129  
**Acne (pimples)**, 211, 396, 421  
**Acquired Immune Deficiency Syndrome** (See HIV and AIDS)  
**Acupuncture**, 74, 403  
**Acute abdomen**, 15, **93–94**, 421  
 (Also see Gut, Swollen belly)  
**Addiction**, 418–419  
**Afterbirth (placenta)**, **262–264**, 269, 428  
**AIDS**, **401–403** (Also see HIV and AIDS)  
**Alcoholic drinks**  
 and heat stroke, 81  
 problems caused by, 119, 148–149, 325, 326, 402, 418  
**Alcoholics Anonymous**, 149, 419, 431  
**Alcoholism**, **148–149**, 418–419, 421  
**Allergic reaction**, 23, 54, **166**  
 in the skin, 203, 285, 290  
 medicines for, 337, 387–388  
 to medicines, 54, 56, 68, 70–71, 350  
**Allergic rhinitis (hay fever)**, **165**, 428  
**Allergic shock**, **70**, 105, 350, 387–388, 412  
**Aloe vera**, 13, 129  
**Amebas**, **144–145**, 336, 369–370, 421  
**Amputation**, 411, 421  
**Anabolic steroids**, 51  
**Analgesics (painkillers)**, 380–382  
**Anemia**, **124**, 421  
 causes of, 113, 124  
 during pregnancy, 248–249  
 in children, 307, 321  
 treatment, 335, 393–395  
**Anesthetics**, 381–382  
**Angel's Trumpet**, 12  
**Angina pectoris**, 325  
**Antacids**, 52, 64, **129**, 248, 324, 382–383  
**Antibiotics**, 52, **55–58**, 156, 350–363  
**Anti-diarrhea medicines**, 156  
**Antihistamine**, 70, 165, 204, **387–388**, 421  
**Antiretroviral medicines**, 398, 400  
**Antispasmodic**, 235, 329, **382**  
**Antitoxins**, **388–389**, 421  
 and allergic shock, 70, 105  
 for tetanus, 389  
 (Also see Antivenom)  
**Antivenom**, 70, 388–389  
 for scorpion sting, 388  
 for snakebite, 105, 389  
**Anus**, **233**, 421  
 hemorrhoids in it, 175  
 sores in it, 238, 402, 404, 405  
**Apoplexy**, 37, 78, 288, **327**  
**Appendicitis**, 36, **94–95**  
**Appendix**, **94**  
**Arms**  
 muscles and nerves in, 37  
 numbness or pain in, 23, 325  
**Arteriosclerosis**, 326  
**Arthritis (joint pain)**, **173**, 324  
 medicines for, 51, 380–381  
**Ascaris (roundworm)**, **140–141**, 422  
 and asthma, 167  
**Asthma**, **167**, 337, 386–387  
**Athlete's foot**, 205

## B

- Babies**  
 examining, 34  
 feeding, 120–121  
 with diarrhea, 159, 358  
 with skin problems, 215  
 (Also see Children, Newborns)  
**Back pain**, **173–174**, 248  
**Bacteria**, **19**, 55, 422  
**Bacterial dysentery**, 145  
**Bacterial infection of the blood**, 273–275  
**Bag of waters**, 256, 258, **259–260**, 422  
**Bandages**, 85, 87, **101–102**, 336  
**Bathing**  
 and hygiene, 133  
 newborns and babies, 7, 215, 263  
 postpartum mothers, 8, 276  
 sick persons, 7, 39  
**BCG vaccination**, **147**, 180, 185

**Beaded lizard bite**, 106

**Bedbugs**, 200

**Bed sores**, 13, 214, 422

### Beliefs

harmful, 4, 5, 10–11

healing power of, 2

**Bell's Palsy**, 327

### Belly

acute abdomen, 93–94

examination of, 35–36

lumps in, 280

pain in lower belly, 243

(Also see Gut, Swollen Belly)

**Bewitchment**, 2, 6, 422

**Bilharzia**, 146

**Biliousness**, 329

**Birth** (See Childbirth)

**Birth control** (See Family planning)

**Birth control pills**, 285, 288–289, 395–396

**Birth kits**, 254–255

**Birth opening** (See Vagina)

### Bites

of wild animals (rabies), 181

poisonous, 104–106

that may cause infection, 89

treatment, 86

**Bitot's spots**, 226

**Black flies**, 227–228

**Blackheads**, 211, 422

**Black magic**, 5, 24

**Black widow spider bite**, 106

**Bladder**, 233

infection, 234, 243

stones, 234, 235

**Bleach**, 74, 403

### Bleeding

and anemia, 124

during menopause, 246

during pregnancy, 249, 281

gums, 107, 231

how to control, 13, 82–83

in an unconscious person, 78

in the whites of the eyes, 225

of the newborn, 272, 337, 394

severe, 82, 243, 246, 264, 281, 406, 412, 416

stopping after birth, 263–266, 337, 392–393

(Also see Blood)

**Blindness**, 221–222, 414

from injuries to the eye, 218

night blindness, 113, 226–227

protection for babies, 221, 237, 380

river blindness, 227–228, 379

### Blisters

from medicines, 356, 359

from touching certain plants, etc., 204

with burns, 96

with chickenpox, 311

with eczema, 216

### Blood

and AIDS, 75, 82–84, 401, 403

clots, 288

coughing up blood, 168

flukes, 146

in stools, 128, 144–146, 157–158, 306, 403

in the urine, 146, 234

in vomit (cirrhosis), 328

in vomit (ulcer), 128

(Also see Bleeding)

**Blood pressure**, 422

high, 125, 249, 289, 326–327, 412–413

how to measure, 412–413

low, 77, 413

(Also see Shock)

**Blood transfusion**, 401, 403

**Blueness of skin, lips, and nails**, 30

**Body-building foods**, 110

**Boil (abscess)**, 202, 422

### Bones

calcium for, 246

deformities of, 125, 319

hit by a bullet, 90

that have come out of place at a joint, 101

(Also see Broken bones)

**Bottle feeding**, 120, 154, 296

**Bowel movement**, 242, 422

(Also see Feces, Stools)

**Braces**, 315

**Brain injury**, 319–320

and seizures, 319

from high fever, 76

from tapeworm cysts, 143

**Bran**, 16, 126, 384

**Brand-name medicines**, 55, 333, 339, 422

**Breakbone fever** (See Dengue)

**Breast abscess (mastitis)**, 278, 426

**Breast cancer**, 279

**Breast feeding**, w 12, 120–122

and birth control, 285, 289, 294, 396

and good nutrition, 114, 116, 304

and preventing diarrhea, 154, 156

of newborns, 271, 277, 407

traditional beliefs about, 2, 7

(Also see Breasts)

### Breasts

care of, 277, 279

swelling of, 278–279

**Breathing (respiration)**, 428

difficulties, 23, 57, 168, 181, 274, 325, 412

hot water vapors 47, 168

of a sick person, 32

rate, 32

stopped, 80

(Also see Lung diseases, Mouth-to-mouth breathing)

**Breech delivery**, 257, 268

**Broad-spectrum antibiotics**, 56, 58, 352, 355–358

**Broken bones**, 14, 98–99

**Bronchitis**, 170

**Brucellosis (Malta fever)**, 27, 188

**Buboes**, 237, 405, 422

### Bullet wound

in arms or legs, 90  
 in the belly, 15, 92–93  
 in the head, 91

**Burns, 13, 96–97**  
 and leprosy, 192  
 of the eye, 219

**C**

**Calcium**  
 and rickets, 125  
 danger of injecting, 53, 67  
 for spider bite, 106  
 for weak bones, 246  
 in eggshells, 116

**Callus, 210**

**Cancer, 25, 414, 422**  
 and oral contraceptives, 288–289  
 and smoking, 119, 149, 168  
 of the breast, 279  
 of the eyes, 33, 217  
 of the skin, 197, 211, 401  
 of the womb, 280

**Candida (thrush), 232, 242, 402**

**Canker sores, 232**

**Carbohydrates (energy foods), 110, 121, 422**

**Carbonated drinks, 115, 150**

**Cardon cactus, 13, 232**

**Cascara, 16**

**Cassava, 117, 130, 422**  
 for constipation, 16, 126, 384

**Cast, 14, 98, 319, 422**

**Castor oil, 16**

**Cataract, 33, 217, 225, 323, 422**

**Catheter, 239–240, 336, 422**

**Causes of illness, w6–w7, w10, w27, 17–19**

**Cavities in teeth, 229–230, 422**

**Cellulitis, 212**

**Cereal, 152, 383**

**Cerebral malaria (See Severe malaria)**

**Cerebral palsy, 320**

**Cerebro-vascular accident (CVA), 37, 78, 288, 327**

**Cervix, 286, 291, 422**

**Chancre, 237**

**Chancroid, 236, 238, 405**

**Chemical burns of the eye, 219**

**Chest wounds, 91**

**Chickenpox, 204, 311**

**Chiggers, 201, 422**

**Chikungunya, 187**

**CHILD-to-child program, 322**

**Child Health Chart, w20, w24, 297–304, 422**

**Childbirth**  
 bleeding after, 264–265  
 correct use of oxytocics, 265–266  
 cutting the cord, 262–263  
 difficult births, 267–269, 319  
 infection, 260, 276  
 position of the baby, 257, 261, 267  
 position of the mother, 260  
 premature, 262

preparing for, 254–256  
 signs of labor, 258  
 tearing of the birth opening, 269

**Childbirth fever, 27, 276, 283, 422**

**Children**  
 and diarrhea, 151–153, 159  
 foods for, 112, 113, 120–122, 295  
 giving injections to, 73  
 growth of, 107, 297–304  
 having the number you want, 283–294  
 infectious diseases of, 311–315  
 malnourished, 112–114, 154, 303, 305–306  
 problems they are born with, 316–321  
 severely ill, 214  
 vaccinations for, 147, 296  
 with physical disabilities or cognitive delay, 318  
 (See also Babies, Newborns)

**Chlamydia, 221, 234, 236–237, 355, 359, 380**

**Choking, 79, 314**

**Cholera, 158**

**Cigarettes (See Smoking)**

**Circulation, poor (See Varicose veins)**

**Circumcision, 74, 403, 406**

**Cirrhosis of the liver, 108, 148, 328**

**Cleanliness, 131–139**  
 basic guidelines of, 133–139  
 in childbirth, 260, 263  
 of children, 136, 296  
 of equipment, 74, 403  
 of mouth and teeth, 229–231  
 personal cleanliness, 39, 41, 133–135  
 public cleanliness, 137–139  
 to prevent infection, 74, 84, 403, 416  
 when injecting, 68, 74, 403

**Cleft lip, 318, 425**

**Cleft palate, 318–319, 423**

**Climacteric (menopause), 246**

**Clitoris, 233**

**Clubbed feet, 319**

**Cocaine, 418–419**

**Cognitive delay, 114, 306, 318, 320–321, 428**

**Coitus interruptus, 285, 294**

**Cold and hot sicknesses, 119**

**Cold compresses, 193–194**

**Colds and the flu, 45, 57, 163, 308**  
 diet with, 123

**Cold sores or fever blisters, 48, 171, 232, 404**

**Cold weather, 410–411**

**Colic (gut cramps), 35, 145, 157, 423**

**Colostrum, 277, 423**

**Coma, 78, 423**

**Combination medicines, 52, 399**

**Combined methods of birth control, 285, 292**

**Comfort of a sick person, 39**

**Complications from abortion, 243, 416–417**

**Compresses, 193–195, 423**

**Condom, 239, 285, 287, 397, 403**

**La Congestión, 23**

**Conjunctivitis, 219–221, 308**

**Constipation, 16, 126**

as a sign of acute abdomen, 94  
 during pregnancy, 248  
 treatment and prevention, 126, 384

**Consumption** (See Tuberculosis)

**Contact dermatitis**, 204, 423

**Contraception**, 283–294, 395–398

**Contraceptive foam**, 290, 397

**Contractures**, 314, 423

**Convulsions**, (See Seizures, Spasms)

**Cooperatives**, w24

**Cornea**, 217, 218, 224, 225, 226, 228

**Corn silk**, 12

**Corns**, 210, 423

**Corticosteroids**, 51, 129, 372

**Cortisone**, 51

**Cough**, 168–169

chronic, 168, 324, 402

common causes, 168

cough with blood, 140, 171, 174, 179

medicines for, 52, 385

smoker's, 149

**Counting days method**, 292

**Cradle cap**, 215

**Cramps**, 423

gut, 12, 35, 106, 145, 147, 243, 382

heat, 81

**Cretenism** (See Hypothyroidism)

**Crop rotation**, w13, 115, 117, 429

**Cross eyes**, 223, 318

**Crutches, how to make**, 315

**Cupping**, 22, 423

**Cuts**, 84–86

**CVA (Cerebro-vascular accident)**, 37, 78, 288, 327

**Cyst**, 143, 243, 280, 423

## D

**Dacryocystitis**, 223

**Dandruff**, 215, 423

**Dandy fever** (See Dengue)

**Dangerous illnesses**, w28, 42, 179–192

**Dangerous use of medicine**, 50

**Date of expiration**, 332

**Deafness**

home cure for, 11

in children, 318

with ringing and dizziness, 327

**Death, accepting**, 330

**Decongestants**, 164, 165, 423

**Deformities**, 423

with leprosy, 191–192

**Dehydration**, 151–152, 423

and diarrhea, 46, 155

causing sunken fontanel, 9, 274

danger of laxatives with, 15, 384

medicine not to take, 52–53, 156

prevention and treatment, 152, 156, 383

**Delhi boil** (See Leishmaniasis)

**Delirium**, 24, 423

and malaria, 186

and typhoid, 189

**Dengue**, 187

**Dermatitis, contact**, 204, 423

**Diabetes**, 127, 251, 329, 412

**Diaper rash**, 215, 424

**Diaphragm**, 285, 291, 397

**Diarrhea**, 151–160

and dysentery, 144–145, 153, 306

babies with, 159, 271

causes of, w7, 17, 107, 132–33, 135, 153, 401, 402

causing sunken fontanel, 9

home cures for, 11

prevention of, w7, 46–47, 154

severe, 151, 160

treatment of, 58, 152, 155–158, 385

with blood, 144–145, 157–158, 306, 403

with vomiting, 151, 157

with worms, 142

**Diet**, 423

congestion and, 23

for fever, 8

for postpartum mothers, 8, 123, 276

for sick persons, 40, 123

for small children, 120–122

for specific diseases, 40, 124–130, 154–156

harmful ideas about, 123

things to avoid, 119

what to eat to stay healthy, 110–111

while taking medicines, 123

with oral contraceptives, 286

(Also see Foods, Nutrition)

**Diets for specific diseases**, 40, 124–130

acid indigestion, heartburn, and ulcers, 128–129

anemia, 124

constipation, 16, 126, 384

diabetes, 40, 127

diarrhea, 155–156, 159

goiter, 130

high blood pressure, 125

**Digestion**, 13

**Diphtheria**, 147, 296, 313–314

**Direct pressure**, 82

**Disabilities present at birth**, 6–7, 247, 272, 289, 316–321, 414, 423

**Disability**

from birth, 289, 316–321

how injections cause, 74, 314

in children, 74, 314, 318–321

**Diseases** (see sicknesses)

**Dislocations**, 38, 101, 316, 424

**Dizziness**, 249, 327

*Dolor de ijar*, 22

**Dosage information**, 340

**Double vision**, 227

**Douche**, 247, 258, 293, 424

**Down syndrome**, 318, 427

**D.P.T. vaccination**, 147

**Drinking (alcohol)**, 148–149, 318, 325, 326, 328, 402, 418

**Drowning**, 79, 424

**Drug abuse**, 401, 403, 418–419

**Dry eyes**, 107, 113, **226**, 393  
**Dry malnutrition (marasmus)**, 112–113  
**Dumdum fever** (See Leishmaniasis)  
**Dysentery**, **144–145**, 424 (Also see Diarrhea)

**E****Ears**

how to examine a sick person's, 34  
infections of, 309  
nodes behind, 88  
ringing of, 107, 327

**Earwax**, 407

**Eclampsia**, **249**, 392, 424

**Ectopic pregnancy**, 22, 36, 93, 243, 249, **280**, 416

**Eczema**, 216

**Emergency**

contraception, 288, 396–397  
problems of the gut, 93–95  
supply of medicines, 332  
use of injections, 66

**Emergencies caused by cold**, 410–411

**Emergencies caused by heat**, 81

**Empacho**, 22

**Emphysema**, 170

**Enema**, 15, 76, 92, 424

**Energy foods**, 110–111

**Enterobius (pinworm, threadworm)**, 141

**Epilepsy**, 38, **178**, 319, 390–392

**Epsom salts**, 16

**Erysipelas**, 212

**Evaluation**, **w20**, 424

**Evil eye**, **5**, 424

**Examining**

a pregnant woman, 250–253  
a sick person, 29–38  
breasts, 279  
eyes, 33, 217  
eyesight, 223  
for appendicitis, 36, 95  
for hernia, 94, 317  
for knee reflexes, 183

**Excision**, 406

**Exhaustion, heat**, 81

**Expectorants**, 52, 385, 424

**Experimenting**, **w15**

**Extra finger or toe**, 318–319

**Eyes**, 217–228

cross eyes, 223  
danger signs, 33, 217, 227  
dryness of, 107, 113  
examining the eyes, 33  
eye problems of older people, 227, 323  
eye problems with leprosy, 192  
foreign objects in eyes, 48, 218  
of newborns, 221, 270, 380, 393  
red and painful, 219, 225  
spots and "floaters", 227, 323  
yellow, 30, 172, 274, 328, 329

**Eyesight testing**, 223

**F****Face**

dull, 318  
lumpy skin on, 191  
paralysis of, 37, 327

**Fainting**, 78, 79, 81, 325, 327

**Falciparum malaria**, 158, 186, 363

**False labor**, 258

**Family planning**, **w16**, 246, **283–294**, 395–398  
and infertility, 244

**Farming**, **w13**, 414–415

**Farsightedness**, **323**, 424

**Fatigue**, 23, 124, **323**, 402

**Fats**, **111**, 121

**Feces**, 424

and infections, 84, 96, 131  
in home remedies, 11  
in newborn's mouth and nose, 268  
(Also see Stools)

**Feces-to-mouth, disease spread from**, **131–133**,  
140, 188

**Feet**

clubbed, 319  
loss of feeling in, 127, 162, 173, 191–192  
swelling of, 113, 124, 144, 176, 248 249, 323

**Female condom**, **287**

**Fertile days**, 244, **291–292**

**Fertility awareness**, **291–292**

**Fetoscope**, **252**, 255, 424

**Fever**

childbirth, 27, 276, 283  
diet with, 8  
high, 15, 75–76, 335  
how to bring down, 75, 76, 335  
in children, 306  
in the newborn, 270, 273  
patterns in different diseases, 26–27, 30, 31

**Fever blisters or cold sores**, 48, 171, **232**

*La Fiebre*, 26

**Fire wood**, 135

**First aid**, **75–106**, 424

**Flannel-boards**, **w22**

**Fleas**, 190

**Flies**

and disease, **w23**, 135, 227–228, 408

**Flu**, 45, 57, **163**, 308, 424

**Flukes, blood**, **146**, 378, 424

**Fluoride, for teeth**, 229

**Foam, contraceptive**, 285, **290**, 397

**Folic acid**, 118, 321, **394**, 424

**Folk beliefs**, 3, **6–8**, 123

(Also see Home remedies)

**Folk disease**, 21–26

**Follicles inside the eyelids**, 220

**Fontanel (soft spot)**

sunken, 6, 9, 151, 274  
swollen, 274

(Also see Dehydration)

**Food poisoning**, 23, 103, **135**, 153, 161

**Foods**

- at low cost, 116–118
- for a person with diarrhea, 155–156
- for sick persons, 41
- for small children, 120–122
- nutritious, 110–111, 295
- plant, 116
- producing, w11
- spoiled, 103, 135
- (Also see Diet, Nutrition)

**Fractions, 59–60, 340****Fractures** (See Broken bones)**Fright, 24, 424****Frostbite, 411****Frozen skin, 411****Fungus infection, 19, 58**

- ringworm, tinea, 205–206, 372
- thrush, 232
- vaginal yeast, 242, 371

**G****Gallbladder, 424**

- home cure for, 12
- pain in, 36
- problems, 329

**Gangrene, 213****Garlic, 12, 241, 242****Gastritis, 128–129***Gelusil, 173***Generic medicines, 333, 339, 425****Genital herpes, 404–405****Genital warts, 375, 404****Genitals, 205, 232, 233–244, 425**

- sores on, 237, 404–405

**German measles (Rubella), 247, 312, 320****Germs, 19, 425****Giardia, 145, 336, 369–371, 425**

- and diarrhea, 153, 158

**Gila monster bite, 106****Glaucoma, 33, 222, 323****Gloves, rubber or plastic, 255, 262, 264, 403****Glue sniffing, 418****Goiter, 10, 130, 425****Gonorrhea, 221, 236–237, 359**

- (Also see Sexually transmitted infections)

**Grams, measuring in, 59–60, 425****Groin, lymph nodes in, 88, 238, 425**

- (Also see Hernia)

**Group discussions, w24 w27****Growth, children's, 107, 297–304***Guaco, 3***Guinea worm, 408–409****Gums, 229–232**

- bleeding of, 107, 231
- pale, 124
- swelling caused by medicine, 231

**Gut**

- cramps, 12, 106, 145, 157, 243, 382
- emergency problems of, 35, 93–94
- infection, 47, 131, 144–145, 153, 189

- obstructed, 22, 94
- out of anus (prolapse), 142
- outside a wound, 92
- wounds in, 92
- (Also see Abdomen, Swollen belly)

**H****Hair**

- changes with malnutrition, 107
- examination for lice, 200
- loss of, 107

**Hansen's disease** (See Leprosy)**Hay fever, 34, 165, 429****Head**

- fungus infections of, 205
- injury, 37, 78, 91
- swollen lymph nodes on, 88

**Headaches, 162, 249, 412****Health, w7, w11****Health worker, w1 w7, w29, 43, 246, 340****Heart**

- attacks, 23, 325
- confusion with heartburn, 128
- trouble, 33, 310, 325, 412

**Heartbeat, 32–33, 77****Heartburn, 425**

- diet for, 128–129
- during pregnancy, 248
- medicines for, 382–383
- medicines to avoid, 54, 64

**Heat**

- cramps, 81
- exhaustion, 81
- stroke, 78, 81

**Hemorrhage** (See Bleeding)**Hemorrhoids** (See Piles)**Hepatitis, 26, 172, 418****Herbal teas, 1, 8****Herbs, curative, 12–13, 425****Hereditary problems, 18, 318–319, 321, 425****Hernia, 177, 425**

- during pregnancy, 256
- in groin of newborn, 317
- obstructing the gut, 94

**Heroin, 418–419****Herpes simplex or labialis** (See Cold sores)**Herpes zoster, 204, 375, 402****Hexing, 2****High blood pressure, 125, 249, 325–326, 413****History, taking, 20, 25, 29, 44, 250–253, 425**

- HIV and AIDS, 20, 75, 153, 171, 236, 245, 286,**
- 290, 398, **401–403, 418**
- and medicines, 398–400
- and pregnancy, 249, 400
- and shingles, 204
- and thrush, 232
- and tuberculosis, 179
- and vaccinations, 147
- caring for someone with, 403
- HIV test, 402
- preventing, 403

**Hives**, 68, 166, **203**, 425  
**Home remedies**, 1–3  
 enemas and purges, 15  
 for infertility, 244  
 how to tell if they work, 10–11  
 questions and answers about, 6–8  
 sensible use of, w2, 24  
**Home visits**, w24  
**Hookworm (Uncinaria)**, 133, **142**, 296, 307  
**Hordeolum (sty)**, 224  
**Hormones**, 224, 287, 395, 425  
**Hot and cold sicknesses**, 119  
**Hot compresses, 193–195**, 408  
**Housing**, w10  
**Human immunodeficiency virus** (See HIV and AIDS)  
**Hydrocele**, 317  
**Hygiene** (See Cleanliness)  
**Hypertension** (See High blood pressure)  
**Hyperventilation, 24**, 425  
**Hyphema**, 225  
**Hypochondria**, 329  
**Hypopyon**, 225  
**Hypothermia**, 410  
**Hypothyroidism, 318**, 425  
**Hysteria**, 2, 24, **425**

**I**

**Illnesses** (See Sicknesses)  
*Imferon*, 51, 67  
**Immunizations (vaccinations)**, 19, **147**, 296, 337  
**Impetigo**, 25, **202**  
**Implants (birth control)**, 285, **289–290**, 398  
**Indigestion**  
 diet for, 128–129  
 during pregnancy, 248  
 medicines for, 382–383  
 medicines to avoid, 54, 64  
**Infantile paralysis** (See Polio)  
**Infants** (See Babies, Newborns)  
**Infection**, 425  
 after giving birth, 276  
 and diarrhea, 154, 157  
 in newborns, 182–183, 275  
 in wounds, 88–89, 96, 213  
 medicines for, 55–58, 335–336  
 minor, 58  
 of the appendix, 94–95  
 of the eyes, 217, 219, 220, 221  
 of the genitals, 236–239, 241–242  
 of the gut, 94–95, 135, 140–146, 243  
 of the tear sac, 223  
 of the urinary tract, 234–235  
 resisting, 108, 120, 271  
 signs of a serious, 88, 194, 272–275  
**Infectious diseases, 18–19**, 135, 425  
**Infertility**, 244  
**Inflamed tonsils (tonsillitis)**, 309  
**Inhalers, for asthma**, 167, 386

**Injections**, 65–73  
 dangerous reactions from injections, 54, 70–71  
 emergencies needing, 66  
 faith in, w19, 4, 50  
 family planning, 289–290  
 medicines not to inject, 51, 56, 67  
 of vitamins, 118  
 risks and precautions, 68–69  
 supplies for, 336  
 that can disable children, 74, 314  
 to prevent pregnancy, 285, 293, 397  
 when to inject, 65, 67

**Injury**

moving an injured person, 99–100  
 of an unconscious person, 78  
 severe, 33  
 to the eye, 218

**Insecticides**, 19, 103, 187, 372, **414–415**, 425

**Insomnia (loss of sleep), 328**, 425

**Intestinal worms**, 13, **140–145**, 425

**Intestines** (See Gut)

**Intrauterine device (IUD)**, 281, 285, **290**, 397–398

**Intravenous solution (I.V.)**, 40, **53**, 67, 152

**Intussusception, 94**, 425

**Iodized salt, 130**, 318

**Iritis**, 33, 219, **221**

**Iron**

cooking pots, 117  
 foods rich in, 124  
 from nails in lemon juice, 118  
 pills, 51, 118, 124, 307, 335, 394, 407

**Itching**

caused by fungus, 205, 242  
 caused by medicines, 68, 70–71, 166  
 caused by plants, 204  
 medicines for, 335, 387  
 of hands with syphilis, 238  
 of the anus (pinworm), 141  
 rashes, allergies, 68, 166, 203, 236, 238  
 with chickenpox, 311  
 with scabies, 199  
 with worm infections, 140–142, 228

**IUD** (See Intrauterine device)

**J**

**Jaundice**, 30, **172**, 274, 318, 321, 328–329, 394, 426

**Jock itch**, 205

**Joints, painful**, 101–102, 173, 310, 324

**K**

**Kala azar** (See Leishmaniasis)

**Kangarooing, 407**, 410

**Kidneys, 233–234**, 426

**Kidney stones, 235**, 426

**Kilograms, measuring in, 62**, 426

**Kwashiorkor (wet malnutrition)**, 30, **113**, 426



## L

- Labor, 258–262**, 264, 426  
false labor, 258  
problems with labor, 267  
signs that show labor is near, 258  
stages of, 259–262  
(Also see Childbirth)
- Land**  
distribution of, w7, w11, 415  
use of, w11, w13–w16, 115
- Latido*, 23
- Latrines**, 137–139, 153
- Laxatives, 15–16**, 384  
misuse of, 126
- Lazy eye**, 223
- Leadership**, w5
- Learning**, w4, w21–w28, **322**
- Legs**  
crossed like scissors, 320  
examination of legs, 37  
pain in, 288, 321
- Leishmaniasis**, 408
- Lepra reaction**, 191, 362
- Leprosy**, 10, 38, **191–192**, 206, 337, 362–363  
or *lepra*, 25
- Lice**, 134, 190, **200**, 374
- Limits, knowing**, w4
- Liquids, 39–40**, 151
- Liters, measuring in**, 61, 426
- Liver, 36**, 426  
abscesses, 144–145  
diseases, 172, 288, 328  
infection of, 172
- Liver extract**, 65, **67**
- Lockjaw** (See Tetanus)
- Loss of blood** (See Blood, Bleeding)
- Loss of consciousness** (See Unconscious person)
- Loss of feeling**, **38**, 127, 162, 173, 191, 192, 279
- Loss of sight**, 225, 414
- Loss of sleep (insomnia)**, 328
- Loss of weight** (See Weight loss)
- Low body temperature**, 411
- Low back pain**, **173**, 248
- Low blood pressure**, 413
- Lumps**  
in the abdomen, 35, 243, 280  
in the breast, 279  
on face and body, 191, 228  
that keep growing, 196, 280  
(Also see Lymph nodes)
- Lung diseases**  
and smoking, 149  
asthma, 167  
bronchitis, 170  
pneumonia, 171  
tuberculosis, 179
- Lymph nodes, swollen**, **88**, 317, 426  
caused by an abscess, 202  
in the groin, 238, 405

- signs of infection, 194  
TB of, 212  
with AIDS, 402  
with breast cancer, 279  
with brucellosis, 188 or typhus, 190  
with German measles, 312  
with scabies or lice, 199, 200

**Lymphogranuloma venereum, 237**, 422

## M

- Malaria, 186–187**  
falciparum, 158, 363  
fever pattern, 26  
medicines for, 337, 363–369  
severe, 30, 178, 186, 369  
with seizures, 307  
with sickle cell disease, 321
- Malnutrition**  
and diarrhea, 153–155  
causes of, 115, 283, 414  
checking for, 109, 112–113, 297–304  
during pregnancy, 248  
in children, 107, 114, 305–306  
kinds of, 112–114  
prevention and treatment of, 108, 109,  
112–113, 155–156, 393–395  
problems caused by, 107, 306  
signs of, 30, 37, 108, 112, 113, 208–209, 305
- Malta fever (brucellosis)**, 27, **188**
- Marasmus (dry malnutrition)**, 112
- Marijuana**, 418
- Mask of pregnancy**, 207
- Massaging**  
sprains or fractures, 99, 102  
the birth opening, 269  
the womb, 264–265
- Mastitis (breast abscess)**, **278**, 426
- Measles (Rubeola)**, 30, 108, 226, **311**, 393  
vaccination, 147, 312, 321
- Measuring**  
blood pressure, 412–413  
in pounds and kilos, 62  
medicine, 59–61, 340
- Medical attention**  
illnesses that always need, 179–192  
when to seek, 43, 159
- Medicinal plants**, 12–13
- Medicine kit**, 331–337
- Medicines**  
brand name, 55, 333, 339  
care in giving to the newborn, 54, 272  
dangerous misuse of medicine, 50–53  
during or after birth, 266  
during pregnancy, 54, 247, 400  
for small children, 62  
generic, 333, 339  
guidelines for use, w18–w19, 49–73, 339–400  
healing without medicines, 45–48  
how to measure and give, 59–64, 340  
how to write instructions for, 63–64  
limited use of medicines, w18–w19, 49



medicines not to inject, 56  
 reactions to, 68, 70–71, 350  
 uses, dosage, and precautions, 339–400  
 when not to take them, 54–64

**Ménière's disease**, 327

**Meningitis**, 185, 275, 307

**Menopause**, 246, 426

**Menstrual period**, 245–246, 281, 291–292, 395–398

**Mental health problems**, 18

**Microscope**, 19, 144

**Midwives**

danger signs in pregnancy, 249  
 information for, 245–282  
 prenatal care, 250  
 special risk at birth, 256  
 things not to do, 260  
 things to have ready before birth, 254–255

**Migraine**, 162, 426

**Milk**

and brucellosis, 188  
 and diarrhea, 156  
 and ulcers, 129  
 powdered, 393  
 (Also see Breastfeeding)

**Milk of magnesia**, 16, 383

**Mineral oil**, 16, 384

**Minerals**, 111, 116–118, 427

**Minipill**, 285, 288, 396

**Miscarriage (spontaneous abortion)**, 246, 249, 266, 281, 416

**Models for teaching**, w22

**Morning sickness**, 248, 287

**Mosquitos**, 186–187

**Mothers**

health after childbirth, 276, 280  
 health and sicknesses of children, 295–321  
 information for, 245–282  
 prenatal care, 250–253  
 (Also see Family planning)

**Mouth**, 107, 229–232

**Mouth-to-mouth breathing**, 78–80, 415  
 with newborns, 262

**Moving an injured person**, 99–100

**Mucus, how to drain**, 169, 427

**Mucus method**, 285, 292

**Mumps**, 312

**Muscles**

examining, 37–38  
 lack of control of, 320

## N

**Narrow-spectrum antibiotics**, 56, 427

**Natural balance**, 58

**Nausea** (See Vomiting)

**Navel (umbilicus)**, 427

cutting the cord, 262–263  
 hernia of navel, 317, 318  
 infection of navel, 182, 272

**Neck**

broken, 99  
 stiff, 38, 182–185, 274

**Needs, felt and long-term**, w8–w12

**Needles**, 74, 401, 403

**Neonatal conjunctivitis**, 221  
 (Also see Newborns)

**Nerves**, 427

muscles and, 37–38

**Newborns**

and tetanus, 182–183  
 bacterial infection of the blood, 275  
 bathing, 7, 263, 270  
 eyes, 221, 237, 270  
 feeding, 120, 263, 271  
 hernia, 317  
 illnesses of, 272–275  
 medicines for, 54, 272, 337  
 problems with delivery, 268  
 small, early, and underweight, 407  
 the cord, 262–263, 270  
 twins, 269  
 (Also see Dehydration)

**Night blindness**, 113, 226–227, 337

**Nodes** (See Lymph nodes)

**Non-infectious diseases**, 18

**Nose, stuffy or runny**, 164–165, 385

**Nosebleed**, 11, 83

**Numbness** (See Loss of feeling)

**Nutrition**, w11, w13–w16, 107–130, 295  
 (Also see Malnutrition)

## O

**Obstructed gut**, 22, 94

(Also see Gut)

**Older persons**, 83, 214, 235, 323–330

**Onchocerciasis**, 227–228, 379

**Opium**, 418

**Oral contraceptives**, 285–289, 395–396

**Outhouses**, 137–139

**Ovarian cyst**, 280

**Ovaries**, 36, 280, 427

**Oxytocics**, 50, 265–266, 319, 392

**Oxyuris (pinworm, threadworm)**, 141

## P

**Pain**

asking about, 29  
 back, 173–174, 248  
 chest, 179, 325  
 in the belly, 12, 35–36, 94–95, 128, 146, 243  
 in the eye, 217, 219, 221, 222  
 in the joints, 101–102, 173, 310, 324  
 in the leg, 288  
 in the teeth, 165, 231  
 in urination, 146, 235–236, 239, 242–243  
 medicines for, 19, 52, 75–76, 162, 335, 380–382  
 (Also see Cramps, Headaches)

**Pannus**, 220

**Pap smear**, 280

**Papaya**, 13

**Paralysis**

- examining for, 37
- from pesticides, 414
- from ticks, 201
- in a child with spasticity, 320
- in leprosy, 191
- in polio, 314–315
- in stroke, 37, 327
- in TB of backbone, 180
- of face, 37, 327

**Parasites**, 19, 427

- intestinal, 19, 140–145, 308
- on skin, 19, 199–201

**Patient report**, 44

**Pellagra**, 114, 208–209

**Pelvic inflammatory disease**, 237, 243, 244, 397

**Penis**, 199, 232, 233, 235–240, 286, 404–405

**PEP** (See Post-exposure prophylaxis)

**Peritonitis**, 94–95, 129, 189, 427

**Pertussis** (See Whooping cough)

**Pesticides**

- burns in eyes, 219
- causing disabilities at birth, 247
- misuse of, 414–415

**Pharmacist, words to**, 338

**Phlebitis**, 288

**PID** (See Pelvic inflammatory disease)

**Piles (hemorrhoids)**, 16, 175, 425

- during pregnancy, 248
- medicine for, 393

**the Pill (for birth control)**, 285, 288–289, 395–396

**Pimples**, 211, 421

(Also see Chickenpox)

**Pink eye**, 219–221, 308

**Pinta**, 207

**Pinworm (threadworm, Enterobius)**, 12, 141

**Placenta (afterbirth)**, 262–264, 269, 428

**Placenta previa**, 249, 428

**Plantar warts**, 210

**Plants**

- medicinal, 12–13
- that cause itching, 204

**Play acting**, w23

**Pneumonia**, 27, 41, 171, 401, 402

**Poisoning**, 103

- food, 23, 135, 153, 161
- urine, 239–240

**Poisonous**

- bites, 104–106
- plants, 204

**Poliomyelitis (infantile paralysis)**, 314

- signs of, 37
- vaccination, 147, 296, 314

**Population**, w10, 115

**Post-exposure prophylaxis (PEP)**, 400

**Posters**, w22

**Postpartum**, 428

- diet, 123

hemorrhage, 266, 392

**Postural drainage**, 169

**Power of belief or suggestion**, 2–5, 24, 428

**Pre-eclampsia**, 176, 249, 251, 424

**Pre-exposure prophylaxis (PrEP)**, 400

**Pregnancy**, 247–255, 286

- anemia during, 124, 248–249, 393–395
  - bleeding during, 249, 264, 281
  - check ups during, w24, 250–253, 412
  - danger signs in, 249–251
  - difficulty becoming pregnant, 244
  - ectopic, 22, 36, 93, 243, 249, 280, 416
  - German measles during, 247, 312
  - growth and position of baby, 251–252, 257
  - how to prevent, 283–295
  - how to stay healthy during, 247
  - how to tell the baby's birth date, 252
  - medicines during, 6, 54, 247, 400
  - minor problems of, 174, 248, 251
  - nutrition during, 118, 250
  - record of prenatal care, 253
  - signs of, 247
  - supplies to have ready before birth, 254–255
- (Also see Family planning)

**Pregnancy mask**, 207

**Prenatal care**, 250–253

**PrEP** (See Pre-exposure prophylaxis)

**Presentation of an arm**, 268, 428

**Pressure points**, 82

**Pressure sores** (See Bed sores)

**Preventive medicine**, w17, 17, 131–150

- cleanliness, 131–136
- how to avoid many sicknesses, 108, 148–150, 242, 326
- sanitation, 137–139
- sexually transmitted infection, 239, 403–405
- vaccinations (immunizations), 147
- worms and other intestinal parasites, 140–146

**Prolapse of the rectum**, 142, 428

**Prophylactic (condom)**, 239, 285, 290, 397, 403–405

**Prostate gland**, 233, 235–236, 428

**Protective foods**, 110, 428

**Proteins**, 110, 111, 112, 113, 116–118, 121

**Psoriasis**, 216

**Pterygium**, 224, 428

**Pulling out (to prevent pregnancy)**, 285, 293

**Pulse**, 32–33, 41, 412–413, 428, inside back cover

**Pulsing or throbbing of stomach**, 23

**Pupils, examining**, 217

**Purges**, 15–16

- misuse of, 92, 126

**Pyorrhea**, 231

## Q

**Questions to ask a sick person**, 29, 44

## R

**Rabies**, 181

**Rash on the skin**, 216, 236, 402

diaper rash, 215, 423  
 like tiny bruises (typhus), 190  
 of allergic reaction, 68, 166, 203–204, 356  
 of chickenpox, 311  
 of German measles, 312  
 of measles, 30, 311  
 of syphilis, 238  
 of typhoid, 189  
 preventing, 133  
 with itching, 199–200, 203

**Reactions** (See Allergic reactions)

**Rebound pain**, 35, **95**, 428

**Rectum**  
 prolapse of, 142, 428

**Reflexes, testing**, **183**, 428

**Rehydration Drink**, **152**, 311, 381, 400, 428  
 and vomiting, 161  
 as an enema, 15  
 for acute abdomen, 95  
 for dehydration, 9, 46, 158, 306  
 for newborns, 273  
 for very sick persons, 40, 53

**Remedies** (See Home remedies)

**Resistance**, 428  
 to antibiotics, w19, 57–58, 237, 350  
 to infection, 108, 120, 271

**Resources**, w8, w12, 115, 283, 428

**Respiration** (See Breathing)

**Rheumatic fever**, 27, **310**

**Rheumatoid arthritis**, 324

**Rhinitis, allergic (hay fever)**, **165**, 428

**Rhythm method**, (See Counting days method)

**Ribs, broken**, 99

**Rickets**, 125

**Ring of the ears, deafness, and dizziness**,  
 107, **327**, 358, 361, 380

**Ringworm**, 11, **205–206**, 372

**River blindness**, **227–228**, 379

**Road to health chart** (See Child Health Chart)

**Rotating crops, w13**, 115, 117, 429

**Roundworm (ascaris)**, 140–141

**Rubber (condom)**, 239, 285, **290**, 397, 403–404

**Rubella** (See German measles)

**Rubeola** (See Measles)

**Rupture** (See Hernia)

## S

**Salt**  
 iodized, 130, 247, 318  
 purges, 16  
 using little, 120, 125, 176, 249, 325, 326

**Sanitation**, w10, **137–139**, 153, 429

**Scabies**, 34, **199–200**, 335, 374

**Scales (to weigh babies)**, 297

**Scars**  
 on the cornea, 224, 226, 228  
 on the eyelids, 220  
 preventing burn scars, 97

**Schistosomiasis**, 146, 337, 378

**Scorpion sting**, 11, 70, **106**, 337, 389

**Scrofula**, 212

**Scrotum**, 233, 429  
 small sores on, 199  
 swollen, 317

**Seborrhea**, 215

**Seizures**, 23, **178**, 424  
 caused by high fever, 76  
 from disabilities at birth, 273, 319  
 in children, 307, 319  
 in meningitis, 185  
 in pregnant women, 249, 392  
 in severe malaria, 186, 369  
 medicines for, 336, 390–392  
 (Also see Spasms)

**Senna leaf**, 16

**Septicemia**, 275, 429

**Serious illnesses**, w28, 42, **179–192**

**Seven year itch**, 199–200, 335, 374

**Sexually transmitted infections (STI)**, 236–239,  
 285–286, 290, **401–405**, 429, 430

**Sheath** (See Condom)

**Shigella**, 145, 158, 353, 358

**Shingles**, **204**, 375, 402

**Shock**, 30, **77**, 325, 429  
 allergic, 70, 105, 166, 350  
 from serious burns, 97  
 heartbeat during, 33, 412–413  
 in postpartum mother, 265

**Shoulder, dislocated**, 101

**Sickle cell disease**, 30, 321, 394

**Sicknesses**  
 causes of, 17–20, 107  
 common, 151–178  
 dangerous, w28, 42, 179–192  
 “home,” 21  
 “hot” and “cold,” 119  
 infectious, 18–19  
 non infectious, 18  
 of children, 215, 272–275, 311–314  
 of older people, 323–330  
 of women, 241  
 prevention of, 131–150  
 spread of, 131–137, 140, 188–189, 237–239,  
 401  
 telling apart, 20–21, 26–27

**Side pains**, 22

**Signs**, 20, **29**, 429

**Sinus trouble (sinusitis)**, 165, 429

**Skin**  
 cancer of, 211, 401  
 chart of different diseases, 196–198  
 diseases, 193–216, 408, 423  
 dryness of, 107, 208  
 how to examine, 34  
 in children, 215, 308  
 medicines for, 334–335, 371–375  
 painless sores, 191, 237, 279  
 TB of, 179, 212  
 ulcers, 212–213

**Slipped disc**, 173

**Smallpox**, 147

**Small sores with pus**, 201, 211

**Smoking**

during pregnancy, 318, 418  
 problems caused by, 119, 129, 149–150, 289,  
 325, 326, 402, 418

**Snails**, 146**Snakebite**, 104–105

antitoxin, 70, 105, 337, 389  
 home cure for, 3

**Soaks**, 102**Social conditions**, 283, 403, 417, 419**Soft drinks**, 155, 161, 229**Soft spot** (See Fontanel)**Solda con solda**, 14**Sores**

bed sores, 41, 214  
 chronic, 20, 127, 212, 213, 236, 324, 408  
 large, open, 127, 213–214  
 mouth, 232  
 of the feet, 324  
 on penis or genitals, 199, 205, 232, 237, 238,  
 242, 402, 404–405  
 sugar or honey treatment for, 213, 214  
 that keep growing, 127, 191, 211, 213, 214  
 without feeling, 191, 237, 279  
 with pus, 199, 201, 408  
 (Also see Skin)

**Sore throat**, 163, **309–310****Spasms**, **183**, 429

in spider bite, 106  
 in tetanus, 182–184  
 (Also see Seizures)

**Spasticity**, 38, **319–320****Sperm**, 233, 244**Spermicide**, 285, 291, 397**Sphygmomanometer**, 412**Spider bite**, 106**Spleen, large**, **158**, **186**, 394, 429**Sponge method**, 294**Spontaneous abortion** (See Miscarriage)**Spots before the eyes**, 227**Sprains**, **102**, 429**Spread of disease**, **131–137**, 140, 190, 237–239,  
 401–405**Squint**, 223**Starches**, 110, 203, 410, 429**Starvation** (See Malnutrition)**Sterile**, 429

bandages, 87  
 men and women, 236, 244, 414

**Sterilization**, 429

of equipment, 74, 403  
 of syringes, 69, 72, 74  
 to prevent pregnancy, 285, 293

**Steroids**, 51**Stethoscope**, 412**Sting**

bee, 70  
 scorpion, 106

**Stitches (sutures)**, **86**, 255, 269, 425  
 anesthetics for, 381**Stomach ache**, 12, **93**, 429

(Also see Belly, Cramps)

**Stomach ulcers**, **128–129**, 149, 382–383**Stools**

in acute abdomen (obstruction), 94  
 in diarrhea (dysentery), 144–145  
 like rice water, 158  
 white or pale, 172  
 with blood, 128, 146, 189  
 with schistosomiasis, 146, 378  
 with typhoid, 189–190  
 with ulcer (black, tarry stools), 128  
 (Also see Constipation, Feces)

**Story telling**, w23**Strabismus**, 223**Strains**, 102**Strep throat**, 310**Stretcher**, **100****Stroke**, 37, 78, 288, 327, 412

(Also see Heat stroke)

**Sty (hordeolum)**, **224**, 429**Suction bulb**, 84, **255**, 262, 268**Sugars**, 110, **111**, 429**Sulfonamides**, **55**, 356**Sunken fontanel** (See Fontanel)**Sunlight**

and acne, 211  
 and rickets, 125  
 and skin problems, 195

**Supplies**

for childbirth, 254–255  
 for the medicine kit, 334, 336

**Suppressants**, 429

cough, 52, 385

**Surgery**

immediate need for, 91–95, 177, 222, 267  
 possible need for, 102, 175, 177, 211, 222,  
 225, 235, 243, 279, 280, 293, 317, 319, 329

**Susto**, 24**Suture** (See Stitches)**Sweets**, 115, 119, 122, 229, 410**Swelling**

breast swelling and lumps, 278–279  
 caused by medicine, 68, 70–71, 231  
 home cure for, 12  
 in old age, 323  
 of broken arms or legs, 14  
 of hands and face, 108, 239, 249  
 of strains and sprains, 102  
 of the eyes, 144, 221, 313  
 of the feet, 113, 124, 144, 176, 248–249, 321  
 of the scrotum or testicles, 312, 317  
 with infection, 194  
 (Also see Lymph nodes, Swollen belly,  
 Varicose veins)

**Swollen belly**

different causes of, 20  
 in children, 107, 112, 114, 321  
 in giardia infection, 145  
 in gut obstruction, 94

in malnutrition, 112, 114  
 in pregnancy, 248, 249  
 (Also see Gut)

**Symptoms**, 29

**Syphilis**, 10, **238**, 405

**Syringe**, **72**, 74, 336, 339, 403, 407

## T

**Taboo**, **23**, 430

**Tapeworm**, **143**, 377

**TB** (See Tuberculosis)

**Teaching**, w2, w4–w5, **w21–w28**, 321

materials, addresses for, 431–434

**Tear sac, infection of**, 217, **223**

**Teaspoons, for measuring**, 61

**Teeth**, 133, **229–232**

**Temperature**, **30–31**, 272, 411, inside back cover

(Also see Fever)

*Tepeguaje*, 14

**Testicles**, 233, 286

swellings of testicles, 312, 317

**Tetanus (lockjaw)**, 182–184

from a wound, 84, 89, 105–106, 390, 409

in the newborn, 182–183, 273

medicine for, 184, 336–337, 390

vaccination, 147, 184, 296

**Thalassemia**, **394**, 430

**Thermometer**, **31**, 334

**Threadworm (pinworm, Enterobius)**, 141

**Throat**

lump on the throat, 10, 130, 425

object stuck in, 79

sore throat, 163, 309–310

**Throwing up** (See Vomiting)

**Thrush (Candida)**, 232, 402

**Ticks**, 190, **201**, 430

**Tinea**, 205–206

**Tinea versicolor**, 206

**Tobacco**, 129, 418–419

**Tongue**, 232

**Tonsillitis (Inflamed tonsils)**, 309

**Toothache**, 231

**Toothbrush, homemade**, 230

**Toothpaste**, 230

**Toxemia of pregnancy** (See Pre-eclampsia)

**Trachoma**, 220

**Traditions**, w3, w11, 1, 2, 21

**Trichinosis**, 144

**Trichocephalus (whipworm, Trichuris)**, 142

**Trichomonas**, 241

**Trichuris (whipworm, Trichocephalus)**, 142

**Tropical sore** (See Leishmaniasis)

**Tubal ligation**, 294

**Tuberculosis**, 108, **179–180**, 337

and AIDS, 398, 402

and children, 136

and measles, 311

medicines for, 359–361

of the lymph nodes, 212

of the skin, 212

of the spine, 173

signs of, 30, 37

vaccination, 147

**Tumors** (See Cancer)

**Twins**, 251, 256, **269**, 289

**Twisted joint (sprain)**, 102

**Typhoid fever**, **188–190**

fever pattern, 26

medicines for, 356

pulse with, 33

resistance to medicines, 58

**Typhus**, 26, **190**

## U

**Ulcer**, 430

on the cornea (eye), 224–225

skin, 20, 212, 213, 324

stomach, 13, 36, 53, 128–129, 149, 383

**Umbilical cord**, 430

and tetanus, 182

how to cut, 262–263

infection of, 270, 272

wrapped around the baby's neck, 268

**Umbilical hernia**, 317, 318, 430

**Umbilicus** (See Navel)

**Unclnaria (hookworm)**, 133, **142**

**Unconscious person**, **78**, 426

breathing of, 32

difference in pupil size, 33

in shock, 77

**Under-Fives Program**, w20, w24, **297**, 430

**Undulant fever (brucellosis)**, 27, **188**

**Units, measuring in**, 60

**Uremia**, 239–240

**Ureters**, 233

**Urethra**, 233, 235, 286, 430

**Urination, difficulties with**, 234–236, 239–240,

**324**, 405, 412

**Urinary tract**, 36, **233–234**, 430

**Urine**

blood in, 146, 234, 378

brown, 172

dark yellow, 151

less than normal, 151, 236

too much or often, 127, 234

pus in, 236

**Using this book, inside front cover**, w28

**Uta** (See Leishmaniasis)

## V

**Vaccinations**, 19, **147**, 180, 250, 296, 321, 337, 407

**Vagina**, **233**, 286, 430

infections of, 241–242, 371

placenta blocking, 249

tearing during birth, 269

**Vaginal discharge**, **241–242**, 371

**Vapors, breathing hot water vapors**, 47, **168**

**Varicose veins**, **175**, 213, 288, 412, 430

and chronic sores, 20, 212, 213, 324  
during pregnancy, 248

**Vasectomy, 294**

**Venereal diseases (VD)** (See Sexually transmitted infection)

**Venereal lymphogranuloma, 238, 422**

**Ventilated improved pit latrine, 139**

**Verrucae (warts), 210**

**Village health committee, w24**

**Village health worker, w1–w7, w29, 43, 340**

**Village medicine kit, 336–337**

**VIP latrine, 139**

**Virus, 19, 401–403**

**Vision** (See Eyes)

**Vital signs, 41, inside back cover**

**Vitamins, 110, 111, 116–118, 393–395, 407**

injections of, 65, 67, 118  
the best way to get, 52, 118  
vitamin A, 226, 393  
vitamin B, 208  
vitamin C, 248, 335,  
vitamin B<sub>6</sub>, 360, 395  
vitamin B<sub>12</sub>, 51, 65, 394  
vitamin K, 265, 272, 337, 394  
(Also see Iron, Zinc)

**Vitiligo, 207**

**Vomiting, 161**

during pregnancy, 248, 249  
enemas and laxatives with, 15  
how to cause vomiting, 103, 390  
in the newborn, 273  
medicines for, 161, 335, 387–388  
violent vomiting, 151  
with blood, 128, 328  
with diarrhea, 151, 157  
with urine poisoning (uremia), 239

**W**

**Wandering eyes, 223**

**Warm compresses, 193–195**

**Warts, 210, 212, 402, 404**

**Water, healing with, 45–48**

and cleanliness, 46, 131, 135, 137–139, 144,  
146  
and spread of disease, 146, 188  
for fever, 75  
to ease pain of burns, 96  
vapors, 47, 168, 385

**Weakness, fatigue, 23, 124, 323, 402**

**Weight**

and diet, 110–111, 127  
deciding dosage by, 340  
homemade scales, 250  
importance of losing, 125–127, 325–326  
in pounds and kilos, 62  
measuring medicines, 59–61  
weight gain, in children, 297–304  
weight gain in pregnancy, 247, 250

**Weight loss**

chronic, 179, 180, 402

different causes, 20  
in the newborn, 273  
sudden (dehydration), 151  
(Also see Malnutrition)

**Welts (hives), 68, 203, 238**

**Wet malnutrition (kwashiorkor), 113**

**Whipworm (Trichuris, Trichocephalus), 142**

**White spots and patches on the skin, 206–207, 232**

**Whooping cough (pertussis), 168, 313**

medicines for, 313  
vaccination, 147, 296

**Witchcraft, 5, 24**

**Withdrawal**

from drug addiction, 419  
to prevent pregnancy, 285, 294

**Womb, 286, 430**

cancer of, 280  
contractions of, 258, 266  
infection (See Childbirth fever)  
massaging, 264–265  
position of the baby in, 251, 257

**Women's health care, 241**

**Working together, w5, w24**

**Worms, 140–146, 227–228, 408–409**

causing obstructed gut, 94  
in children, 308  
medicines for 335, 375–377  
prevention of, 47, 131–134

**Wounds**

abdomen, 92  
bullet, 90–93  
chest, 91  
controlling bleeding of, 82  
deep, 89–92  
from a broken bone, 99  
how to close them, 85–86  
infected, 88–89, 213, 403  
knife and bullet, 89–93  
medicines for, 93, 334  
small, 84  
that may cause tetanus, 89, 182  
to the eye, 217–218

**X**

**Xerophthalmia, 113, 226, 306, 337, 393, 430**

**Xerosis** (See Xerophthalmia)

**X ray, 102**

**Y**

**Yaws, 198, 202, 238**

**Yeast infection, 19, 58, 232, 242, 371–372, 374**

**Yellow Fever, 187**

*Yesca, 11*

**Yogurt, 57, 155, 232, 242**

**Z**

**Zika, 187**

**Zinc, 155, 159, 395**