

Index

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

A

- Abdomen** (See Belly)
Abortion, 243, 284, **416–417**
 (Also see Miscarriage)
Abscess, 421
 breast, 278
 caused by injecting, 67, 69, 74
 liver, 144–145
 of the teeth, 230–231
 under the skin, 202
Acid indigestion, 128–129
Acne (pimples), **211**, 396, 421
Acquired Immune Deficiency Syndrome (See HIV and AIDS)
Acupuncture, 74, 403
Acute abdomen, 15, **93–94**, 421
 (Also see Gut, Swollen belly)
Addiction, 418–419
Afterbirth (placenta), **262–264**, 269, 428
AIDS, **401–403** (Also see HIV and AIDS)
Alcoholic drinks
 and heat stroke, 81
 problems caused by, 119, 148–149, 325, 326, 402, 418
Alcoholics Anonymous, 149, 419, 431
Alcoholism, **148–149**, 418–419, 421
Allergic reaction, 23, 54, **166**
 in the skin, 203, 285, 290
 medicines for, 337, 387–388
 to medicines, 54, 56, 68, 70–71, 350
Allergic rhinitis (hay fever), **165**, 428
Allergic shock, **70**, 105, 350, 387–388, 412
Aloe vera, 13, 129
Amebas, **144–145**, 336, 369–370, 421
Amputation, 411, 421
Anabolic steroids, 51
Analgesics (painkillers), 380–382
Anemia, **124**, 421
 causes of, 113, 124
 during pregnancy, 248–249
 in children, 307, 321
 treatment, 335, 393–395
Anesthetics, 381–382
Angel's Trumpet, 12
Angina pectoris, 325
Antacids, 52, 64, **129**, 248, 324, 382–383
Antibiotics, 52, **55–58**, 156, 350–363
Anti-diarrhea medicines, 156
Antihistamine, 70, 165, 204, **387–388**, 421
Antiretroviral medicines, 398, 400
Antispasmodic, 235, 329, **382**
Antitoxins, **388–389**, 421
 and allergic shock, 70, 105
 for tetanus, 389
 (Also see Antivenom)
Antivenom, 70, 388–389
 for scorpion sting, 388
 for snakebite, 105, 389
Anus, **233**, 421
 hemorrhoids in it, 175
 sores in it, 238, 402, 404, 405
Apoplexy, 37, 78, 288, **327**
Appendicitis, 36, **94–95**
Appendix, **94**
Arms
 muscles and nerves in, 37
 numbness or pain in, 23, 325
Arteriosclerosis, 326
Arthritis (joint pain), **173**, 324
 medicines for, 51, 380–381
Ascaris (roundworm), **140–141**, 422
 and asthma, 167
Asthma, **167**, 337, 386–387
Athlete's foot, 205

B

- Babies**
 examining, 34
 feeding, 120–121
 with diarrhea, 159, 358
 with skin problems, 215
 (Also see Children, Newborns)
Back pain, **173–174**, 248
Bacteria, **19**, 55, 422
Bacterial dysentery, 145
Bacterial infection of the blood, 273–275
Bag of waters, 256, 258, **259–260**, 422
Bandages, 85, 87, **101–102**, 336
Bathing
 and hygiene, 133
 newborns and babies, 7, 215, 263
 postpartum mothers, 8, 276
 sick persons, 7, 39
BCG vaccination, **147**, 180, 185

Beaded lizard bite, 106

Bedbugs, 200

Bed sores, 13, **214**, 422

Beliefs

harmful, 4, 5, 10–11

healing power of, 2

Bell's Palsy, 327

Belly

acute abdomen, 93–94

examination of, 35–36

lumps in, 280

pain in lower belly, 243

(Also see Gut, Swollen Belly)

Bewitchment, 2, **6**, 422

Bilharzia, 146

Billiousness, 329

Birth

bleeding after, 264–265

correct use of oxytocics, 265–266

cutting the cord, 262–263

difficult births, 267–269, 319

infection, 260, 276

position of the baby, 257, 261, 267

position of the mother, 260

premature, 262

preparing for, 254–256

signs of labor, 258

tearing of the birth opening, 269

Birth control (See Family planning)

Birth control pills, 285, **288–289**, 395–396

Birth kits, 254–255

Birth opening (See Vagina)

Bites

of wild animals (rabies), 181

poisonous, 104–106

that may cause infection, 89

treatment, 86

Bitot's spots, 226

Black flies, 227–228

Blackheads, **211**, 422

Black magic, **5**, 24

Black widow spider bite, 106

Bladder, 233

infection, 234, 243

stones, 234, 235

Bleach, 74, 403

Bleeding

and anemia, 124

during menopause, 246

during pregnancy, 249, 281

gums, 107, 231

how to control, 13, 82–83

in an unconscious person, 78

in the whites of the eyes, 225

of the newborn, 272, 337, 394

severe, 82, 243, 246, 264, 281, 406, 412, 416

stopping after birth, 263–266, 337, 392–393

(Also see Blood)

Blindness, **221–222**, 414

from injuries to the eye, 218

night blindness, 113, 226–227

protection for babies, 221, 237, 380

river blindness, 227–228, 379

Blisters

from medicines, 356, 359

from touching certain plants, etc., 204

with burns, 96

with chickenpox, 311

with eczema, 216

Blood

and AIDS, 75, 82–84, 401, 403

clots, 288

coughing up blood, 168

flukes, 146

in stools, 128, 144–146, 157–158, 306, 403

in the urine, 146, 234

in vomit (cirrhosis), 328

in vomit (ulcer), 128

(Also see Bleeding)

Blood pressure, 422

high, 125, 249, 289, 326–327, 412–413

how to measure, 412–413

low, 77, 413

(Also see Shock)

Blood transfusion, 401, 403

Blueness of skin, lips, and nails, 30

Body-building foods, 110

Boil (abscess), **202**, 422

Bones

calcium for, 246

deformities of, 125, 319

hit by a bullet, 90

that have come out of place at a joint, 101

(Also see Broken bones)

Bottle feeding, 120, 154, 296

Bowel movement, **242**, 422

(Also see Feces, Stools)

Braces, 315

Brain injury, 319–320

and seizures, 319

from high fever, 76

from tapeworm cysts, 143

Bran, 16, 126, 384

Brand-name medicines, 55, 333, **339**, 422

Breakbone fever (See Dengue)

Breast abscess (mastitis), **278**, 426

Breast cancer, 279

Breast feeding, w 12, **120–122**

and birth control, 285, 289, 294, 396

and good nutrition, 114, 116, 304

and preventing diarrhea, 154, 156

of newborns, 271, 277, 407

traditional beliefs about, 2, 7

(Also see Breasts)

Breasts

care of, 277, 279

swelling of, 278–279

Breathing (respiration), 428

difficulties, 23, 57, 168, 181, 274, 325, 412

hot water vapors 47, 168

of a sick person, 32

rate, 32
 stopped, 80
 (Also see Lung diseases, Mouth-to-mouth breathing)

Breech delivery, 257, **268**

Broad-spectrum antibiotics, 56, 58, 352, 355–358

Broken bones, 14, **98–99**

Bronchitis, 170

Brucellosis (Malta fever), 27, **188**

Buboes, **237**, 405, 422

Bullet wound
 in arms or legs, 90
 in the belly, 15, 92–93
 in the head, 91

Burns, 13, **96–97**
 and leprosy, 192
 of the eye, 219

C

Calcium
 and rickets, 125
 danger of injecting, 53, 67
 for spider bite, 106
 for weak bones, 246
 in eggshells, 116

Callus, **210**

Cancer, **25**, 414, 422
 and birth control with hormones, 288–289
 and smoking, 119, 149, 168
 of the breast, 279
 of the eyes, 33, 217
 of the skin, 197, 211, 401
 of the womb, 280

Candida (thrush), 232, 242, 402

Canker sores, 232

Carbohydrates (energy foods), 110, 121, 422

Carbonated drinks, 115, **150**

Cardon cactus, 13, 232

Cascara, 16

Cassava, **117**, 130, 422
 for constipation, 16, 126, 384

Cast, **14**, 98, 319, 422

Castor oil, 16

Cataract, 33, 217, **225**, 323, 422

Catheter, **239–240**, 336, 422

Causes of illness, w6–w7, w10, w27, **17–19**

Cavities in teeth, **229–230**, 422

Cellulitis, 212

Cereal, 152, 383

Cerebral malaria (See Severe malaria)

Cerebral palsy, 320

Cerebro-vascular accident (CVA), 37, 78, 288, **327**

Cervix, **286**, 291, 422

Chancere, 237

Chancroid, 236, 238, 405

Chemical burns of the eye, 219

Chest wounds, 91

Chickenpox, **204**, **311**

Chiggers, **201**, 422

Chikungunya, 187

CHILD-to-child program, 322

Child Health Chart, w20, w24, **297–304**, 422

Childbirth (See Birth)

Childbirth fever, 27, **276**, 283, 422

Children
 and diarrhea, 151–153, 159
 foods for, 112, 113, 120–122, 295
 giving injections to, 73
 growth of, 107, 297–304
 having the number you want, 283–294
 infectious diseases of, 311–315
 malnourished, 112–114, 154, 303, 305–306
 problems they are born with, 316–321
 severely ill, 214
 vaccinations for, 147, 296
 with physical disabilities or cognitive delay, 318
 (See also Babies, Newborns)

Chlamydia, 221, 234, **236–237**, 355, 359, 380

Choking, 79, 314

Cholera, 158

Cigarettes (See Smoking)

Circulation, poor (See Varicose veins)

Circumcision, 74, 403, **406**

Cirrhosis of the liver, 108, 148, **328**

Cleanliness, 131–139
 basic guidelines of, 133–139
 during birth, 260, 263
 of children, 136, 296
 of equipment, 74, 403
 of mouth and teeth, 229–231
 personal cleanliness, 39, 41, 133–135
 public cleanliness, 137–139
 to prevent infection, 74, 84, 403, 416
 when injecting, 68, 74, 403

Cleft lip, **318**, 425

Cleft palate, **318–319**, 423

Climacteric (menopause), 246

Clitoris, 233

Clubbed feet, 319

Cocaine, 418–419

Cognitive delay, 114, 306, 318, 320–321, 428

Coitus interruptus, 285, **294**

Cold and hot sicknesses, 119

Cold compresses, 193–194

Colds and the flu, 45, 57, **163**, 308
 diet with, 123

Cold sores or fever blisters, 48, 171, 232, 404

Cold weather, 410–411

Colic (gut cramps), **35**, 145, 157, 423

Colostrum, **277**, 423

Coma, **78**, 423

Combination medicines, 52, 399

Combined methods of birth control, 285, **292**

Comfort of a sick person, 39

Complications from abortion, 243, **416–417**

Compresses, 193–195, 423

Condom, 239, 285, **287**, 397, 403

La Congestión, 23

Conjunctivitis, **219–221**, 308

Constipation, 16, **126**
 as a sign of acute abdomen, 94
 during pregnancy, 248
 treatment and prevention, 126, 384

Consumption (See Tuberculosis)

Contact dermatitis, **204**, 423

Contraception, **283–294**, 395–398

Contraceptive foam, **290**, 397

Contractures, 314, 423

Convulsions, (See Seizures, Spasms)

Cooperatives, w24

Cornea, 217, 218, 224, 225, 226, 228

Corn silk, 12

Corns, **210**, 423

Corticosteroids, 51, 129, 372

Cortisone, 51

Cough, 168–169
 chronic, 168, 324, 402
 common causes, 168
 cough with blood, 140, 171, 174, 179
 medicines for, 52, 385
 smoker's, 149

Counting days method, 292

Cradle cap, 215

Cramps, 423
 gut, 12, 35, 106, 145, 147, 243, 382
 heat, 81

Cretinism (See Hypothyroidism)

Crop rotation, w13, 115, 117, 429

Cross eyes, **223**, 318

Crutches, how to make, 315

Cupping, 22, 423

Cuts, 84–86

CVA (Cerebro-vascular accident), 37, 78, 288, **327**

Cyst, 143, 243, 280, 423

D

Dacryocystitis, 223

Dandruff, **215**, 423

Dandy fever (See Dengue)

Dangerous illnesses, w28, 42, **179–192**

Dangerous use of medicine, 50

Date of expiration, 332

Deafness
 home cure for, 11
 in children, 318
 with ringing and dizziness, 327

Death, accepting, 330

Decongestants, **164**, 165, 423

Deformities, 423
 with leprosy, 191–192

Dehydration, **151–152**, 423
 and diarrhea, 46, 155
 causing sunken fontanel, 9, 274
 danger of laxatives with, 15, 384
 medicine not to take, 52–53, 156
 prevention and treatment, 152, 156, 383

Delhi boil (See Leishmaniasis)

Delirium, **24**, 423
 and malaria, 186
 and typhoid, 189

Dengue, 187

Dermatitis, contact, **204**, 423

Diabetes, **127**, 251, 329, 412

Diaper rash, **215**, 424

Diaphragm, 285, **291**, 397

Diarrhea, 151–160
 and dysentery, 144–145, 153, 306
 babies with, 159, 271
 causes of, w7, 17, 107, 132–33, 135, 153, 401, 402
 causing sunken fontanel, 9
 home cures for, 11
 prevention of, w7, 46–47, 154
 severe, 151, 160
 treatment of, 58, 152, 155–158, 385
 with blood, 144–145, 157–158, 306, 403
 with vomiting, 151, 157
 with worms, 142

Diet, 423
 congestion and, 23
 for fever, 8
 for postpartum mothers, 8, 123, 276
 for sick persons, 40, 123
 for small children, 120–122
 for specific diseases, 40, 124–130, 154–156
 harmful ideas about, 123
 things to avoid, 119
 what to eat to stay healthy, 110–111
 while taking medicines, 123
 with oral contraceptives, 286
 (Also see Foods, Nutrition)

Diets for specific diseases, 40, **124–130**
 acid indigestion, heartburn, and ulcers, 128–129
 anemia, 124
 constipation, 16, 126, 384
 diabetes, 40, 127
 diarrhea, 155–156, 159
 goiter, 130
 high blood pressure, 125

Digestion, 13

Diphtheria, 147, 296, **313–314**

Direct pressure, 82

Disabilities present at birth, 6–7, 247, 272, **316–321**, 414, 423

Disability
 from birth, 316–321
 how injections cause, 74, 314
 in children, 74, 314, 318–321

Diseases (see sicknesses)

Dislocations, 38, 101, 316, 424

Dizziness, 249, 327

Dolor de ijar, 22

Dosage information, 340

Double vision, 227

Douche, 247, 258, 293, 424

Down syndrome, **318**, 427

D.P.T. vaccination, 147

Drinking (alcohol), **148–149**, 318, 325, 326, 328
 402, 418

Drowning, **79**, 424

Drug abuse, 401, 403, **418–419**

Dry eyes, 107, 113, **226**, 393

Dry malnutrition (marasmus), 112–113
Dumdum fever (See Leishmaniasis)
Dysentery, 144–145, 424 (Also see Diarrhea)

E

Ears

how to examine a sick person's, 34
 infections of, 309
 nodes behind, 88
 ringing of, 107, 327

Earwax, 407

Eclampsia, 249, 392, 424

Ectopic pregnancy, 22, 36, 93, 243, 249, 280, 416

Eczema, 216

Emergency

contraception, 288, 396–397
 problems of the gut, 93–95
 supply of medicines, 332
 use of injections, 66

Emergencies caused by cold, 410–411

Emergencies caused by heat, 81

Empacho, 22

Emphysema, 170

Enema, 15, 76, 92, 424

Energy foods, 110–111

Enterobius (pinworm, threadworm), 141

Epilepsy, 38, 178, 319, 390–392

Epsom salts, 16

Erysipelas, 212

Evaluation, w20, 424

Evil eye, 5, 424

Examining

a pregnant woman, 250–253
 a sick person, 29–38
 breasts, 279
 eyes, 33, 217
 eyesight, 223
 for appendicitis, 36, 95
 for hernia, 94, 317
 for knee reflexes, 183

Excision, 406

Exhaustion, heat, 81

Expectorants, 52, 385, 424

Experimenting, w15

Extra finger or toe, 318–319

Eyes, 217–228

cross eyes, 223
 danger signs, 33, 217, 227
 dryness of, 107, 113
 examining the eyes, 33
 eye problems of older people, 227, 323
 eye problems with leprosy, 192
 foreign objects in eyes, 48, 218
 of newborns, 221, 270, 380, 393
 red and painful, 219, 225
 spots and “floaters”, 227, 323
 yellow, 30, 172, 274, 328, 329

Eyesight testing, 223

F

Face

dull, 318
 lumpy skin on, 191
 paralysis of, 37, 327

Fainting, 78, 79, 81, 325, 327

Falciparum malaria, 158, 186, 363

False labor, 258

Family planning, w16, 246, 283–294, 395–398
 and infertility, 244

Farming, w13, 414–415

Farsightedness, 323, 424

Fatigue, 23, 124, 323, 402

Fats, 111, 121

Feces, 424

and infections, 84, 96, 131
 in home remedies, 11
 in newborn's mouth and nose, 268
 (Also see Stools)

Feces-to-mouth, disease spread from, 131–133,
 140, 188

Feet

clubbed, 319
 loss of feeling in, 127, 162, 173, 191–192
 swelling of, 113, 124, 144, 176, 248 249, 323

Female condom, 287

Fertile days, 244, 291–292

Fertility awareness, 291–292

Fetoscope, 252, 255, 424

Fever

childbirth, 27, 276, 283
 diet with, 8
 high, 15, 75–76, 335
 how to bring down, 75, 76, 335
 in children, 306
 in the newborn, 270, 273
 patterns in different diseases, 26–27, 30, 31

Fever blisters or cold sores, 48, 171, 232

La Fiebre, 26

Fire wood, 135

First aid, 75–106, 424

Flannel-boards, w22

Fleas, 190

Flies

and disease, w23, 135, 227–228, 408

Flu, 45, 57, 163, 308, 424

Flukes, blood, 146, 378, 424

Fluoride, for teeth, 229

Foam, contraceptive, 285, 290, 397

Folic acid, 118, 321, 394, 424

Folk beliefs, 3, 6–8, 123

(Also see Home remedies)

Folk disease, 21–26

Follicles inside the eyelids, 220

Fontanel (soft spot)

sunken, 6, 9, 151, 274
 swollen, 274

(Also see Dehydration)

Food poisoning, 23, 103, 135, 153, 161

Foods

- at low cost, 116–118
- for a person with diarrhea, 155–156
- for sick persons, 41
- for small children, 120–122
- nutritious, 110–111, 295
- plant, 116
- producing, w11
- spoiled, 103, 135
- (Also see Diet, Nutrition)

Fractions, 59–60, 340**Fractures** (See Broken bones)**Fright, 24, 424****Frostbite, 411****Frozen skin, 411****Fungus infection, 19, 58**

- ringworm, tinea, 205–206, 372
- thrush, 232
- vaginal yeast, 242, 371

G**Gallbladder, 424**

- home cure for, 12
- pain in, 36
- problems, 329

Gangrene, 213**Garlic, 12, 241, 242****Gastritis, 128–129***Gelusil, 173***Generic medicines, 333, 339, 425****Genital herpes, 404–405****Genital warts, 375, 404****Genitals, 205, 232, 233–244, 425**

- sores on, 237, 404–405

German measles (Rubella), 247, 312, 320**Germs, 19, 425****Giardia, 145, 336, 369–371, 425**

- and diarrhea, 153, 158

Gila monster bite, 106**Glaucoma, 33, 222, 323****Gloves, rubber or plastic, 255, 262, 264, 403****Glue sniffing, 418****Goiter, 10, 130, 425****Gonorrhea, 221, 236–237, 359**

- (Also see Sexually transmitted infections)

Grams, measuring in, 59–60, 425**Groin, lymph nodes in, 88, 238, 425**

- (Also see Hernia)

Group discussions, w24 w27**Growth, children's, 107, 297–304***Guaco, 3***Guinea worm, 408–409****Gums, 229–232**

- bleeding of, 107, 231
- pale, 124
- swelling caused by medicine, 231

Gut

- cramps, 12, 106, 145, 157, 243, 382
- emergency problems of, 35, 93–94
- infection, 47, 131, 144–145, 153, 189

- obstructed, 22, 94
- out of anus (prolapse), 142
- outside a wound, 92
- wounds in, 92
- (Also see Abdomen, Swollen belly)

H**Hair**

- changes with malnutrition, 107
- examination for lice, 200
- loss of, 107

Hansen's disease (See Leprosy)**Hay fever, 34, 165, 429****Head**

- fungus infections of, 205
- injury, 37, 78, 91
- swollen lymph nodes on, 88

Headaches, 162, 249, 412**Health, w7, w11****Health worker, w1 w7, w29, 43, 246, 340****Heart**

- attacks, 23, 325
- confusion with heartburn, 128
- trouble, 33, 310, 325, 412

Heartbeat, 32–33, 77**Heartburn, 425**

- diet for, 128–129
- during pregnancy, 248
- medicines for, 382–383
- medicines to avoid, 54, 64

Heat

- cramps, 81
- exhaustion, 81
- stroke, 78, 81

Hemorrhage (See Bleeding)**Hemorrhoids** (See Piles)**Hepatitis, 26, 172, 418****Herbal teas, 1, 8****Herbs, curative, 12–13, 425****Hereditary problems, 18, 318–319, 321, 425****Hernia, 177, 425**

- during pregnancy, 256
- in groin of newborn, 317
- obstructing the gut, 94

Heroin, 418–419**Herpes simplex or labialis** (See Cold sores)**Herpes zoster, 204, 375, 402****Hexing, 2****High blood pressure, 125, 249, 325–326, 413****History, taking, 20, 25, 29, 44, 250–253, 425**

- HIV and AIDS, 20, 75, 153, 171, 236, 245, 286, 290, 398, 401–403, 418**
- and medicines, 398–400
- and pregnancy, 249, 400
- and shingles, 204
- and thrush, 232
- and tuberculosis, 179
- and vaccinations, 147
- caring for someone with, 403
- HIV test, 402
- preventing, 403

Hives, 68, 166, **203**, 425
Home remedies, 1–3
 enemas and purges, 15
 for infertility, 244
 how to tell if they work, 10–11
 questions and answers about, 6–8
 sensible use of, w2, 24
Home visits, w24
Hookworm (Uncinaria), 133, **142**, 296, 307
Hordeolum (sty), 224
Hormones, 224, 287, 395, 425
Hot and cold sicknesses, 119
Hot compresses, 193–195, 408
Housing, w10
Human immunodeficiency virus (See HIV and AIDS)
Hydrocele, 317
Hygiene (See Cleanliness)
Hypertension (See High blood pressure)
Hyperventilation, 24, 425
Hyphema, 225
Hypochondria, 329
Hypopyon, 225
Hypothermia, 410
Hypothyroidism, 318, 425
Hysteria, 2, 24, **425**

I

Illnesses (See Sicknesses)
Imferon, 51, 67
Immunizations (vaccinations), 19, **147**, 296, 337
Impetigo, 25, **202**
Implants (birth control), 285, **290**, 398
Indigestion
 diet for, 128–129
 during pregnancy, 248
 medicines for, 382–383
 medicines to avoid, 54, 64
Infantile paralysis (See Polio)
Infants (See Babies, Newborns)
Infection, 425
 after giving birth, 276
 and diarrhea, 154, 157
 in newborns, 182–183, 275
 in wounds, 88–89, 96, 213
 medicines for, 55–58, 335–336
 minor, 58
 of the appendix, 94–95
 of the eyes, 217, 219, 220, 221
 of the genitals, 236–239, 241–242
 of the gut, 94–95, 135, 140–146, 243
 of the tear sac, 223
 of the urinary tract, 234–235
 resisting, 108, 120, 271
 signs of a serious, 88, 194, 272–275
Infectious diseases, 18–19, 135, 425
Infertility, 244
Inflamed tonsils (tonsillitis), 309
Inhalers, for asthma, 167, 386

Injections, 65–73
 dangerous reactions from injections, 54, 70–71
 emergencies needing, 66
 faith in, w19, 4, 50
 family planning, 290
 medicines not to inject, 51, 56, 67
 of vitamins, 118
 risks and precautions, 68–69
 supplies for, 336
 that can disable children, 74, 314
 to prevent pregnancy, 285, 293, 397
 when to inject, 65, 67

Injury

moving an injured person, 99–100
 of an unconscious person, 78
 severe, 33
 to the eye, 218
Insecticides, 19, 103, 187, 372, **414–415**, 425
Insomnia (loss of sleep), **328**, 425
Intestinal worms, 13, **140–145**, 425
Intestines (See Gut)
Intrauterine device (IUD), 281, 285, **290**, 397–398
Intravenous solution (I.V.), 40, **53**, 67, 152
Intussusception, 94, 425
Iodized salt, 130, 318
Iritis, 33, 219, **221**
Iron

cooking pots, 117
 foods rich in, 124
 from nails in lemon juice, 118
 pills, 51, 118, 124, 307, 335, 394, 407

Itching

caused by fungus, 205, 242
 caused by medicines, 68, 70–71, 166
 caused by plants, 204
 medicines for, 335, 387
 of hands with syphilis, 238
 of the anus (pinworm), 141
 rashes, allergies, 68, 166, 203, 236, 238
 with chickenpox, 311
 with scabies, 199
 with worm infections, 140–142, 228

IUD (See Intrauterine device)

J

Jaundice, 30, **172**, 274, 318, 321, 328–329, 394, 426
Jock itch, 205
Joints, painful, 101–102, 173, 310, 324

K

Kala azar (See Leishmaniasis)
Kangarooing, 407, 410
Kidneys, 233–234, 426
Kidney stones, 235, 426
Kilograms, measuring in, 62, 426
Kwashiorkor (wet malnutrition), 30, **113**, 426

L

- Labor, 258–262**, 264, 426
false labor, 258
problems with labor, 267
signs that show labor is near, 258
stages of, 259–262
(Also see Birth)
- Land**
distribution of, w7, w11, 415
use of, w11, w13–w16, 115
- Latido*, 23
- Latrines**, 137–139, 153
- Laxatives, 15–16**, 384
misuse of, 126
- Lazy eye**, 223
- Leadership**, w5
- Learning**, w4, w21–w28, **322**
- Legs**
crossed like scissors, 320
examination of legs, 37
pain in, 288, 321
- Leishmaniasis**, 408
- Lepra reaction**, 191, 362
- Leprosy**, 10, 38, **191–192**, 206, 337, 362–363
or *lepra*, 25
- Lice**, 134, 190, **200**, 374
- Limits, knowing**, w4
- Liquids, 39–40**, 151
- Liters, measuring in**, 61, 426
- Liver, 36**, 426
abscesses, 144–145
diseases, 172, 288, 328
infection of, 172
- Liver extract**, 65, **67**
- Lockjaw** (See Tetanus)
- Loss of blood** (See Blood, Bleeding)
- Loss of consciousness** (See Unconscious person)
- Loss of feeling, 38**, 127, 162, 173, 191, 192, 279
- Loss of sight**, 225, 414
- Loss of sleep (insomnia)**, 328
- Loss of weight** (See Weight loss)
- Low body temperature**, 411
- Low back pain, 173**, 248
- Low blood pressure**, 413
- Lumps**
in the abdomen, 35, 243, 280
in the breast, 279
on face and body, 191, 228
that keep growing, 196, 280
(Also see Lymph nodes)
- Lung diseases**
and smoking, 149
asthma, 167
bronchitis, 170
pneumonia, 171
tuberculosis, 179
- Lymph nodes, swollen, 88**, 317, 426
caused by an abscess, 202
in the groin, 238, 405

- signs of infection, 194
TB of, 212
with AIDS, 402
with breast cancer, 279
with brucellosis, 188 or typhus, 190
with German measles, 312
with scabies or lice, 199, 200
- Lymphogranuloma venereum, 237**, 422

M

- Malaria, 186–187**
falciparum, 158, 363
fever pattern, 26
medicines for, 337, 363–369
severe, 30, 178, 186, 369
with seizures, 307
with sickle cell disease, 321
- Malnutrition**
and diarrhea, 153–155
causes of, 115, 283, 414
checking for, 109, 112–113, 297–304
during pregnancy, 248
in children, 107, 114, 305–306
kinds of, 112–114
prevention and treatment of, 108, 109,
112–113, 155–156, 393–395
problems caused by, 107, 306
signs of, 30, 37, 108, 112, 113, 208–209, 305
- Malta fever (brucellosis)**, 27, **188**
- Marasmus (dry malnutrition)**, 112
- Marijuana**, 418
- Mask of pregnancy**, 207
- Massaging**
sprains or fractures, 99, 102
the birth opening, 269
the womb, 264–265
- Mastitis (breast abscess)**, **278**, 426
- Measles (Rubeola)**, 30, 108, 226, **311**, 393
vaccination, 147, 312, 321
- Measuring**
blood pressure, 412–413
in pounds and kilos, 62
medicine, 59–61, 340
- Medical attention**
illnesses that always need, 179–192
when to seek, 43, 159
- Medicinal plants**, 12–13
- Medicine kit**, 331–337
- Medicines**
brand name, 55, 333, 339
care in giving to the newborn, 54, 272
dangerous misuse of medicine, 50–53
during or after birth, 266
during pregnancy, 54, 247, 400
for small children, 62
generic, 333, 339
guidelines for use, w18–w19, 49–73, 339–400
healing without medicines, 45–48
how to measure and give, 59–64, 340
how to write instructions for, 63–64
limited use of medicines, w18–w19, 49

medicines not to inject, 56
 reactions to, 68, 70–71, 350
 uses, dosage, and precautions, 339–400
 when not to take them, 54–64

Ménière's disease, 327

Meningitis, 185, 275, 307

Menopause, 246, 426

Menstrual period, 245–246, 281, 291–292, 395–398

Mental health problems, 18

Microscope, 19, 144

Midwives
 danger signs in pregnancy, 249
 information for, 245–282
 prenatal care, 250
 special risk at birth, 256
 things not to do, 260
 things to have ready before birth, 254–255

Migraine, 162, 426

Milk
 and brucellosis, 188
 and diarrhea, 156
 and ulcers, 129
 powdered, 393
 (Also see Breastfeeding)

Milk of magnesia, 16, 383

Mineral oil, 16, 384

Minerals, 111, 116–118, 427

Minipill, 285, 288, 396

Miscarriage (spontaneous abortion), 246, 249, 266, 281, 416

Models for teaching, w22

Morning sickness, 248, 287

Mosquitos, 186–187

Mothers
 health after birth, 276, 280
 health and sicknesses of children, 295–321
 information for, 245–282
 prenatal care, 250–253
 (Also see Family planning)

Mouth, 107, 229–232

Mouth-to-mouth breathing, 78–80, 415
 with newborns, 262

Moving an injured person, 99–100

Mucus, how to drain, 169, 427

Mucus method, 285, 292

Mumps, 312

Muscles
 examining, 37–38
 lack of control of, 320

N

Narrow-spectrum antibiotics, 56, 427

Natural balance, 58

Nausea (See Vomiting)

Navel (umbilicus), 427
 cutting the cord, 262–263
 hernia of navel, 317, 318
 infection of navel, 182, 272

Neck
 broken, 99
 stiff, 38, 182–185, 274

Needs, felt and long-term, w8–w12

Needles, 74, 401, 403

Neonatal conjunctivitis, 221
 (Also see Newborns)

Nerves, 427
 muscles and, 37–38

Newborns
 and tetanus, 182–183
 bacterial infection of the blood, 275
 bathing, 7, 263, 270
 eyes, 221, 237, 270
 feeding, 120, 263, 271
 hernia, 317
 illnesses of, 272–275
 medicines for, 54, 272, 337
 problems with delivery, 268
 small, early, and underweight, 407
 the cord, 262–263, 270
 twins, 269
 (Also see Dehydration)

Night blindness, 113, 226–227, 337

Nodes (See Lymph nodes)

Non-infectious diseases, 18

Nose, stuffy or runny, 164–165, 385

Nosebleed, 11, 83

Numbness (See Loss of feeling)

Nutrition, w11, w13–w16, 107–130, 295
 (Also see Malnutrition)

O

Obstructed gut, 22, 94
 (Also see Gut)

Older persons, 83, 214, 235, 323–330

Onchocerciasis, 227–228, 379

Opium, 418

Oral contraceptives, 285–289, 395–396

Outhouses, 137–139

Ovarian cyst, 280

Ovaries, 36, 280, 427

Oxytocics, 50, 265–266, 319, 392

Oxyuris (pinworm, threadworm), 141

P

Pain
 asking about, 29
 back, 173–174, 248
 chest, 179, 325
 in the belly, 12, 35–36, 94–95, 128, 146, 243
 in the eye, 217, 219, 221, 222
 in the joints, 101–102, 173, 310, 324
 in the leg, 288
 in the teeth, 165, 231
 in urination, 146, 235–236, 239, 242–243
 medicines for, 19, 52, 75–76, 162, 335, 380–382
 (Also see Cramps, Headaches)

Pannus, 220

Pap smear, 280

Papaya, 13

Paralysis

- examining for, 37
- from pesticides, 414
- from ticks, 201
- in a child with spasticity, 320
- in leprosy, 191
- in polio, 314–315
- in stroke, 37, 327
- in TB of backbone, 180
- of face, 37, 327

Parasites, 19, 427

- intestinal, 19, 140–145, 308
- on skin, 19, 199–201

Patient report, 44

Pellagra, 114, 208–209

Pelvic inflammatory disease, 237, 243, 244, 397

Penis, 199, 232, 233, 235–240, 286, 404–405

PEP (See Post-exposure prophylaxis)

Peritonitis, 94–95, 129, 189, 427

Pertussis (See Whooping cough)

Pesticides

- burns in eyes, 219
- causing disabilities at birth, 247
- misuse of, 414–415

Pharmacist, words to, 338

Phlebitis, 288

PID (See Pelvic inflammatory disease)

Piles (hemorrhoids), 16, 175, 425

- during pregnancy, 248
- medicine for, 393

the Pill (for birth control), 285, 288–289, 395–396

Pimples, 211, 421

(Also see Chickenpox)

Pink eye, 219–221, 308

Pinta, 207

Pinworm (threadworm, Enterobius), 12, 141

Placenta (afterbirth), 262–264, 269, 428

Placenta previa, 249, 428

Plantar warts, 210

Plants

- medicinal, 12–13
- that cause itching, 204

Play acting, w23

Pneumonia, 27, 41, 171, 401, 402

Poisoning, 103

- food, 23, 135, 153, 161
- urine, 239–240

Poisonous

- bites, 104–106
- plants, 204

Poliomyelitis (infantile paralysis), 314

- signs of, 37
- vaccination, 147, 296, 314

Population, w10, 115

Post-exposure prophylaxis (PEP), 400

Posters, w22

Postpartum, 428

- diet, 123

hemorrhage, 266, 392

Postural drainage, 169

Power of belief or suggestion, 2–5, 24, 428

Pre-eclampsia, 176, 249, 251, 424

Pre-exposure prophylaxis (PrEP), 400

Pregnancy, 247–255, 286

- anemia during, 124, 248–249, 393–395
 - bleeding during, 249, 264, 281
 - check ups during, w24, 250–253, 412
 - danger signs in, 249–251
 - difficulty becoming pregnant, 244
 - ectopic, 22, 36, 93, 243, 249, 280, 416
 - German measles during, 247, 312
 - growth and position of baby, 251–252, 257
 - how to prevent, 283–295
 - how to stay healthy during, 247
 - how to tell the baby's birth date, 252
 - medicines during, 6, 54, 247, 400
 - minor problems of, 174, 248, 251
 - nutrition during, 118, 250
 - record of prenatal care, 253
 - signs of, 247
 - supplies to have ready before birth, 254–255
- (Also see Family planning)

Pregnancy mask, 207

Prenatal care, 250–253

PrEP (See Pre-exposure prophylaxis)

Presentation of an arm, 268, 428

Pressure points, 82

Pressure sores (See Bed sores)

Preventive medicine, w17, 17, 131–150

- cleanliness, 131–136
- how to avoid many sicknesses, 108, 148–150, 242, 326
- sanitation, 137–139
- sexually transmitted infection, 239, 403–405
- vaccinations (immunizations), 147
- worms and other intestinal parasites, 140–146

Prolapse of the rectum, 142, 428

Prophylactic (condom), 239, 285, 290, 397, 403–405

Prostate gland, 233, 235–236, 428

Protective foods, 110, 428

Proteins, 110, 111, 112, 113, 116–118, 121

Psoriasis, 216

Pterygium, 224, 428

Pulling out (to prevent pregnancy), 285, 293

Pulse, 32–33, 41, 412–413, 428, inside back cover

Pulsing or throbbing of stomach, 23

Pupils, examining, 217

Purges, 15–16

- misuse of, 92, 126

Pyorrhea, 231

Q

Questions to ask a sick person, 29, 44

R

Rabies, 181

Rash on the skin, 216, 236, 402

diaper rash, 215, 423
 like tiny bruises (typhus), 190
 of allergic reaction, 68, 166, 203–204, 356
 of chickenpox, 311
 of German measles, 312
 of measles, 30, 311
 of syphilis, 238
 of typhoid, 189
 preventing, 133
 with itching, 199–200, 203

Reactions (See Allergic reactions)

Rebound pain, 35, **95**, 428

Rectum

prolapse of, 142, 428

Reflexes, testing, **183**, 428

Rehydration Drink, **152**, 311, 381, 400, 428

and vomiting, 161

as an enema, 15

for acute abdomen, 95

for dehydration, 9, 46, 158, 306

for newborns, 273

for very sick persons, 40, 53

Remedies (See Home remedies)

Resistance, 428

to antibiotics, w19, 57–58, 237, 350

to infection, 108, 120, 271

Resources, w8, w12, 115, 283, 428

Respiration (See Breathing)

Rheumatic fever, 27, **310**

Rheumatoid arthritis, 324

Rhinitis, allergic (hay fever), **165**, 428

Rhythm method, (See Counting days method)

Ribs, broken, 99

Rickets, 125

Ring of the ears, deafness, and dizziness,
 107, **327**, 358, 361, 380

Ringworm, 11, **205–206**, 372

River blindness, **227–228**, 379

Road to health chart (See Child Health Chart)

Rotating crops, w**13**, 115, 117, 429

Roundworm (ascaris), 140–141

Rubber (condom), 239, 285, **290**, 397, 403–404

Rubella (See German measles)

Rubeola (See Measles)

Rupture (See Hernia)

S

Salt

iodized, 130, 247, 318

purges, 16

using little, 120, 125, 176, 249, 325, 326

Sanitation, w10, **137–139**, 153, 429

Scabies, 34, **199–200**, 335, 374

Scales (to weigh babies), 297

Scars

on the cornea, 224, 226, 228

on the eyelids, 220

preventing burn scars, 97

Schistosomiasis, 146, 337, 378

Scorpion sting, 11, 70, **106**, 337, 389

Scrofula, 212

Scrotum, 233, 429

small sores on, 199

swollen, 317

Seborrhea, 215

Seizures, 23, **178**, 424

caused by high fever, 76

from disabilities at birth, 273, 319

in children, 307, 319

in meningitis, 185

in pregnant women, 249, 392

in severe malaria, 186, 369

medicines for, 336, 390–392

(Also see Spasms)

Senna leaf, 16

Septicemia, 275, 429

Serious illnesses, w28, 42, **179–192**

Seven year itch, 199–200, 335, 374

Sexually transmitted infections (STI), 236–239,
 285–286, 290, **401–405**, 429, 430

Sheath (See Condom)

Shigella, 145, 158, 353, 358

Shingles, **204**, 375, 402

Shock, 30, **77**, 325, 429

allergic, 70, 105, 166, 350

from serious burns, 97

heartbeat during, 33, 412–413

in postpartum mother, 265

Shoulder, dislocated, 101

Sickle cell disease, 30, 321, 394

Sicknesses

causes of, 17–20, 107

common, 151–178

dangerous, w28, 42, 179–192

"home," 21

"hot" and "cold," 119

infectious, 18–19

non infectious, 18

of children, 215, 272–275, 311–314

of older people, 323–330

of women, 241

prevention of, 131–150

spread of, 131–137, 140, 188–189, 237–239,
 401

telling apart, 20–21, 26–27

Side pains, 22

Signs, 20, **29**, 429

Sinus trouble (sinusitis), 165, 429

Skin

cancer of, 211, 401

chart of different diseases, 196–198

diseases, 193–216, 408, 423

dryness of, 107, 208

how to examine, 34

in children, 215, 308

medicines for, 334–335, 371–375

painless sores, 191, 237, 279

TB of, 179, 212

ulcers, 212–213

Slipped disc, 173

Smallpox, 147

Small sores with pus, 201, 211

Smoking

during pregnancy, 318, 418
 problems caused by, 119, 129, 149–150, 289,
 325, 326, 402, 418

Snails, 146**Snakebite**, 104–105

antitoxin, 70, 105, 337, 389
 home cure for, 3

Soaks, 102**Social conditions**, 283, 403, 417, 419**Soft drinks**, 155, 161, 229**Soft spot** (See Fontanel)**Solda con solda**, 14**Sores**

bed sores, 41, 214
 chronic, 20, 127, 212, 213, 236, 324, 408
 large, open, 127, 213–214
 mouth, 232
 of the feet, 324
 on penis or genitals, 199, 205, 232, 237, 238,
 242, 402, 404–405
 sugar or honey treatment for, 213, 214
 that keep growing, 127, 191, 211, 213, 214
 without feeling, 191, 237, 279
 with pus, 199, 201, 408
 (Also see Skin)

Sore throat, 163, **309–310****Spasms**, **183**, 429

in spider bite, 106
 in tetanus, 182–184
 (Also see Seizures)

Spasticity, 38, **319–320****Sperm**, 233, 244**Spermicide**, 285, 291, 397**Sphygmomanometer**, 412**Spider bite**, 106**Spleen, large**, **158**, **186**, 394, 429**Sponge method**, 294**Spontaneous abortion** (See Miscarriage)**Spots before the eyes**, 227**Sprains**, **102**, 429**Spread of disease**, **131–137**, 140, 190, 237–239,
 401–405**Squint**, 223**Starches**, 110, 203, 410, 429**Starvation** (See Malnutrition)**Sterile**, 429

bandages, 87
 men and women, 236, 244, 414

Sterilization, 429

of equipment, 74, 403
 of syringes, 69, 72, 74
 to prevent pregnancy, 285, 293

Steroids, 51**Stethoscope**, 412**Sting**

bee, 70
 scorpion, 106

Stitches (sutures), **86**, 255, 269, 425
 anesthetics for, 381**Stomach ache**, 12, **93**, 429

(Also see Belly, Cramps)

Stomach ulcers, **128–129**, 149, 382–383**Stools**

in acute abdomen (obstruction), 94
 in diarrhea (dysentery), 144–145
 like rice water, 158
 white or pale, 172
 with blood, 128, 146, 189
 with schistosomiasis, 146, 378
 with typhoid, 189–190
 with ulcer (black, tarry stools), 128
 (Also see Constipation, Feces)

Story telling, w23**Strabismus**, 223**Strains**, 102**Strep throat**, 310**Stretcher**, **100****Stroke**, 37, 78, 288, 327, 412

(Also see Heat stroke)

Sty (hordeolum), **224**, 429**Suction bulb**, 84, **255**, 262, 268**Sugars**, 110, **111**, 429**Sulfonamides**, **55**, 356**Sunken fontanel** (See Fontanel)**Sunlight**

and acne, 211
 and rickets, 125
 and skin problems, 195

Supplies

for birth, 254–255
 for the medicine kit, 334, 336

Suppressants, 429

cough, 52, 385

Surgery

immediate need for, 91–95, 177, 222, 267
 possible need for, 102, 175, 177, 211, 222,
 225, 235, 243, 279, 280, 293, 317, 319, 329

Susto, 24**Suture** (See Stitches)**Sweets**, 115, 119, 122, 229, 410**Swelling**

breast swelling and lumps, 278–279
 caused by medicine, 68, 70–71, 231
 home cure for, 12
 in old age, 323
 of broken arms or legs, 14
 of hands and face, 108, 239, 249
 of strains and sprains, 102
 of the eyes, 144, 221, 313
 of the feet, 113, 124, 144, 176, 248–249, 321
 of the scrotum or testicles, 312, 317
 with infection, 194
 (Also see Lymph nodes, Swollen belly,
 Varicose veins)

Swollen belly

different causes of, 20
 in children, 107, 112, 114, 321
 in giardia infection, 145
 in gut obstruction, 94

in malnutrition, 112, 114
 in pregnancy, 248, 249
 (Also see Gut)
Symptoms, 29
Syphilis, 10, **238**, 405
Syringe, **72**, 74, 336, 339, 403, 407

T

Taboo, **23**, 430
Tapeworm, **143**, 377
TB (See Tuberculosis)
Teaching, w2, w4–w5, **w21–w28**, 321
 materials, addresses for, 431–434
Tear sac, infection of, 217, **223**
Teaspoons, for measuring, 61
Teeth, 133, **229–232**
Temperature, **30–31**, 272, 411, inside back cover
 (Also see Fever)
Tepeguaje, 14
Testicles, 233, 286
 swellings of testicles, 312, 317
Tetanus (lockjaw), 182–184
 from a wound, 84, 89, 105–106, 390, 409
 in the newborn, 182–183, 273
 medicine for, 184, 336–337, 390
 vaccination, 147, 184, 296
Thalassemia, **394**, 430
Thermometer, **31**, 334
Threadworm (pinworm, Enterobius), 141
Throat
 lump on the throat, 10, 130, 425
 object stuck in, 79
 sore throat, 163, 309–310
Throwing up (See Vomiting)
Thrush (Candida), 232, 402
Ticks, 190, **201**, 430
Tinea, 205–206
Tinea versicolor, 206
Tobacco, 129, 418–419
Tongue, 232
Tonsillitis (Inflamed tonsils), 309
Toothache, 231
Toothbrush, homemade, 230
Toothpaste, 230
Toxemia of pregnancy (See Pre-eclampsia)
Trachoma, 220
Traditions, w3, w11, 1, 2, 21
Trichinosis, 144
Trichocephalus (whipworm, Trichuris), 142
Trichomonas, 241
Trichuris (whipworm, Trichocephalus), 142
Tropical sore (See Leishmaniasis)
Tubal ligation, 294
Tuberculosis, 108, **179–180**, 337
 and AIDS, 398, 402
 and children, 136
 and measles, 311
 medicines for, 359–361
 of the lymph nodes, 212
 of the skin, 212

of the spine, 173
 signs of, 30, 37
 vaccination, 147

Tumors (See Cancer)
Twins, 251, 256, **269**
Twisted joint (sprain), 102
Typhoid fever, 188–190
 fever pattern, 26
 medicines for, 356
 pulse with, 33
 resistance to medicines, 58
Typhus, 26, **190**

U

Ulcer, 430
 on the cornea (eye), 224–225
 skin, 20, 212, 213, 324
 stomach, 13, 36, 53, 128–129, 149, 383
Umbilical cord, 430
 and tetanus, 182
 how to cut, 262–263
 infection of, 270, 272
 wrapped around the baby's neck, 268
Umbilical hernia, 317, 318, 430
Umbilicus (See Navel)
Unclnaria (hookworm), 133, **142**
Unconscious person, **78**, 426
 breathing of, 32
 difference in pupil size, 33
 in shock, 77
Under-Fives Program, w20, w24, **297**, 430
Undulant fever (brucellosis), 27, **188**
Units, measuring in, 60
Uremia, 239–240
Ureters, 233
Urethra, 233, 235, 286, 430
Urination, difficulties with, 234–236, 239–240,
324, 405, 412
Urinary tract, 36, **233–234**, 430
Urine
 blood in, 146, 234, 378
 brown, 172
 dark yellow, 151
 less than normal, 151, 236
 too much or often, 127, 234
 pus in, 236
Using this book, inside front cover, w28
Uta (See Leishmaniasis)

V

Vaccinations, 19, **147**, 180, 250, 296, 321, 337,
 407
Vagina, **233**, 286, 430
 infections of, 241–242, 371
 placenta blocking, 249
 tearing during birth, 269
Vaginal discharge, **241–242**, 371
Vapors, breathing hot water vapors, 47, **168**
Varicose veins, **175**, 213, 288, 412, 430

and chronic sores, 20, 212, 213, 324
during pregnancy, 248

Vasectomy, 294

Venereal diseases (VD) (See Sexually transmitted infection)

Venereal lymphogranuloma, 238, 422

Ventilated improved pit latrine, 139

Verrucae (warts), 210

Village health committee, w24

Village health worker, w1–w7, w29, 43, 340

Village medicine kit, 336–337

VIP latrine, 139

Virus, 19, 401–403

Vision (See Eyes)

Vital signs, 41, inside back cover

Vitamins, 110, 111, 116–118, 393–395, 407

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 393

vitamin B, 208

vitamin C, 248, 335,

vitamin B₆, 360, 395

vitamin B₁₂, 51, 65, 394

vitamin K, 265, 272, 337, 394

(Also see Iron, Zinc)

Vitiligo, 207

Vomiting, 161

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 390

in the newborn, 273

medicines for, 161, 335, 387–388

violent vomiting, 151

with blood, 128, 328

with diarrhea, 151, 157

with urine poisoning (uremia), 239

W

Wandering eyes, 223

Warm compresses, 193–195

Warts, 210, 212, 402, 404

Water, healing with, 45–48

and cleanliness, 46, 131, 135, 137–139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 385

Weakness, fatigue, 23, 124, 323, 402

Weight

and diet, 110–111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125–127, 325–326

in pounds and kilos, 62

measuring medicines, 59–61

weight gain, in children, 297–304

weight gain in pregnancy, 247, 250

Weight loss

chronic, 179, 180, 402

different causes, 20

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

Welts (hives), 68, 203, 238

Wet malnutrition (kwashiorkor), 113

Whipworm (Trichuris, Trichocephalus), 142

White spots and patches on the skin, 206–207, 232

Whooping cough (pertussis), 168, 313

medicines for, 313

vaccination, 147, 296

Witchcraft, 5, 24

Withdrawal

from drug addiction, 419

to prevent pregnancy, 285, 294

Womb, 286, 430

cancer of, 280

contractions of, 258, 266

infection (See Childbirth fever)

massaging, 264–265

position of the baby in, 251, 257

Women's health care, 241

Working together, w5, w24

Worms, 140–146, 227–228, 408–409

causing obstructed gut, 94

in children, 308

medicines for 335, 375–377

prevention of, 47, 131–134

Wounds

abdomen, 92

bullet, 90–93

chest, 91

controlling bleeding of, 82

deep, 89–92

from a broken bone, 99

how to close them, 85–86

infected, 88–89, 213, 403

knife and bullet, 89–93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217–218

X

Xerophthalmia, 113, 226, 306, 337, 393, 430

Xerosis (See Xerophthalmia)

X ray, 102

Y

Yaws, 198, 202, 238

Yeast infection, 19, 58, 232, 242, 371–372, 374

Yellow Fever, 187

Yesca, 11

Yogurt, 57, 155, 232, 242

Z

Zika, 187

Zinc, 155, 159, 395