

INDEX

The index lists topics covered in this book in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Medicines included in the Medicines Pages are in the List of Medicines, page 487.

A**AA (Alcoholics Anonymous), 440****Abdomen pain, 352–357**

- after abortion, 255–257, 355
- after childbirth, 355
- after passing urine, 367
- with bleeding from vagina, 354, 355, 359
- brief, during middle of monthly cycle, 356
- during monthly bleeding, 50, 354
- during pregnancy, 73, 355
- during sex, 189, 272, 356
- examining the abdomen, 534
- with fever, 355
- fibroids, 129, 231, 354, 380
- hunger and, 357
- with IUD, 217, 354, 356
- kinds of pain, 354–356
- miscarriage, 98, 234–235, 354, 355
- monthly bleeding late, 354
- overview, 352, 353
- pelvic inflammatory disease (PID), 274–275
- questions about, 357
- severe, 354, 355, 357
- STIs, 263, 267, 355
- sudden and severe, 354
- tubal pregnancy, 73, 249, 354, 355
- with urine system problems, 355
- when moving, walking, or lifting, 356
- without other signs, 356
- womb infection, 97

Abortion, 38, 238–259

- bleeding from vagina after; 251–253, 363, 483
- complications, 251–258
- danger signs after; 249
- dangers of, 64
- death from, 241
- deciding about, 243
- emergency methods of family planning, 226
- emotional support after; 258
- fainting after; 258
- family planning after; 250
- illegal, 242
- incomplete, 251
- infection from, 255–257
- internal injury, 257
- preventing unsafe abortion, 259

- rape and, 336
- reasons for; 239–240
- refugees and displaced women, 452
- safe methods, 241, 242, 244–245
- shock after; 254
- tetanus infection after; 257
- unsafe, 3, 241, 246–247, 259
- what to expect after; 249
- what to expect during; 248

Abscesses

- in breasts during breastfeeding, 382
- in persons with HIV, 307

Abuse (See Rape; Violence against women)**Access to health care, 1, 2, 35****Acetaminophen, 490****Activated charcoal, 495****Active listening exercise, 426****Activities, ideas for**

- about division of work, 411
- analyzing root causes, 26, 27
- avoiding work-related health problems, 404–406, 410–411
- building a chain of causes that contribute to poor health, 10
- building stoves that make less smoke, 395–397
- carrying out a plan, 28
- expressing feelings, 422, 427–428
- gender roles and sexual health, 184–185, 194–195
- girls to plan a better future, 57–58
- improve nutrition, 176–179
- improving health services, 40–41
- making a safety plan, 322
- men about violence against women, 325
- negotiating condom use, 193, 280
- preventing HIV, 195, 310
- promoting family planning, 227
- reducing maternal deaths, 103
- sex workers, 348–351
- support groups, 424–426
- supporting breast feeding, 121
- teaching self-defense, 332, 146
- violence against women, 315
- women with disabilities, 147
- young people to avoid drug and alcohol abuse, 445

Acupressure massage, 546–547**Acyclovir, 490**

- for shingles, 301
- for cold sores or fever blisters, 305

Addiction (See Alcohol; Drugs; Tobacco)**Adolescents (See Girls)****Adopting a child, 236****Adrenaline, 490****AIDS (See HIV and AIDS)****Alcohol, 434–445**

- addiction, 437, 441
- dependence, 437
- during breastfeeding, 109, 438
- fertility and, 232
- health problems, 163, 438–439
- hepatitis B and, 277
- HIV and, 291
- living with person misusing, 444
- menopause and, 125
- mental health and, 418
- misuse of, 436–437
- overview, 435
- pregnancy and, 68, 438
- preventing misuse, 445
- quitting, 440–441
- reasons for misuse, 437
- reasons to begin using, 436
- sex and, 62
- staying free of, 442
- violence and, 315, 318
- withdrawal, 441
- women and, 439

Alcoholics Anonymous, 440**Allergic reactions**

- to cotrimoxazole, 296, 300
- from injections, 545
- to medicines, 477
- medicines for; 483
- in persons with HIV, 296, 300

Aminoglycosides, 481**Amoxicillin, 490**

- for chlamydia, gonorrhea, trichomonas, bacterial vaginosis, 268
- for PID, 275
- overview, 480

B

- Ampicillin**, 491
for fever during birth, 86
for infection after abortion, 256
for womb infection, 97
overview, 480
- Anal sex**, 185, 187, 189
- Anemia** (See **Weak blood**)
- Angry cat exercise**, 71
- Antibiotics**, 480–481
families of, 480–481
importance of, 480
the pill and, 210
for STIs, 264, 347
using only when necessary, 481
for wounds and sores, 307
(Also see **Medicines**)
- Antibodies, HIV**, 288
- Antihistamines**
for allergic shock, 545
- Antiretrovirals** (See **ART**)
- Anus**, 44
- Anxiety**, 420
in older women, 135
(Also see **Feelings**)
- Appetite** (See **Hunger**)
- Areola**, 45
- Armpit, taking the temperature**, 530
- Arms, weakness in**, 210
- ART, antiretroviral therapy**, 291–292, 336, 517–521
drug resistance and, 291, 518
for preventing mother-to-child transmission, 292–293, 520
for rape, 521
regimens, 519
side effects, 518–519
specific medicines, 519–520
- Arthritis**, 133, 174
- Aspirin**, 492
for abortion, 471
for burns (pain), 538,
cautions about dosage, 133
for joint and muscle pain, 133
overview, 482
- Assault** (See **Rape**; **Violence against women**)
- Azithromycin**, 492
overview, 480
for STIs, 268, 271, 347
- AZT**, 292, 519–520
- Babies**
burping, 107
care at birth, 83
care just after birth, 95
checking position, 77, 81
child-spacing, 110, 160
danger signs at birth, 94, 95
death of, 99
DES caution, 471
early, 94, 118
first foods for, 107, 110
herpes and, 272
HIV and, 292–293, 520
holding during breastfeeding, 108
infertility, 228–237
losing (miscarriage), 98, 234–235
not breathing at birth, 94
open (cleft) lip or palate, 118
preventing mother-to-child transmission of HIV, 520
sex of, 46
sick, breastfeeding, 119
small, 94, 118
STIs and problems in, 276
syphilis and, 270
TB in mother, 390
tetanus in newborn, 95
waiting to have, 58
in wrong position, 72, 75, 85, 90
yellow (jaundice), 118
(Also see **Breastfeeding**;
Childbirth; **Children**; **Family planning**; **Pregnancy**)
- Bacille Calmette-Guerin (BCG) vaccine**, 390, 391
- Back pain**
from work with crafts, 406
during pregnancy, 71
exercises to prevent, 71, 400
kidney infection and, 367
lifting and carrying heavy loads, 398–400
in older women, 132
- Bacterial vaginosis**, 266, 268
- Balls** (See **Testicles**)
- Bandages, disinfecting**, 529
- Barrier methods of family planning**
after abortion, 250
choosing a method, 200, 224
condoms, 60, 61, 128, 145, 189–190, 192–193, 202–203, 279, 280
diaphragms, 145, 205, 279
effectiveness of, 201
female condoms, 190, 193, 204, 279
overview, 200, 202
(Also see **Condoms**; **Diaphragms**; **Female condoms**)
- Bartholin gland infection**, 276
- Battered women** (See **Violence against women**)
- BCA** (See **Bichloroacetic acid**)
- BCG** (See **Bacille Calmette-Guerin vaccine**)
- Beatings** (See **Violence against women**)
- Belly pain** (See **Abdomen pain**)
- Bending safely**, 399
- Benzathine penicillin**, 493
for genital sores, 270
overview, 480
- Benzylpenicillin**, 493
overview, 480
for tetanus in newborns, 95
- Beriberi**, 173
- Betel**, 438
- Bichloroacetic acid (BCA), for genital warts**, 269
- Bilharzia**, 369
- Biopsy**, 378–379, 383
- Birth canal** (See **Vagina**)
- Birth control** (See **Family planning**)
- Birth** (See **Childbirth**)
- Bladder control problems**, 372–373
- Bladder infection**, 366–368
(Also see **Urine system problems**)
- Bladder (man's)**, 46
- Bladder stones**, 369
- Blame**
abuse and, 317, 318
for rape, 327
- Bleach, disinfecting solution**, 527
- Bleeding**
blood in sputum, 389
blood in urine, 369
HIV contagion and, 285
- Bleeding from vagina**
after abortion, 251, 363, 483
after childbirth, 84, 92–93, 97, 362, 483, 547
after female genital cutting, 461
after menopause, 129, 363, 381
after miscarriage, 98, 235, 363
after sex, 363
before baby is born, 85, 362
danger signs, 359
during pregnancy, 73, 74, 362
during sex, 274

fibroids, 380
 hormonal method of family planning and, 207
 medicines for, 483
 pain in abdomen with, 355, 363
 problems with monthly bleeding, 360–361
 weak blood (anemia) and pregnancy risks, 72, 73
 (Also see **Monthly bleeding**)

Blindness, vitamin A and, 169

Blisters from burns, 538

Blocked duct, 116–117

Blood clot, the pill and, 208

Blood flukes, 369

Blood infection (sepsis), after female genital cutting, 461

Blood pressure, 532–533
 (Also see **High blood pressure**)

Blood transfusions, 39
 HIV and, 285

Blood, weak (See **Weak blood**)

Boiling water to purify, 155

Boils, 307

Bones, weak (osteoporosis), 133, 168

Book for Midwives, A, 66, 244

Bottle-feeding, harm from, 106

Bottom first (breach) baby, 75, 77, 90–91

Boyfriends, 59–61
 date rape, 62, 328

Brand name medicines, 473

Breast cancer, 382–383
 breast lumps and, 129
 hormonal methods of family planning and, 207

Breastfeeding, 104–121
 advice for mothers, 109–110, 293
 babies with special needs, 118
 bottle-feeding, harm from, 106
 burping the baby, 107
 calcium needs, 168
 chemicals and, 402
 child-spacing and, 110, 160
 colostrum, 107
 concerns and problems, 114–118
 death of baby, 99
 diet during, 109, 167–169, 171
 as family planning, 96, 201, 218
 by friends or relatives, 111
 giving other foods, 107, 110
 HIV and, 106, 285, 293
 how to breastfeed, 107–109
 importance of, 105
 medicines, caution about, 477
 for new babies, 107

nipple concerns, 114–115
 by pregnant mother, 119
 sick baby, 119
 by sick mother, 119
 signs baby has enough milk, 114
 suckling, easing for baby, 115
 suckling, importance of, 106
 support for, 121
 twins, 118
 working for change, 121
 for working mothers, 111

Breast milk

breast size and, 114
 color of, 107, 113
 colostrum, 107
 feeding with cup, 119
 increasing supply of, 114
 removing by hand, 112
 removing with warm bottle method, 113
 signs baby has enough, 114
 stopping flow using medicine, 471
 storing, 113

Breasts

cancer, 129, 207, 382–383
 changes during puberty, 54
 death of baby and, 99
 discharge from nipple, 382
 engorged (mastitis), 116, 382
 exams, 159, 162
 illustrated, 45
 lumps, 116, 129, 162, 382
 overview, 45
 painful or swollen, 116–117
 (Also see **Nipples**)

Breathing

baby not breathing at birth, 94
 fast, 531
 after taking medicines, 479
 in newborn, 95
 pneumonia and, 304
 shock and, 254
 normal, 531
 respiration (breathing rate), 531
 shortness of breath, 172, 210, 402
 slow, 531
 smoke and health problems, 394
 stress and, 421

Breach baby, 75, 77, 90–91

Bromocriptine, 471

Brown waters during labor, 86

Bumps on genitals, 269
 (Also see **Growths**)

Burns, 538–539
 rehydration drink, 540

Burping the baby, 107

Buttock, injecting, 544

C

Caffeine

fertility and, 232
 menopause and, 124
 PMS and, 51

Calamine lotion, 301

Calcium, 168

Cancer, 374–385
 alcohol and, 438
 breast, 129, 207, 382–383
 causes, 376
 of cervix, 21, 377–379, 471
 DES causing, 471
 drugs and, 438
 fibroids and, 129
 hormonal methods of family planning and, 207
 incurable, 385
 Kaposi's sarcoma, 301
 liver, 384
 lung, 384
 mouth and throat, 384
 ovaries, 383
 overview, 375–376
 overweight and, 174
 in sex workers, 344
 signs, 376
 stomach, 384
 treating early, 376
 of womb, 381
 vaccine for cervical cancer, 379
 working for change, 385

Candida, 265–266, 300
 (Also see **Yeast infections**)

Capsules, 474
 (Also see **Medicines**)

Caretaking

babies at birth, 83
 babies just after birth, 95
 elder care, 136–137
 mothers after childbirth, 95, 96
 persons with AIDS, 294, 309
 self care during monthly bleeding, 55
 (Also see **Health care skills**)

Carrying loads safely, 399

Cash crops, 179

Catheter, 372–373

Cavities, 154

CD4 count, for people with HIV, 517

Ceftriaxone, 494
 for chancroid, 271
 for chlamydia or gonorrhea, 268
 for infection after abortion, 256
 for kidney infection, 368
 for trichomonas, 268
 overview, 481
 for PID, 275

- Cephalexin**, 481, 494
for infection after FGC, 462
for burn infection, 539
- Cephalosporins**, 481
- Cereals**
for babies, 107, 110
rehydration drink, 540
- Cervix**
cancer, 377–379, 471
growths, 377
illustrated, 45
inflammation, 377
opening during labor, 79, 81
overview, 45
pelvic exam, 159, 535–538
removal of, 379
visible at vaginal opening, 161
- Cesarean section**, 38
- Chancroid**, 271
- Check-ups (See Exams)**
- Chemicals**
cancer and, 376
lead poisoning, 403
mental health and, 418
pregnancy and, 68
washer-woman's hands, 409
in water source, 127, 401
work with, 402–403
- Childbirth**, 80–94
abortion, 238–259
acupressure massage for, 547
baby early or small, 94
baby in wrong position, 72, 75, 85, 90–91
baby not breathing, 94
bleeding after, 84, 92–93, 97, 362, 483, 547
bleeding before, 85
breech birth, 90–91
caring for baby after, 95
caring for baby at birth, 83
caring for mother after, 95, 96
cervix opens, 81
checking baby's position, 77, 81
cord around baby's neck, 89
cord comes out before baby, 88
cutting the cord, 83
danger signs after, 97
danger signs during labor, 85–87
danger signs for baby, 94, 95
daughters unwanted, 7
death of baby, 99
death of mother, 101–103
difficult births, 88–93
eclampsia, 72, 74, 87
fathers, advice for, 100
female genital cutting problems, 464
fever during, 86
further information, 66
of head, 82
health care for mother, 160–161
at health center or hospital, 72
health risks, 3
helping, 79, 81–84
HIV and, 285, 292–293, 520
long labor, 86
medicines for hurrying birth, 471
by operation, 38
placenta, 84, 92–93
positions comfortable for, 81
premature birth, 72, 75, 94
preparing for, 78–79
preventing mother-to-child transmission of HIV during, 520
pushing the baby out, 82
refugees and displaced women, 452
separating partners after, 222
of shoulders, 82, 88
signs that labor is near, 80
stages of labor, 80–84
supplies needed, 78
twins, 72, 89
waters breaking, 81, 85, 86
when breastfeeding another child, 120
when young, 59, 72
women with disabilities and, 72, 145
working for change, 101–103
(Also see **Abortion**; **Family planning**; **Pregnancy**)
- Child care cooperatives**, 158
- Children**
abuse and, 317
calcium needs, 168
child care cooperatives, 158
child-spacing, 110, 160
drug and alcohol use, 438
feeding before self, 171
infertility, living with, 236–237
number of, 179
preventing drug and alcohol misuse in, 445
sexual abuse of, 329, 331
violence against women and, 315, 317, 320
waiting to have, 58
women's health issues and, 12
(Also see **Babies**; **Childbirth**; **Family planning**)
- Child-spacing**, 110, 160
- Chills**
after abortion, 256
with IUD, 217
kidney infection and, 367
womb infection and, 97
- Chinese acupressure massage**, 546–547
- Chlamydia**
how spread, 189
in babies, 274
preventing, 189–190
signs, 267
treatment, 25, 268
- Chlorine bleach, disinfecting solution**, 527
- Chloroquine, abortion from**, 241
- Cholera, killing germs**, 155
- Chores (See Work; Working mothers)**
- CHWs (See Health workers)**
- Cigarettes (See Tobacco)**
- Ciprofloxacin**, 496
for chancroid, 271
for diarrhea in persons with HIV, 299
for kidney infection, 368
overview, 481
- Circumcised women (See Female genital cutting)**
- Cleanliness**, 150–157
abortion and, 246
bladder infection and, 366
care of baby at birth, 83
community (sanitation), 151–152
diarrhea and, 299
disinfecting equipment and tools, 526–529
during monthly bleeding, 55
during pregnancy, 68
food safety, 156–157
germs, spread of, 150–151
helping at birth, 79
HIV prevention at home, 295
home, 153–157
kidney infection and, 366
for new mother, 96
personal, 154
preventing infection, 525–529
tooth care, 154
washer-woman's hands, 409
washing your hands, 526
of water, 151, 155, 401
when removing breast milk, 112
for women with disabilities, 142
- Cleft lip or palate, in baby**, 118
- Clindamycin**, 496
for bacterial vaginosis, 266
for infection after abortion, 256
- Clitoris**, 44
(Also see **Female genital cutting**)
- Cloth dressings, disinfecting**, 529
- Clothing, menopause and**, 124
- Clotrimazole, for yeast**, 266
- Cocaine (See Drugs)**
- Codeine**, 497
for burns (pain), 539
for cough, 303
overview, 482
for persons with AIDS, 308
- Coffee (See Caffeine)**
- Coitus interruptus**, 222

- Cold sores**, 305
- Colostrum**, 107
- Colposcopy**, 378
- Communication**
 about family planning, 199
 about rape, 337, 339
 about safer sex, 192–193
 about violence against women, 323
 gender messages in the media, 195
 with parents, 65
- Community**
 changes and mental health, 417
 cleanliness (sanitation), 151–152
 creating picture of, 428
 health projects, 16
 low status of women, 7–8, 11
 medicine kit, 484
 men's responsibilities, 14
 mental health of, 433
 preventing HIV, 310
 preventing rape, 338–339
 safer sex in, 280–281
 services for older women, 137
 sex workers and, 351
 solving health problems, 28–29
 values learned from, 56, 139, 182–183
 violence against women and, 320, 324
 women's health issues, 13–16
 (Also see **Gender roles**; **Support groups**; **Working for change**)
- Community Guide to Environmental Health, A**, 152, 179
- Community health workers** (See **Health workers**)
- Condoms**, 202–203
 after abortion, 250
 arguments for using, 189–193
 disposing of, 203
 effectiveness of, 201
 female condoms, 190, 193, 201, 204, 279, 346
 importance of using, 60, 61, 128, 189–193, 279
 lubricants for, 203
 oils and, 128
 overview, 202–203
 practice putting on, 280
 sex workers and, 346, 348
 STI prevention, 279
 torn or slipped off, 202
 using, 190, 193, 202–203
 women with disabilities and, 145
 working for safer sex, 280–281
 (Also see **Female condoms**)
- Cone biopsy**, 379
- Constipation**
 during pregnancy, 70
- older women's problems passing stools, 130
 removing stool, 372
- Contagion**
 cancer, 376
 HIV, 284, 285
 infectious diseases, 21
 spread of germs, 150–151
 tuberculosis (TB), 387, 388
 (Also see **STIs**)
- Contour ditches**, 177
- Contraception** (See **Family planning**)
- Contraceptive foam** (See **Spermicides**)
- Contractions**
 birth process, 80
 labor too long, 85
 stage one of labor, 81
 (Also see **Childbirth**)
- Contractures**, 143
- Cooking**
 fire safety, 394
 food safety, 156–157
 haybox cooker, 397
 rocket stove, 396–397
 smoke and health problems, 394–397
 (Also see **Cleanliness**; **Diet**)
- Cooler for food**, 157
- Cooperatives, food**, 177
- Coping skills**, 422–423
- Copper-T** (See **IUDs**)
- Cord**
 around baby's neck, 89
 care of baby after birth, 95
 comes out before baby, 88
 cutting baby's at birth, 83
 of placenta, 84
- Cotrimoxazole**, 497
 allergic reaction to, 296, 300
 for bladder infection, 368
 for diarrhea in persons with HIV, 299
 for discharge, 24
 for kidney infection, 368
 for persons with HIV, 296, 304
 for pneumonia, 304
- Coughing**
 from chemicals, 402
 by persons with HIV, 303–304
 tuberculosis (TB) and, 388, 389
- Cough syrup**, 303
- Counseling, for HIV-positive people**, 289
- Counting days method of family planning**, 219, 221
 after abortion, 250
- Crafts, health problems**, 406
- Cramps**
 acupressure massage for, 546–547
 after abortion, 249, 255, 258
 in legs during pregnancy, 71
 in monthly cycle, 50
- Cream, contraceptive** (See **Spermicides**)
- Creams**, 474
 (Also see **Medicines**)
- Creative exercises for support groups**, 428
- Crops**
 cash crops, 179
 improving nutrition, 176–179
- Cryotherapy**, 379
- Cupboard cooler**, 157
- Cutting baby's cord at birth**, 83
- Cysts**
 Nabothian, 377
 ovaries, 383
 (Also see **Growths**)

D**D&E (dilation and evacuation) abortion**, 38, 244, 248**Danger signs**

- abnormal discharge, 265
 after abortion, 249, 251, 254, 255, 256, 258
 after childbirth, 97
 after female genital cutting, 460
 allergic reactions, 300, 477
 for baby at birth, 94, 95
 bladder infection, 367
 bladder stones, 369
 bleeding from vagina, 359
 blood pressure drops suddenly, 532
 cancer, 376
 cancer of the breast, 382
 cancer of the cervix, 377
 cancer of the womb, 381
 chemicals and health problems, 402
 dehydration, 298
 depression, 419
 diabetes, 174
 during labor, 85–87
 during pregnancy, 72–73
 fast pulse, 531
 hepatitis B, 277
 high blood pressure, 130
 infection after abortion, 255, 256
 IUD problems, 217
 kidney infection, 367
 kidney stones, 369
 medicines, allergy to, 477
 medicines, taking too much, 479
 mental illness (psychosis), 432
 miscarriage, 98, 235
 pelvic inflammatory disease, 274
 from the pill, 210

Danger signs (continued)

pneumonia, 304
 polyps, 380
 respiration (breathing rate), 531
 shock, 254, 461, 545
 spoiled foods, 156
 syphilis, 270
 tetanus, 461
 trauma reactions, 420–421
 of tuberculosis (TB), 389
 unsafe abortion, 241, 246–247
 violence against women, 318, 325
 withdrawal from alcohol or other drugs, 441
 (Also see **Health risks; Solving health problems; specific signs**)

Date rape, 62, 328
 avoiding, 330–331

Death

accepting, 137
 from AIDS, 309
 from alcohol and other drugs, 438
 of baby, 99
 from cancer, 385
 from cancer of the cervix, 379
 during pregnancy or childbirth, 101–103
 mental health and, 417
 Mira's story, 9–11
 pressure sores and, 142
 from syphilis, 270
 from tuberculosis (TB), 387
 from unsafe abortion, 3, 241
 (Also see **Violence against women**)

Debt, poor countries and, 8

Decayed teeth, 154

Dehydration

from burns, 539
 rectal fluids, giving, 541
 rehydration drink, 540
 shock, treating with fluids, 540–541
 signs, 298
 (Also see **Water**)

Dementia (mental confusion)

in older women, 135
 in persons with AIDS, 308

Dengue fever, spread of, 151

Dependence (See Alcohol; Drugs; Tobacco)

Depo Provera, 214, 215

Depression

in older women, 135
 in people with HIV, 296
 signs, 419
 suicide, 419, 431
 (Also see **Feelings**)

DES (diethylstilbestrol), cancer risks from, 471

Desire

lack of, 188
 in women for sex, 185

Dexamethasone, 498

for allergic reactions, 483, 545

Diabetes, 174–175

overweight and, 174
 the pill and, 209
 pregnancy risks, 72
 signs, 174
 treatment, 175
 Type 1 diabetes, 174
 Type 2 diabetes, 174–175

Diagnosis (See Danger signs; Exams and tests; Solving health problems; specific signs)

Diaphragms

after abortion, 250
 effectiveness of, 201
 overview, 205
 for sex workers, 346
 spermicides, 206
 using, 205
 women with disabilities and, 145

Diarrhea

in babies, 119
 pain in belly with fever and, 355
 in persons with HIV, 298–299

Diazepam, 498

giving during a seizure, 87

Dicloxacillin, 498

for breast infection, 117
 for burn infection, 539
 for infection from FGC, 462
 overview, 480
 for wounds and sores, 307

Diet, 164–179

baby's first foods, 107, 110
 cleanliness, importance of, 150
 disease and poor nutrition, 172–175
 during breastfeeding, 109, 167–169, 171
 during menopause, 124, 171
 during pregnancy, 68, 167–169, 171
 emergency food distribution, 449
 family, feeding first, 171
 food safety, 156–157
 of girls compared to boys, 171
 girls' health and, 53, 171
 harmful ideas, 171
 helper foods, 166
 HIV and, 285, 291
 importance of good food, 165
 improving nutrition, 176–179
 low-cost foods, 170
 main foods, 166
 medicines and food, 478
 for new mother, 96
 for older women, 126

packaged foods, 170
 poor nutrition, 2
 poverty and, 165, 170
 for pressure sore prevention, 142
 problems from eating wrong, 174–175
 problems with mouth or throat and, 304–305
 quitting alcohol and, 441
 for refugees and displaced women, 449
 selecting foods, 157
 for sick people, 171
 signs of spoiled foods, 156
 storing food, 157, 177
 vitamins and minerals, 167–170
 for weak blood (anemia), 73
 weak bones and, 133
 (Also see **Breastfeeding**)

Diethylstilbestrol (DES), cancer risks from, 471

Digestion, stress and, 421

Dilation and curettage (D&C) abortion, 38, 244, 248

Diphenhydramine, 499

for allergic reactions, 483, 545

Disabled Village Children, 138, 366

Disabled women (See Women with disabilities)

Discharge from nipple, 382

Discharge from penis, 267

Discharge from vagina

abnormal, 265–268
 bad-smelling after abortion, 256
 bad-smelling after childbirth, 97
 pelvic inflammatory disease, 274–275

Disease (See Illness; Preventing illness)

Disinfecting equipment and tools, 526–529

bandages, 529
 gloves, 529
 high-level disinfection, 526–528
 needles, 528
 storing tools, 528

Displaced women (See Refugees and displaced women)

Dizziness

anemia and, 172
 from chemicals, 402
 during pregnancy, 73
 high blood pressure and, 130
 from medicines, 479

Domestic workers, 409

Dosages of medicine

measuring, 474–475
 (Also see **Medicines; specific medicines**)

DOTS treatment for TB, 391

Douching, 154

- mucus method of family planning and, 220
- by sex workers, 346
- STIs and, 279

Doxycycline, 499

- for chlamydia or gonorrhea, 268
- for infection after abortion, 256, 257
- overview, 480
- for PID, 275
- to prevent infection after abortion, 249
- to prevent infection after deinfibulation, 465
- for syphilis, 271
- for trichomonas, 268

Dress, menopause and, 124

Dressings, disinfecting, 529

Drugs, 434–445

- addiction, 437, 441
- dependence, 437
- during breastfeeding, 109, 438
- health problems from, 163, 438
- HIV and AIDS and, 291
- living with person misusing, 444
- mental health and, 418
- misuse of, 436–437
- overview, 435
- staying free of, 442
- violence against women and, 318
- withdrawal, 441
- women and, 439
- (Also see **Alcohol**; **Medicines**; **Tobacco**)

“Dry” sex, 190, 279

Drugs

- of breasts, 45
- (Also see **Fallopian tubes**)

Dying (See **Death**)

E

Earning a living (See **Work**; **Working mothers**)

Ears

- acupressure massage, 547
- hearing loss in older women, 134
- ringing in, 130, 479

Eating (See **Diet**)

Eclampsia, 59, 72, 74, 87

Ectopic (tubal) pregnancy, 73, 249, 354

Education

- about AIDS, 310
- about rape, 338
- family planning and, 227
- in gender roles, 182
- health care providers' responsibilities, 35
- helping women help themselves, 30, 31

- importance of, 58
- for women with disabilities, 140

Efavirenz (EFV), 518–520

Eggs

- causes of infertility, 231
- release of (ovulation), 47, 49

Elders (See **Older men**; **Older women**)

Embroidery, health risks from, 406

Emergency food distribution, 449

Emergency methods of family planning, 226, 523–524

- (Also see **Abortion**)

Emtricitabine (FTC), 518–520

Emotions (See **Feelings**)

Endometrial cancer, 381

Enema, giving rectal fluids, 541

Engorged breasts (mastitis), 116–117, 382

Epilepsy, the pill and, 209

Epinephrine, 500

- for allergic reactions, 483, 545

Erection, older men's difficulties, 128

Ergometrine maleate, 500

- for abortion, 471
- for bleeding after abortion, 253
- for bleeding after birth, 93, 97, 103
- hurrying birth, 471
- overview, 483
- pregnancy and, 438

Ergonovine (See **Ergometrine**)

Erythromycin, 501

- for baby eye care, 78, 83
- for breast infection, 117
- for chlamydia or gonorrhea, 268
- for genital sores, 271
- for infection after female genital cutting, 462
- overview, 480
- to prevent infection after deinfibulation, 465
- for trichomonas, 268
- for wounds and sores, 307

Estrogen, 501

- hormone replacement therapy, 124
- life cycle and, 47
- (Also see **Hormonal methods of family planning**; **Hormones**)

Ethambutol, 501

- for tuberculosis, 389

Exams and tests

- abdomen exam, 534
- blood pressure, 532–533
- breast exams, 162
- for cancer of the cervix, 378

- for fertility, 234
- health exams, 159
- HIV test, 288, 289, 291, 292, 347
- overview, 37
- Pap tests, 159, 267, 376
- pelvic exam, 159, 535–538
- prenatal check-ups, 68, 76–77, 160
- pulse, taking, 531
- respiration (breathing rate), 531
- screening tests, 376, 379
- by sex workers, 346
- speculum exam, 536
- temperature, taking, 530
- tuberculosis (TB) test, 389
- violence against women and, 325
- (Also see **Solving health problems**)

Excision (See **Female genital cutting**)

Exercise

- during menopause, 124
- during pregnancy, 68, 71, 75
- HIV and AIDS and, 291
- lifting and carrying heavy loads, 398–400
- monthly bleeding and, 55
- need for, 158
- for older women, 126
- weak bones and, 133
- for women with disabilities, 143

Exercises

- angry cat exercise, 71
- for baby in wrong position, 75
- building inner strength, 423
- for healing mental health problems, 427–428
- for learning to help, 426
- for low-back pain, 71, 400
- pelvic tilt exercise, 400
- to relax and strengthen back and belly, 400
- for relaxation, 427
- for sitting or standing long time, 404
- squeezing exercise, 130, 131, 371
- twist exercise, 400
- for women with disabilities, 143
- for women with trauma, 430
- (Also see **Activities**)

Expiration date of medicines, 472

Eyes

- blurry eyesight, 174
- care at birth, 83
- chemicals and problems with, 402
- chemicals in, 403
- farsighted, 134
- glaucoma, 134
- infected in newborn, 276
- pale eyelids, 172
- problems in older women, 134
- strain from crafts, 406
- yellow, 277

F

Face

changes during puberty, 54
swollen during labor, 74, 87

Factories

migration for work, 408
unsafe work conditions, 406–407
(Also see **Chemicals; Work**)

Fainting

after abortion, 258
anemia and, 172
during pregnancy, 73
shock and, 254
(Also see **Unconsciousness**)

Fallen womb (prolapsed uterus),

131, 161, 398, 534

Fallopian tubes

exam, 538
illustrated, 45
overview, 45
pelvic inflammatory disease (PID),
265, 274–275
scarred or blocked, 231
tubal ligation, 223
tubal pregnancy, 73, 249, 354

Family

feeding before self, 171
help during illness, 37
incest, 63, 329
mothers helping daughters, 65
sexual abuse in, 329, 331
talking with, 65
values learned from, 56
women's health issues, 12
(Also see **Fathers; Mothers; Parents;**
Violence against women)

Family planning, 196–227

abortion, 238–259
after abortion, 250
after death of baby, 99
avoiding pregnancy, 60, 61, 128
barrier methods, 200, 202–206
benefits of, 197–198
breastfeeding as prevention, 96, 201,
218
child-spacing, 110, 160
choosing a method, 200–201,
224–225
choosing to use, 199
effectiveness of methods, 201
emergency methods, 226, 335,
523–524
for fathers, 100
hormonal methods, 128, 145, 200,
207–215
hormones and, 47
infertility and, 231
IUDs, 145, 200, 216–217
natural methods, 200, 218–222
new methods, 224

for new mother; 96
number of children, 179
older women and, 128
permanent methods, 200, 223
refugees and displaced women, 452
safety of, 198
talking to husband or partner about,
199
traditional methods, 222
types of methods, 200
for women with disabilities, 145
working for change, 227
(Also see **Abortion; Pregnancy;**
Safer sex; Sex; specific methods)

Farms (See Chemicals; Work)**Farsightedness, in older women,**
134**Fathers**

during pregnancy and childbirth, 100
girls treated as property of, 185
infertility, causes of, 230
sexual abuse by, 329, 331
(Also see **Family; Husband or**
partner; Parents)

Fats

cutting down on, 174
need for, 166
(Also see **Diet**)

Feelings

about HIV or AIDS, 289, 290, 294,
296, 309, 311
about infertility, 236–237
about rape, 337
about violence against women, 313,
315, 321, 323
after abortion, 258
after miscarriage, 98
anxiety, 135, 296, 420
death of baby and, 99
depression, 296, 419
during menopause, 124, 125
during puberty, 54
emotional abuse, 317
gender roles and, 183
loss, 417
medicines for, 471
migrating for work, 408
in older women, 135
sexual desire, 185–186
sexual pleasure, 186–188
stress, 318, 416–417, 421
talking with parents, 65
trauma, 418, 420–421, 430
(Also see **Communication; Mental**
health)

Feet

acupressure massage, 546–547
swollen during pregnancy, 71

Female condoms

effectiveness of, 201

overview, 204
safer sex and, 190, 193
sex workers and, 346
STI prevention, 279
using, 204

Female genital cutting, 458–467

bleeding, heavy, 461
childbirth problems, 464–465
danger signs, 460
deinfibulation, 465
health problems from, 3, 460–467
infection, 461–462
infertility, 465
infibulation, 72, 459, 464, 465
leaking urine and stool, 465
mental health problems, 466
monthly bleeding problems, 463
overview, 458–459
prevalence of, 3
sexual health problems, 463–464
shock, 461
types of, 459
urine system problems, 365, 462, 465
working for change, 466–467

Fertility

hormones and, 47
how to tell if fertile, 220, 233
(Also see **Infertility**)

Fertilization, 49**Fertilizers**

natural, 177, 178
in water source, 127, 401

Fetoscope, 77**Fever**

after abortion, 255–258
after birth, 97
after miscarriage, 98
chancroid and, 271
during labor, 86
during pregnancy, 74
hepatitis B and, 277
with IUD, 217
kidney infection and, 367
in newborn, 95
pain in abdomen with, 355
in persons with HIV, 297
PID and, 274
pneumonia and, 304
syphilis and, 270–271
taking the temperature, 530
womb infection and, 97

Fever blisters, in persons with
HIV, 305**Fibroids, 380**

heavy monthly bleeding and, 129
infertility and, 231
pain with, 354
and passing urine often, 370
signs, 380
treatment, 380

Fire safety, 394
Fistula, 161, 370–371, 465
Fits (See **Seizures**)
Flagyl (See **Metronidazole**)
Flat nipples, 114
Flight (See **Refugees and displaced women**)
Fluconazole, 502
 for fungal infections, 300
 for thrush, 305
Flukes, blood, 369
Foam birth control, women with disabilities and, 145
Foam, contraceptive (See **Spermicides**)
Folic acid (folate)
 food sources of, 168
 for weak blood (anemia), 73, 168, 471
Follow-up care, 35
Food cooperatives, 177
Food (See **Diet**)
Forced sex (See **Rape**)
Forgetting to take the pill, 211, 212
Forgotten workers, 409
Formula, harmfulness of, 106
Fractions in medicine dosages, 474
Fruits, 166, 170
FTC (See **Emtricitabine**)
Fuels
 fire safety, 394
 for refugees and displaced women, 450
 (Also see **Drugs**)
Fungal infections
 in persons with HIV, 300
 (Also see **Yeast infections**)
Future, planning for, 57

G

Gallstones, overweight and, 174
Gang rape, 329
Garbage, disposing safely, 151
Gardens, improving nutrition, 176–179
Gender roles, 182–185, 194–195
 changing harmful roles, 194–195
 in courtship, 195
 creation of, 182
 defined, 182
 harm caused by, 183
 harmful beliefs, 184–185
 learning of, 182
 in the media, 195

 sexual health and, 184–185
 (Also see **Sexual health**)
Generic names for medicines, 473
Genital herpes, 272–273
Genitals (See **Reproductive system**; **STIs**)
Genital ulcers, 270–273
Genital warts, 269
Gentamicin, 502
 for fever during birth, 86
 for infection after abortion, 256
 for infection after birth, 97
 for kidney infection, 368
 overview, 481
Gentian Violet, 503
 for fungal infections, 300
 for thrush (yeast), 305
 for thrush (yeast) in babies, 117
 for wounds and sores, 307
German measles (see **Rubella**)
Germes
 food safety, 156–157
 spread of, 150–151
 sunlight and, 153
Girls, 53–65
 changes for a better life, 54
 changes in the body of, 54
 eating to grow well, 53
 female genital cutting, 459–460, 467
 gender roles, 182–185
 getting help from adults, 65, 61, 57
 monthly bleeding, 55
 pregnancy, 59, 64, 72
 pressure to have sex, 62–64
 self-esteem, 56
 sex, 59–61
 sex work, 342–343
 sexual abuse of, 63
 trading of, 64
 (Also see **Puberty**)
Giving birth (See **Childbirth**)
Glands, of breasts, 45
Glaucoma, in older women, 134
Gloves, disinfected, 525
Glue sniffing (See **Drugs**)
Goals, choosing, 57
Goiter, 169
Gonorrhea
 in babies, 276
 resistance to medicines, 24, 264
 signs, 267
 treatment, 268
Government policies and laws
 aiding older women, 137
 female genital cutting, 467
 legal rights of women, 7
 low status of women, 7–8, 11

 reporting rape, 334–336
 violence against women and, 324
 women's health issues, 17
 (Also see **Refugees and displaced women**; **Working for change**)

Grains, 166, 170
Grams, 475
Green Belt movement, 16
Green waters during labor, 86
Growth
 diet and, 53
 during puberty, 54
Growths
 of the cervix, 377
 of the womb, 380
 cysts on ovaries, 383
 fibroids, 129, 231, 354, 380
 and passing urine often, 370
 polyps, 129, 377, 380
 tumors, 375
 warts on genitals, 269, 376
 (Also see **Cancer**; **Lumps**)
Gums, problems from chemicals, 402

H

Hands
 acupressure massage, 546
 pale nails, 172
 swollen during labor, 74, 87
 washer-woman's hands, 409
 washing to prevent infection, 526
Harassment
 sexual, 329, 331, 407
 (Also see **Violence against women**)
Haybox cooker, 397
Head
 birth of, 82
 breech baby, 75, 77, 90–91
 exercise at work, 404
Headaches
 from chemicals, 402
 from crafts, 406
 high blood pressure and, 130
 from hormonal methods of family planning, 208, 209, 210
 from medicines, 479
 from stress, 421
 from the pill, 210
Health care skills, 525–547
 abdomen exam, 534
 acupressure massage, 546–547
 blood pressure, 532–533
 burns, 538–539
 disinfecting equipment and tools, 526–529

Health care skills (continued)

injections, 542–545
 pelvic exam, 535–537
 pulse, taking, 531
 respiration (breathing rate), 531
 shock, treating with fluids, 540–541
 temperature, taking, 530

Health center or hospital

breastfeeding and, 119, 121
 for cancer of the cervix, 377
 childbirth and, 72, 85–86, 88, 89, 93, 101
 female genital cutting and TBAs, 467
 getting better care, 36–37
 health centers, 34
 hospitals, 35, 38–39
 medical system, 33–35
 PID and, 274
 for tetanus in newborn, 95
 for fistula, 371

Health exams, 159**Health Handbook for Women with Disabilities, A, 138****Health, maintaining (See Preventing illness)****Health risks**

from alcohol and drugs, 438–439
 for bottle-fed babies, 106
 for cancer, 376
 for cancer of the cervix, 377
 for cancer of the womb, 381
 chemicals, work with, 402–403
 from crafts, 406
 cycle of poor health, 5
 diet and, 53
 domestic workers, 409
 during pregnancy, 59, 67, 72–74, 197
 female genital cutting, 3, 460–467
 from frequent pregnancies, 3, 5
 general medical problems, 4
 heavy loads, lifting and carrying, 398–400
 from hormone replacement therapy (HRT), 124
 from medicines, 471
 mental health, 4, 416–418, 433
 poverty, 6
 from rape, 336–337
 reproductive health problems, 3
 of sex workers, 344–347
 smoke and health problems, 394–397
 STIs, 3, 60, 61, 262–263
 from treatments, 24–25
 unsafe abortion, 3, 241
 washer-woman's hands, 409
 water; work with, 401
 for women, 2–5

from work, 4, 406
 (Also see **Danger signs; Violence against women**)

Health, “women’s” (See “Women’s” health)**Health workers**

disinfecting equipment and tools, 526–529
 helping women help themselves, 30–31
 infertility, helping with, 237
 medicine guidelines, 470
 overview, 34
 preventing HIV, 311
 preventing infection, 525–529
 rape and, 335
 for refugees and displaced women, 452, 453
 sex workers and, 351
 violence against women and, 325
 washing your hands, 526
 (Also see **Health care skills; Midwives**)

Hearing

loss in older women, 134
 ringing in ears, 130, 479

Heartbeat

fast, 172, 254, 531
 drug and alcohol withdrawal, 441
 normal, 531
 slow, 531
 stops, 173
 stress and, 421
 taking the pulse, 531

Heartburn

during pregnancy, 69
 from taking medicines, 477

Heart disease

overweight and, 174
 the pill and, 208
 from syphilis, 270

Hemorrhage (See Bleeding)**Hemorrhoids (piles), during pregnancy, 70****Hepatitis**

hepatitis B, 277, 376, 384
 injections and, 542
 the pill and, 208
 signs, 277, 402
 treatment, 277
 vaccine, 503

Herbicides

mental health and, 418
 pregnancy and, 68

Heroin (See Drugs)**Herpes**

genital, 272–273
 zoster (shingles), 301

High blood pressure

defined, 532
 in older women, 130
 overweight and, 174
 the pill and, 209
 pregnancy risks, 72
 signs, 130
 from stress, 421
 treatment, 130
 what the numbers mean, 532
 (Also see **Blood pressure**)

High-level disinfection, 526–528**HIV and AIDS, 282–311**

AIDS, described, 284
 ART (Antiretroviral therapy), 291, 292, 336, 517–521
 breastfeeding and, 106, 285, 293, 520
 caring for persons with HIV or AIDS, 294–295
 causes in women, 283, 285, 286
 CD4 count, 517
 childbirth and, 285, 292, 293, 520
 common medical problems, 297–308
 cotrimoxazole and, 296, 299
 coughing, 303
 counseling, 289
 death and dying, 309
 diarrhea, 298–299
 drug misuse and, 438
 feelings about, 289, 290, 294, 296, 309, 311
 fever, 297
 HIV, described, 284
 HIV test, 288–290, 292, 347
 living with, 290–291
 medicines to prevent infection, 296
 mental confusion (dementia), 308
 mouth and throat problems, 304–305
 nausea and vomiting, 302
 older men and, 64
 overview, 277, 284
 pain, 308
 partner infected with, 290
 pneumonia and, 304
 pregnancy and, 285, 292, 520
 preventing, 286–287, 295, 309–311, 336
 preventing infections with medicines, 296
 preventing mother-to-child transmission, 292–293, 520
 protecting against, 60, 61, 128, 189–193
 rashes and itching, 300–301
 sex workers and, 344–347
 sores on genitals and, 271
 spread of, 285
 staying healthy, 296
 tuberculosis and, 291, 303, 387
 for women, 286

working for change, 309–311
wounds and sores, 306–307

Holding baby during breastfeeding, 108–109

Home

domestic workers, 409
drug and alcohol misuse in, 439
migration for work, 408
(Also see **Family; Refugees and displaced women**)

Homosexuality, 183, 184, 187

Honey and sugar, for pressure sores, 306

Hormonal methods of family planning, 207–215

after abortion, 250
choosing a method, 200–201, 224–225
defined, 200
effectiveness of, 201
implants, 213
injections, 214–215
older women and, 128
once-a-week pills, 224
the pill, 208–212, 522–523
progestin-only pills (minipill), 212, 523
side effects, 208, 209, 212, 213
types of methods, 207
vaginal rings, 225
women who should avoid these methods, 207
women with disabilities and, 145

Hormones

hormone replacement therapy (HRT), 124, 471
life cycle and, 47
mental health and, 418
in monthly cycle, 48–49
overview, 47
puberty and, 54
(Also see **Estrogen; Progesterone**)

Hospital (See **Health center or hospital**)

HPV (human papilloma virus)
cancer of the cervix, 376–377
test for, 378

HRT (hormone replacement therapy), 124, 471

Human Immunodeficiency Virus (HIV) (See **HIV and AIDS**)

Human papilloma virus (see **HPV**)

Human rights

female genital cutting and, 467
(Also see **Government policies and laws; Working for change**)

Hunger

abdomen pain and, 357

constant, 174
loss of appetite, 173, 277
poor nutrition for women, 2

Husband or partner

girls treated as property of, 185
HIV infected, 290
infertility, causes of, 230
IUD felt by, 217
leaving an abusive partner, 322–323
rape by, 328
talking about family planning, 199
talking about sex, 185, 192–193
(Also see **Boyfriends; Family; Fathers; Parents; Violence against women**)

Hydrocortisone, 503

for allergic reactions, 483, 545

Hydroxyzine, 504

for allergic reactions, 483

Hymen, 44

Hypertension (See **High blood pressure**)

Hysterectomy, 38, 379, 381

I

Ibuprofen, 504

for burns (pain), 539
overview, 482
for persons with AIDS, 308

Illegal abortion, 242

Illness

food needs during, 171
infectious diseases, 21
non-infectious diseases, 21
in older women, 127
poor nutrition and, 172–175
preventing, 148–163
recognizing, in women with disabilities, 141
(Also see **Danger signs; Preventing illness; Solving health problems; STDs; specific illnesses and signs**)

Immune system, 284

(Also see **HIV and AIDS**)

Immunizations

hepatitis B, 503
tetanus, 161
tuberculosis (TB), 390–391

Implants

after abortion, 250
effectiveness of, 201
side effects, 213
stopping, 213
using, 213

Incest, 63, 329

Incomplete abortion, 251

Incomplete miscarriage, 98

Incontinence, 370

Independence, working toward, 15

Indigestion, during pregnancy, 69

Inequality of health treatment, 1

Infection

abnormal vaginal discharge, 265–268
after abortion, 255–257
after operation, 39
Bartholin gland infection (swollen vagina), 276
bladder or kidneys, 366–368
breasts during breastfeeding, 116–117, 382
burns and, 538
caring for new mother, 96
causes of, 525
cracked nipple and, 115
deinfibulation and, 465
disinfecting equipment and tools, 526–529
eyes in newborn, 276
from female circumcision, 461–462
fungal, in persons with AIDS, 300
infectious diseases, 21
injections and, 542
mental health and, 418
pain in abdomen with fever, 355
pelvic (PID), 265, 274–275
preventing, 525–529
preventing at birth, 83
preventing for persons with HIV, 296
risk during birth, 79
signs, 255–256, 531
urinating after sex and, 154, 279, 366
vaginal, frequent, 174
vitamin A and, 169
washing your hands, 526
of womb after childbirth, 97
wounds and sores, with HIV, 307
(Also see **STIs; specific diseases**)

Infectious diseases, 21

Infertility, 228–237

after female genital cutting, 465
blame for, 229
causes of, 230–231
dangers that can hurt fertility, 232
defined, 230
living with, 236–237
miscarriage and, 234–235
prevalence of, 229
in sex workers, 344
STIs and, 276
treatment, 233–234

Infibulation (See **Female genital cutting**)

Injections

allergic shock from, 545

Injections (continued)

in buttock, 544
 diazepam, 87
 for family planning, 201, 214–215
 giving, 542–545
 HIV and, 285
 preparing a syringe, 543
 for infection after abortion, 257
 to start labor, 85
 weak blood (anemia) and, 471
 (Also see **Medicines**)

Injections for family planning

combined, 214–215
 effectiveness of, 201
 progestin-only, 214
 side effects, 214, 215
 stopping, 215
 using, 215

Injuries

internal, from abortion, 257
 mental health and, 418
 from pregnancy and childbirth,
 101–103
 from rape, 5, 329, 337, 370
 (Also see **Female genital cutting**;
Violence against women)

Inner folds of the vulva, 44**Insect bites, HIV and, 285****Inserts, 474 (Also see Medicines)****Intercourse (See Sex)****Internal injury, from abortion, 258****Intrauterine devices (See IUDs)****Intravenous drip (IV), 540****Inverted nipples, 114****Iodine**

importance of, 169
 iodized salt, 68, 169
 sources of, 169

Iron, 167

food sources of, 167
 other sources of, 167
 for weak blood (anemia), 53, 73,
 129, 167

Irrigation, 177**Isolation, as abuse, 317****Isoniazid, 505**

for TB, 389
 resistance to, 390

Itching

genital growths (warts), 269
 genitals, 265, 266, 267, 272
 in persons with HIV, 300–301
 sugar sickness (diabetes) and, 174
 vagina, 265

IUCD (See IUDs)**IUDs, 216–217**

after abortion, 250
 choosing a method for family
 planning, 200–201, 224–225
 danger signs, 217
 defined, 200
 effectiveness of, 201
 as emergency method of family
 planning, 226
 infertility and, 231
 overview, 216
 pain with, 217, 354
 progestin, 216
 progestin IUDs, 216
 side effects, 216
 STIs and, 216
 stopping, 217
 using, 217
 who should not use, 216
 women with disabilities and, 145

IV (intravenous drip), 540**J****Jaundice, yellow baby, 118****Jelly, contraceptive (See Spermicides)****Jobs (See Work; Working mothers)****Joint and muscle pain (arthritis)**

in older women, 133
 overweight and, 174

Joints

contractures, 143
 kneeling work and, 405
 repetitious movements and, 405

K**Kaposi's sarcoma, 301****Kerosene, fire safety, 394****Ketoconazole, 505**

for fungal infections, 300
 for thrush, 305

Khat (See Drugs)**Kidney infection, 366–368**

causes, 366
 drugs and alcohol and, 438
 medicines, cautions about, 477
 signs, 367
 treatment, 368
 (Also see **Urine system problems**)

Kidney stones, 369**Killing oneself (suicide), 419, 431****Kissing, not a cause of HIV, 285****Kneeling work, 405****Knitting, health risks from, 406****L****Laboratories, 34****Labor (See Childbirth)****Lace making, health risks from, 406****Lactational amenorrhea method (LAM), 218****Lamivudine (3TC), 519–520****Latrines**

building, 152
 for refugees and displaced women,
 451

Laws (See Government policies and laws; Working for change)**Laxatives, 70****Leaders, women as, 456–457****Lead poisoning, 403, 406****LEEP (loop electrosurgical excision procedure), 379****Legal issues (See Government policies and laws; Working for change)****Legs**

acupressure massage, 546–547
 problems during pregnancy, 71
 severe pain in one, 210
 sitting or standing long time, 404
 varicose veins in, 70, 132
 weakness in, 173, 210

Legumes, planting, 176**Lemon juice**

purifying water, 155
 for thrush, 305

Lice, 265**Life cycle of women, 47****Lifting safety, 398****Lip, cleft in baby, 118****Liquid medicines**

measuring, 475
 taking, 474
 (Also see **Medicines**)

Liquids

clean source of water, 151
 giving rectal fluids, 541
 recommendation for older women,
 126
 rehydration drink, 540
 (Also see **Alcohol; Caffeine; Water**)

Listening

active, 426
 importance of, 30

Liver

cancer, 384

medicines and liver disease, 477
 problems from chemicals, 402
 problems from drugs and alcohol, 438

Liver extract injections, 471

Loop, the (See IUDs)

Loss

mental health and, 417, 454
 by refugees and displaced women, 454

Love

changing people, 318
 violence against women and, 315

Low back pain (See Back pain)

Lower belly pain (See Abdomen pain)

Lubricants, for condoms, 203

Lumps

abscesses and boils, 307
 in breast, 382
 in breast during breastfeeding, 116
 breast exams, 162
 in breast of older women, 129
 in tubes or ovaries, 537
 (Also see **Growths**)

Lungs

cancer, 384
 chemicals and, 402
 pottery making and health, 406

M

Macrolides, 480

Magnesium sulfate, 506

for eclampsia, 87

Malaria

during pregnancy, 74
 spread of, 151
 using medicines for abortion, 471

Manual vacuum aspiration (MVA)

abortion, 38, 244, 248

Marijuana (See Drugs)

Marriage

virginity and, 185
 waiting until ready, 58

Massage, acupressure, 546–547

Mastitis, 116–117, 382

Masturbation, 188

Maternal mortality, 67

Measles, pregnancy and, 68

Measuring medicines, 474–475

Media, gender messages in, 195

Medical abortion, 244–245

Medical system, 33–41

community health workers, 34
 getting better care, 36–37
 health centers, 34
 health posts, 34
 hospital care, 38–39
 hospitals, 35
 women's needs not met, 8
 working for change, 40–41
 (Also see **Health center or hospital**;
Health workers)

Medicines, 468–484

abortion by, 244–245
 for allergic reactions, 483
 allergy to, 477
 antibiotics, 480–481
 for bacterial vaginosis, 266
 for bladder infection, 368
 for bleeding from vagina, 483
 for breast infection, 117
 cancer and, 376
 for chlamydia, 268
 combination medicines, 472
 deciding to use, 470–471
 defined, 469
 for deinfibulation, 465
 drug and alcohol use and, 438
 drug resistance and STI medicines, 264
 during breastfeeding, 109, 120
 during labor, 79, 85
 during pregnancy, 68
 for eclampsia, 87
 fertility and, 232
 food and, 478
 forms of, 474
 generic names and brand names, 473
 for genital sores, 271
 for genital warts, 269
 for gonorrhea, 268
 guidelines for health workers, 470
 guidelines for use, 472
 harmful uses, 471
 for herpes zoster (shingles), 301
 for infection after abortion, 256
 inserts in vagina, 474
 for itching in persons with HIV, 301
 for joint and muscle pain (arthritis), 133
 for kidney infection, 368
 measuring amount to take, 474–475
 medicine kit, 484
 for menopause problems, 125
 mental health and, 418
 for mental health problems, 422
 old (past expiration date), 472
 overview, 469
 for pain, 482
 for pain, in persons with AIDS, 308
 for pelvic inflammatory disease (PID), 274

for persons with HIV, preventing infection, 296
 the pill and, 209
 plant medicines and vagina, 96
 precautions (warnings), 478
 safety when using, 470, 471–473
 side effects, 478
 for STIs, sex workers and, 347
 taking too much, 479
 for thrush (yeast), 117, 300, 305
 toxicity and dementia, 135
 for trichomonas, 268
 using medicines in this book, 473–479
 when to take, 476
 who should not take certain medicines, 477
 for womb infection, 97
 for yeast infections of the vagina, 266
 (Also see **Side effects**, *specific medicines*)

Meditation, 423

Medroxyprogesterone acetate, 129, 506

Memory problems, in older women, 135

Menopause

acupressure massage for, 547
 bleeding from vagina after, 363
 defined, 47
 diet during, 124, 171
 hormone replacement therapy (HRT), 124, 471
 medicines for, 124
 recommendations for easing, 124–125
 sexual relations and, 128
 signs, 124

Menstrual cycle, 48–49

Menstruation (See Monthly bleeding)

Mental confusion (dementia)

drug and alcohol withdrawal, 441
 in older women, 135
 in persons with AIDS, 308

Mental health, 412–433

alcohol and, 438
 anxiety, 420
 common causes of problems, 416–418
 common problems, 419–422
 of community, 433
 depression, 135, 419
 determining, 419
 drugs and, 438
 female genital cutting problems, 466
 helping yourself and others, 422–431
 HIV and, 296
 medicines for problems, 422

Mental health (continued)

mental illness (psychosis), 432
 overview, 413
 personal coping skills, 422–423
 psychosis (mental illness), 432
 of refugees and displaced women, 454–455
 self-esteem, 140–141, 414–415
 stress, 318, 416–417, 421
 suicide, 419, 431
 support groups, 423–425
 syphilis and, 270
 trauma, 418, 420–421, 430
 women at risk, 4, 433
 for women with disabilities, 140–141
 (Also see **Feelings; Support groups**)

Mental illness (psychosis), 432**Mental slowness in children, 68, 169****Methotrexate, 245, 471****Methyl ergonovine, 506****Metronidazole, 507**

for bacterial vaginosis, 266
 for bloody diarrhea, 296
 for chlamydia or gonorrhea, 268
 for fever during labor, 86
 for pelvic inflammatory disease (PID), 275
 for infection after abortion, 256
 for trichomonas, 268
 for womb infection, 97

Miconazole, 507

for yeast infections, 266

Micrograms, 475**Midwives**

A Book for, 66
 role of, 76, 102, 391

Mifepristone, 245, 508**Migration for work, 408****Milk and milk products**

bottle-feeding babies, harmfulness of, 106
 in diet, 170
 storing, 170
 (Also see **Breastfeeding; Breast milk**)

Milligrams, 475**Minerals (See Vitamins and minerals)****Minipills (See Progestin-only pills)****Miscarriage, 98, 234–235, 354**
 bleeding after, 98, 235, 363**Misoprostol, 93, 245, 253, 508****Money**

control of, 317

costs of bottle-feeding, 106
 costs of vitamins and minerals, 471
 loan fund for sex workers, 350

Mons, 44**Monthly bleeding, 48–51**

acupressure massage for pain, 546–547
 after abortion, 249
 changes in bleeding, 50
 diet and, 53
 end of (menopause), 124–125
 female genital cutting problems, 463
 heavy, 129, 360
 hormonal method of family planning and, 207, 208, 209, 214
 irregular, 361
 late with IUD, 217
 light, 360
 long lasting, 360
 in middle of month, 129
 monthly cycle, 48–49
 names for, 48
 onset during puberty, 55
 pain with, 50, 354
 pre-menstrual syndrome (PMS), 51
 problems with, 360–361
 self care during, 55
 stopped, 361
 too far apart, 361
 too often, 361
 for women with disabilities, 142
 (Also see **Bleeding from vagina**)

Monthly cycle, 48–49**Morning sickness, 69, 543****Morphine, overview, 482****Mosquitos, disease spread by, 151****Mothers**

breastfeeding advice, 109–110, 293
 care after childbirth, 95, 96
 community expectations, 183
 danger signs after childbirth, 97
 death of baby and, 99
 diet while breastfeeding, 109
 help from fathers, 100
 helping after childbirth, 99
 helping daughters, 65
 helping during childbirth, 79, 81–84
 infertility, causes of, 231
 older mothers, 72
 working, breastfeeding and, 111
 (Also see **Family; Parents**)

Mouth

cancer, 384
 cleft lip or palate in baby, 118
 gum problems from chemicals, 402
 problems in persons with HIV, 304–305
 teeth, 154, 402

Mucus

checking for fertility, 220, 233

coughing up, in persons with HIV or AIDS, 303–304

Mucus method of family planning, 219–220
 after abortion, 250**Mumps, infertility and, 230****Musasa Project, 15****Muscles**

arthritis in older women, 133
 back and belly, strengthening, 400
 contractures, 143
 (Also see **Exercise; Exercises**)

MVA (manual vacuum aspiration) abortion, 38, 244, 248**N****Nabothian cysts, 377****Nails**

pale, 172
 washer-woman's hands, 409

Natural methods of family planning, 218–222

after abortion, 250
 breastfeeding, 96, 201, 218
 choosing a method, 200–201, 224–225
 counting days method, 219, 221
 defined, 200
 effectiveness of, 201, 219
 how to tell if fertile, 220
 mucus method, 219–220
 overview, 219
 STIs and, 218

Nausea

after abortion, 258
 during pregnancy, 69, 543
 from hormonal methods of family planning, 208, 209
 kidney infection and, 367
 from medicines, 479
 in persons with HIV or AIDS, 302, 518
 taking medicines, 478
 (Also see **Vomiting**)

Neck, acupressure massage, 547**Needles**

disinfecting, 528
 giving injections, 542–545
 (Also see **Injections**)

Negative HIV test, 288, 289**Neonatal conjunctivitis, 274****Nervous conditions (See Mental health)****Nevirapine (NVP), 519–520****Night blindness, vitamin A for, 169****Nipples, 114–115**

discharge from, 382
 flat or inverted, 114
 illustrated, 45

overview, 45
position in baby's mouth, 108, 109, 115
sore or cracked, 115–117
(Also see **Breasts**)

Nitrofurantoin, 509

for bladder infection, 368

Non-infectious diseases, 21

Norfloracin, 509

for diarrhea for people with HIV, 299
overview, 481

Noristerat, 214, 215

Nuclear power plants, 376

Numbness, from the pill, 210

Nutrition (See **Diet**)

Nystatin, 510

for fungal infections, 300
for thrush, 305
for yeast infections, 266

O

Ointments, 474 (Also see **Medicines**)

Older men

erection difficulties in, 128
sex with, 63, 64

Older women, 122–137

anxiety, 135
back pain, 132
breast lumps, 129
common health problems, 123, 129–135
community services for, 137
death, accepting, 137
depression, 135
fallen womb (prolapsed uterus), 131, 398
government policies and laws, 137
health care recommendations, 126–127
hearing loss, 134
high blood pressure, 130
joint and muscle pain (arthritis), 133
medicine doses, 478
mental confusion (dementia), 135
monthly bleeding ends (menopause), 124–125
monthly bleeding heavy, 129
risks from pregnancy, 72
seeing problems, 134
sexual relations, 128
teaching others, 137
varicose veins, 132
weak blood (anemia), 129
working for change, 136–137
(Also see **Menopause**)

Once-a-week pills, 224

Open lip or palate, in baby, 118

Operations

after an operation, 39

for cancer, 379, 381, 383, 384
common for women, 38
for fibroids, 380
hysterectomy, 38, 379, 381
for no more children, 223
(Also see **Abortion**; **Sterilization**)

Opium (See **Drugs**)

Oral sex, 187, 189–190, 201, 279

Organizing (See **Unions**; **Working for change**)

Orgasm, 44, 187

Osteoporosis (See **Weak bones**)

Outer folds of the vulva, 44

(Also see **Female genital cutting**)

Ovaries

cancer, 383
cysts, 383
exam, 534
illustrated, 45
monthly cycle and, 48–49
overview, 45

Overweight people, health problems of, 174

Ovulation, 47, 49, 231

Oxytocin, 510

abortion from, 241
for bleeding after birth, 92, 103
hurrying birth, 471
overview, 483

P

Packaged foods, 170

Pads, menstrual, 55

Pain

acupressure massage for, 546–547
after miscarriage, 98
in back during pregnancy, 71
in back in older women, 131, 132
in breasts during breastfeeding, 116–117
in chest, 210
from contractures, 143
during sex, 193, 274, 355, 380
in joints and muscles (arthritis), 133, 174
in joints from work, 405
in lower belly, 352–357
after abortion, 255–257, 355
after childbirth, 355
after passing urine, 367
with bleeding from vagina, 355, 359
brief, during middle of monthly cycle, 356
during monthly bleeding, 50, 354
during pelvic exam, 537
during pregnancy, 73, 355
during sex, 193, 274, 355, 356
with fever, 355

fibroids, 129, 231, 354
hunger and, 357
with IUD, 217, 354, 356
kinds of pain, 354–356
miscarriage, 98, 234–235, 354, 355
monthly bleeding late, 354
overview, 352, 353
pelvic inflammatory disease (PID), 274
questions about, 357
severe, 354, 355, 357
STIs, 263, 267
sudden and severe, 354
tubal pregnancy, 73, 249, 354
with urine system problems, 355
when moving, walking, or lifting, 356
without other signs, 356
womb infection, 97

medicines for, 482
miscarriage and, 235
in nipples during breastfeeding, 115–117
in persons with AIDS, 308
pressure point for easing, 50, 546
in shoulders after abortion, 258
in stomach from medicines, 479
sudden, near kidneys or bladder, 369
from the pill, 210
with vaginal discharge, 265, 274
when passing urine, 267, 367
(Also see **Back pain**)

Pains, labor (See **Contractions**)

Palate, cleft in baby, 118

Papaya, for pressure sores, 306

Pap test, 159, 376, 378

Paracetamol, 511

for burns (pain), 538,
overview, 482
for persons with AIDS, 308

Paralysis

the pill and, 208
from syphilis, 270

Parents

early pregnancy, 58, 72
sexuality and, 58
talking with, 65
(Also see **Family**; **Fathers**; **Mothers**;
Violence against women)

Partner (See **Husband or partner**)

Patch, family planning, 224

Passing stools (See **Stools**)

Pelvic area, 43

Pelvic exam, 159

how to, 535–538

Pelvic infection, 217, 265, 274

- Pelvic inflammatory disease (PID)**, 217, 265, 274
- Pelvic tilt exercise**, 400
- Pelvis**, 43
- Penicillin**, 511
family of antibiotics, 480
for wounds and sores, 307
- Penis**
illustrated, 46
warts on, 269
- Pensions**, 137
- Period** (See **Monthly bleeding**)
- Permanent methods of family planning**, 230
after abortion, 250
choosing a method, 200–201, 224–225
defined, 200
effectiveness of, 201
- Personal coping skills**, 422–423
- Pessaries, vaginal**, 131
- Pesticides**
mental health and, 418
pregnancy and, 68
- PID (pelvic inflammatory disease)**, 217, 265, 274–275
- Piles (hemorrhoids), during pregnancy**, 70
- Pills** (See **Drugs; Medicines**)
- Pill, the**, 208–212
after abortion, 250
combined pills, 208–211, 522–523
danger signs, 210
effectiveness of, 201
emergency methods of family planning, 226, 523–524
forgetting to take, 211
once-a-week pills, 224
overview, 208
progestin-only pills (minipill), 212, 523
side effects, 209
stopping, 211
using, 210–211
who should not take, 208–209
- Placenta**, 84
bleeding after it comes out, 93
bleeding before it comes out, 92
checking, 84
coming out, 84
difficulty delivering, 92
- Plant medicines**
for bladder infection, 367
vagina and, 22, 96
(Also see **Medicines**)
- Pleasure from sex**, 186–188
sterilization and, 223
- PMS** (See **Pre-menstrual syndrome**)
- Pneumonia**
in newborn babies, 274
in persons with HIV, 304
- Podophyllin**, 512
for genital warts, 269
- Poisoning, from medicines**, 479
- Police, reporting rape to**, 334–336
- Policies** (See **Government policies and laws; Working for change**)
- Polyps**
of cervix, 377
heavy monthly bleeding and, 129
signs, 380
treatment, 380
of womb, 380
(Also see **Growths**)
- Polyvidone iodine**, 169
- Positive HIV test**, 288–290, 517
(Also see **HIV and AIDS**)
- Potassium, in rehydration drink**, 540
- Potassium permanganate, for wounds and sores**, 307
- Pottery, health risks from**, 406
- Pottery cooler**, 157
- Poverty**
debt and, 8
diet and, 165, 170
health risks for women, 6, 11
violence against women and, 315
- Power, lack of**, 7
- Prayer**, 423
- Pregnancy**, 66–103
abortion, 238–259
acupressure massage for, 546–547
avoiding, 60, 61, 128
baby in wrong position, 72, 75, 85, 90–91
bleeding from vagina during, 73, 74, 362
breastfeeding as prevention, 96, 201, 218
breastfeeding during, 119
calcium needs, 168
checking baby's position, 77, 81
chemicals and, 402
child-spacing, 110, 160
common problems, 69–71
danger signs, 72–73
death from, 101–103
DES (diethylstilbestrol) caution, 471
diet during, 68, 167–169, 171
due date, 67
early, 58, 59, 72
emergency methods of family planning, 226, 523–524
fathers, advice for, 100
frequent pregnancies, 3
further information, 66
health care during, 68, 160–161
health risks, 3, 5, 59, 67, 72–74, 197
herpes and, 272
HIV and, 285, 292, 520
infertility, 228–237
losing (miscarriage), 98, 234–235
medicines, caution about using, 477
prenatal check-ups, 68, 76–77, 160
preparing for labor and birth, 78–79
rape and, 336
refugees and displaced women, 452
sex workers and, 345
signs, 67
signs after abortion, 249
syphilis and, 270
tetanus vaccinations, 161
in the tube, 73, 249, 354, 538
tuberculosis (TB) and, 389, 390
unwanted, 64
violence against women and, 319
womb size during, 537
women with disabilities and, 72, 145
working for change, 101–103
(Also see **Abortion; Childbirth; Family planning**)
- Premature birth**, 75, 94
early pregnancy and, 72
- Pre-menstrual syndrome (PMS)**, 51
acupressure massage for, 546–547
remedies and suggestions, 51
symptoms, 51
- Prenatal check-ups**, 76–77
checking baby's position, 77
need for, 68, 76, 160
refugees and displaced women, 452
schedule for, 76
what to expect, 75
- Pressure sores**
cause of, 142
prevention, 142
treatment, 306
- Preventing illness**, 148–163
allergic shock from injections, 545
breast exams, 162
chemical-related health problems, 403
clean water and, 151, 155, 401
community cleanliness (sanitation), 151–152
during pregnancy and childbirth, 160–161
exercise and, 158
food safety, 156–157

germs, spread of, 150–151
 health exams, 159
 HIV and AIDS, 286–287, 295, 309–311
 home cleanliness, 153–157
 importance of, 149
 infection, preventing, 525–529
 lead poisoning, 403
 nutrition and, 172–175
 personal cleanliness, 154
 rest and, 158
 safe sex, 60, 61, 128, 160
 in sex workers, 346
 smoke, health problems from, 394–395
 special needs of women, 158–162
 STIs, 279
 tetanus vaccinations, 161
 tooth care, 154
 tuberculosis (TB), 391
 working for change, 163
 (Also see **Cleanliness; Diet; Exercise; Exercises; Safety; “Women’s” health; Working for change**)

Prison rape, 329

Privacy, 30, 35

Probenecid, 512

Procaine penicillin, 513
 overview, 480

Progesterone (progestin), 513
 hormone replacement therapy (HRT), 124
 life cycle and, 47
 (Also see **Hormonal methods of family planning; Hormones**)

Progestin IUDs, 216

Progestin-only injections, 214–215

Progestin-only pills, 212, 523
 effectiveness of, 201
 as emergency method of family planning, 524
 forgetting to take, 212
 side effects, 212
 stopping, 212
 using, 212

Prolapsed uterus (fallen womb), 131, 161, 398

Promethazine, 513
 for allergic shock, 483, 545
 for vomiting for people with HIV, 302

Prostitutes (See **Sex workers**)

Protein
 after quitting alcohol, 441
 cheap sources, 170
 need for, 166
 (Also see **Diet**)

Psychological problems (See **Mental health**)

Psychosis (mental illness), 432
 (Also see **Mental health**)

Puberty, 52–65
 body changes during, 54–55
 boyfriends and sex during, 59–61
 for boys, 46
 help from adults, 65
 life changes during, 56–58
 monthly bleeding onset, 55
 need for knowledge about, 53
 planning for the future, 57–58
 shame and, 184

Pulse (heartbeat)
 taking, 531
 (Also see **Heartbeat**)

Pulses, planting, 176

Purifying water, 155

Pyrazinamide, 389, 514

Pyridoxine (vitamin B6)
 for TB during pregnancy, 389

Q

Quinolones, 481

R

Rape, 326–339
 avoiding, 330–331
 blaming women for, 327
 date rape, 62, 328
 defined, 327
 feelings about, 337
 health problems, 336–337
 HIV and, 336, 521
 if someone you know has been raped, 334
 if you have been raped, 334–337
 incest, 63, 329
 kinds of, 328–329
 lack of desire and, 193
 mental health and, 418
 pregnancy and, 336
 refugees and displaced women, 450–451
 reporting to police, 334–336
 resisting sexual assault, 333
 self defense for women, 332
 sexual relations after, 337
 by someone the woman knows, 328–329
 STIs and, 336
 by strangers, 329
 talking about, 337, 339
 tears and cuts from, 337
 trading girls for money, 64
 women at risk, 327
 working for change, 338–339
 (Also see **Violence against women**)

Rashes
 from cotrimoxazole, 296

in persons with HIV, 300–301
 syphilis and, 270

Rectal exam, 159

Rectal fluids, giving, 541

Rectum, taking the temperature, 530

Refugees and displaced women, 446–457
 basic needs, 448–451
 defined, 447
 earning a living, 457
 flight and arrival, 448
 mental health, 454–455
 overview, 447
 reproductive health, 452–453
 women as leaders, 456–457

Rehydration drink, 540

Relaxation exercise, 427

Religion
 family planning and, 227
 violence against women and, 321

Remedies (See **Treatments**)

Repetitious movements, 405

Reproductive system
 changes during puberty, 54
 defined, 47
 health exams, 159
 health problems for women, 3
 illustrated, 44–46
 inside parts (women), 45
 man's, 46
 outside parts (women), 44
 overview, 43
 pelvic exam, 159, 535–537
 shame about, 184
 woman's, 44–45
 (Also see **STIs**)

Rescue breathing, for baby at birth, 94

Respiration (breathing rate), 531

Rest
 HIV and, 291
 need for, 158

Rhythm method of family planning, (See **Counting days method**)

Rifampicin, 514
 for TB, 389
 resistance to, 390

Ringings in ears, 130, 479

Risk for HIV, 189–191, 285–287

Rocket stove, 396–397

Rotation of crops, 176

Rubella, pregnancy and, 68

Rubbish, disposing safely, 151

Rural Women's Sanitation, 127

S

- Sadness, extreme** (See **Depression**)
- Safer sex**, 189–193
bargaining for, 192–193
in the community, 280–281
condoms, 61, 128, 190
defined, 189
HIV and, 189–190, 285, 291
information for girls, 60
making changes for, 189–195
methods, 190
overview, 160, 189
partner unwilling, 193
for sex workers, 346, 348
working for change, 194–195, 280–281
- Safety**
abortion, unsafe, 3, 241, 246–247, 259
avoiding rape, 330–331
bending, 399
carrying heavy loads, 399
dangers that can hurt fertility, 232
fire safety, 394
food safety, 156–157
health care providers' responsibilities, 35
lifting heavy loads, 398
medicines, 470, 471–473
plan for violence against women, 322–323
for refugees and displaced women, 450–451
resisting sexual assault, 333
self defense for women, 332
for sex workers, 349–350
unsafe work conditions, 406–407
for women with disabilities, 146
(Also see **Danger signs**; **Health risks**; **Safer sex**)
- Salt**
iodized, 68, 169
PMS and, 51
rehydration drink, 540
solution for burns, 538
- Salves**, 474 (Also see **Medicines**)
- Same sex relationships** (**homosexuality**), 183, 184
- Sanitation**, 151–152
- Scabies**, 265
- Schistosomiasis**, 369
- Screening tests**, 376, 378–379
- Scrotum**, 46
- Seeing problems** (See **Eyes**)
- Seizures**
birth control pills and, 209, 212
drug and alcohol withdrawal, 441
during labor, 74, 87
- Self defense for women**, 332
- Self-esteem**, 414–415
building, 145
development of, 414
in women with disabilities, 140–141
- Self image, changes during puberty**, 56–58
- Selling sex** (See **Sex workers**)
- Semen, overview**, 46
- Sepsis (blood infection), after female genital cutting**, 461
- Sewing, health risks from**, 406
- Sex**
after rape, 337
anal, 185, 187, 189–190
avoiding pregnancy, 60, 61, 128
bladder infection and, 366
bleeding during, 274
bleeding from vagina after, 363
control over sex life, 181, 184–185
decisions for teenagers, 59–61
desire for, 185, 186–188
“dry,” 190
female genital cutting and, 463–464
gender roles, 180–185, 194–195
homosexuality, 183, 184
incest, 63, 329
infertility, 228–237
information for girls, 60
kidney infection and, 366
kinds of, 187
kissing, 187
masturbation, 188
with older men, 63, 64
older women and, 128
oral, 187, 190, 279, 524
pain during, 189, 274, 355, 380
physical sex, 182, 46
pleasure from, 186–188
practices and safety, 187, 190
pressured or forced, 62–64
protecting against disease, 60, 61, 128, 160, 189–190
relationships without sex, 60, 184
safer sex, 60, 61, 128, 160, 189–193
sexual abuse, 317, 331
sex workers, 340–351
survival sex, 341
talking about, 61, 192–195
touching, 187, 524
trading girls for money, 64
urinating after, 154, 279
vaginal, 187
withdrawing or pulling out, 190, 222
women with disabilities and, 144
(Also see **Family planning**; **Gender roles**; **Safer sex**; **STIs**; **Violence against women**)
- Sexual assault** (See **Rape**; **Violence against women**)
- Sexual harassment**, 329, 331, 407
(Also see **Rape**; **Violence against women**)
- Sexual health**, 184–195
after rape, 337
feeling pleasure from sex, 186–188
female genital cutting and, 463–464
gender roles, 182–185, 194–195
harmful beliefs, 184–185
infertility, 228–237
requirements for, 181
safer sex, 60, 61, 128, 160, 189–193
(Also see **Gender roles**; **Sex**; **STIs**)
- Sexuality**
as part of sexual health, 181
harmful beliefs about, 184–185
learning about, 186–188, 194–195
- Sexually transmitted infections** (See **STIs**)
- Sexual parts of the body** (See **Reproductive system**)
- Sex workers**, 340–351
condoms and, 346, 348
defined, 341
health problems of, 344–347
HIV and, 344–347
organizing, 349–351
overview, 341
pregnancy and, 345
reasons for becoming, 342–343
safer sex for, 346, 348
story of poor woman, 342–343
violence against, 345
working for change, 348–351
- Shame**
from drug or alcohol misuse, 439
health and, 183
sexual parts of body and, 43, 184
- Shingles**, 301
- Shock**
after abortion, 254
after female genital cutting, 461
allergic shock from injections, 545
blood pressure and, 532
from burns, 540
signs, 254, 461, 545
treating with fluids, 540–541
- Shortness of breath**
from antiretrovirals, 518
from chemicals, 402
from the pill, 210
from weak blood (anemia), 172
- Shots** (See **Injections**)
- Shoulders**
birth of, 82, 88
exercise at work, 404
pain after abortion, 258
- Side effects**
antiretrovirals, 518

- hormonal methods of family planning, 208, 209, 212, 213
IUDs, 216
medicines, 478
(Also see *specific medicines*)
- Sideways baby**, 75, 85
- Signs of danger** (See **Danger signs; Solving health problems**)
- Sitting for long time**, 404
- Skills** (See **Health care skills**)
- Skin**
brown or purple patches, 301
care for women with disabilities, 142
chemicals and health problems, 402
injection under, 544
pale, cold, and damp, 254
washer-woman's hands, 409
yellow, 271, 402
yellow on newborn, 118
(Also see **Itching; Rashes; Sores**)
- Sleep**
breastfeeding during, 107
medicines for, 471
- Smoke and health problems**, 394–397
- Smoking** (See **Tobacco**)
- Soaking, disinfecting solution**, 527
- Soap making, health risks from**, 406
- Social change** (See **Working for change**)
- Solvents, sniffing** (See **Drugs**)
- Solving health problems**, 18–31
choosing the best treatment, 22–25
finding out about the problem, 20–21
finding the cause, 21
health workers' role, 30–31
steps, 29
telling illnesses apart, 21
working for change, 26–29
- Sores**
burns, 538–539
on feet, 174
on genitals (genital ulcers), 270–273
HIV and genital sores, 271
in mouth and throat, with AIDS, 305
in persons with AIDS, 306–307
pressure sores, 142, 306
washer-woman's hands, 409
- Sore throat**
from chemicals, 402
in persons with AIDS, 304–305
syphilis and, 270
spectinomycin, 514
for gonorrhea, 268
for PID, 275
- Speculum**, 159, 252
exam, 536
- Sperm**
causes of infertility, 230
overview, 46
- Spermicides**
after abortion, 250
effectiveness of, 201
overview, 206
for sex workers, 346
with diaphragm, 205
- Sperm tube**, 46
- Splints, for joint pain**, 405
- Spotting** (See **Monthly bleeding**)
- Sputum, tuberculosis (TB) test**, 389
- Squeezing exercise**, 371
for fallen womb (prolapsed uterus), 131, 161
for stool passing problems, 130
for urine passing problems, 371
- Standing for long time**, 404
- Standing water**, 151
- Status of women**, 7–8, 11
- Stavudine**, 518, 519
- Sterilization**
after abortion, 250
effectiveness of, 201
for men (vasectomy), 223
for women (tubal ligation), 38, 223
- Sterilizing equipment** (See **Disinfecting equipment and tools**)
- Steroids, for allergic reactions**, 483, 545
- STIs**, 260–281
abnormal vaginal discharge, 265–268
anal intercourse and, 185, 189–190
chancroid, 271
chlamydia, 189–190, 267–268
complications of, 274–276
defined, 261
drug misuse and, 438
drug-resistant, 264
effects of, 261, 262
family planning methods and, 201
genital herpes, 272–273
gonorrhea, 189–190, 267–268
growths (warts) on genitals, 269
health exams, 159
hepatitis B, 277
how spread, 189
how to feel better, 278
if you do not have signs, 263
if you have signs, 263
itching genitals, 265
IUDs and, 216
natural methods of family planning and, 218
newborn babies' problems, 276
pelvic inflammatory disease (PID), 217, 265, 274–275
pregnancy and, 68
preventing, 279
protecting against, 60, 61, 128
rape and, 336, 520
risks for women, 3, 262–263
safer sex in the community, 280–281
seriousness of, 262–263
sex workers and, 344, 346–347
signs, 263
sores on genitals (genital ulcers), 270–273
swollen vagina (Bartholin gland infection), 276
syphilis, 270–271
testing and, 263
trichomonas, 267–268
working for change, 279–281
yeast infections of the vagina, 265–266
(Also see **HIV and AIDS; Safer sex**)
- Stiffness**
belly after abortion, 258
body of newborn, 95
- Stomach problems**
cancer, 384
during pregnancy, 69
pain after taking medicines, 479
ulcers and medicine problems, 477
- Stones, kidney or bladder**, 369
- Stools**
building latrines, 152
constipation, 70, 130, 372
female genital cutting problems, 465
leaking, 370, 534
older women's problems passing, 130
removing stool, 372
cleaning after, 153
whitish, 271
wiping after passing, 154
(Also see **Constipation**)
- Stories about**
adoption, 236
an association of women with disabilities, 140, 147
Commander Condom, 281
communities that organized against rape, 338–339
death from cervical cancer, 9
forming a support group, 429
life without children, 237
maternal deaths, preventing, 101
refugee women taking leadership, 457
risk of HIV, 191
self-esteem, 415
selling sex to survive, 342
solving health problems, 20–21
violence against women, 314

Stories about (continued)

widows who built a successful business, 136

Storing

breast milk, 113
disinfected tools and equipment, 528
food, 157, 177
milk and milk products, 170
purified water, 155

Stoves

burning less fuel, 395
fire safety, 394
haybox cooker, 397
health problems from smoke, 394–397
producing less smoke, 395
rocket stove, 396–397

Streptomycin, 515

for TB, 389
overview, 481

Stress

mental health and, 416–417
physical changes and illness from, 421
trauma, 418, 420–421, 430
violence against women and, 318

Stretching

angry cat exercise, 71
lower back, 400
(Also see **Exercises**)

Stroke

family planning and, 145
mental health and, 418
overweight and, 174
the pill and, 208

Subcutaneous injection, 544**Substance abuse (See Alcohol; Drugs; Tobacco)****Suckling**

easing for baby, 115
fast and noisy, 109
importance of, 106

Suction abortion, 38, 244, 248**Sugar**

need for, 166
for pressure sores, 306
rehydration drink, 540
(Also see **Diet**)

Sugar sickness (see Diabetes)**Suicide, 419, 431****Sulfamethoxazole, 481**

(Also see **Cotrimoxazole, 497**)

Sulfanomides, 481**Sulfas, 481****Sunlight**

calcium and, 168
germs killed by, 153, 155, 275
purifying water, 155

Support groups

for abused women, 324
alcohol addiction, 440, 442
for breastfeeding, 121
drug addiction, 442
exercises for, 426–428
helping relationships, 423–424
for people with HIV, 290
purposes of, 425
for refugees and displaced women, 455
starting, 424
for women's health issues, 15
for women with disabilities, 140, 141, 147
workers' unions, 410–411

Suppositories (See Inserts)**Surgery (See Operations)****Survival sex, 341****Swelling**

in belly after abortion, 256
body very swollen, 173
engorged breasts (mastitis), 116–117, 382
glands in groin, 271
hands and face during labor, 74, 87
from hormonal methods of family planning, 208
piles (hemorrhoids) during pregnancy, 70
from sitting or standing long time, 404
vaginal fold on one side, 276
(Also see **Varicose veins**)

Symptoms (See Danger signs; Solving health problems)**Syphilis, 270–271****Syringes**

disinfecting, 528
giving injections, 542–545
(Also see **Injections**)

T**Tablets**

measuring doses, 474, 475
taking, 474
(Also see **Medicines**)

Tablets, contraceptive (See Pill, the; Spermicides)**T'ai chi, 423****Talking (See Communication)****Tampons**

using, 55
women with disabilities and, 142

TBAs (See Health workers; Midwives)**TB (See Tuberculosis)****TCA (See Trichloroacetic acid)****Teas (See Caffeine; Plant medicines)****Teeth**

care of, 154
problems from chemicals, 402

Temperature

fertility and, 232
how to take, 530
normal and fever levels, 530

Tenofovir (TDF), 518–519**Testicles**

cancer from DES (diethylstilbestrol), 471
illustrated, 46
overview, 46
swollen or painful, 265

Testosterone, production of, 46**Tests (See Exams and tests)****Tetanus**

after abortion, 257
from female genital cutting, 461–462
in newborn, 95
signs, 461
vaccinations, 68, 161, 462, 515

Tetracycline, 516

for baby eye care, 78, 83
for chlamydia, 268
family of medicines, 480
overview, 480
for syphilis, 271
for trichomonas, 268

Thermometer, using, 530**Thermal ablation, 379****Thirst**

constant, 174
dehydration, 298
rehydration drink, 540
(Also see **Dehydration**)

Threats, 317**Throat cancer, 384****Thrush (yeast)**

during breastfeeding, 117
in persons with AIDS, 305
(Also see **Yeast infections**)

Tinidazole, 516

for trichomonas, 268

Tippy Tap, 526**Tiredness**

antiretrovirals and, 578
constant, 174
hepatitis B and, 277

Tobacco

cancer and, 376, 377, 384
coughing and, 303
during breastfeeding, 109
fertility and, 232
health and, 163

health problems from, 438, 443
 HIV and, 291
 menopause and, 125
 the pill and, 209
 pregnancy and, 68
 for women, 443
 (Also see **Drugs**)

Tongue, pale, 172

Tooth care (See **Teeth**)

Touching

oneself (masturbation), 188
 for sexual pleasure, 187
 as safer sex, 189-190, 346
 warning sign of violence, 330

Toxemia (see **Eclampsia**)

Traditional birth attendants (See **Health workers; Midwives**)

Traditional methods

of building inner strength, 423
 of family planning, 222

Training

in gender roles, 182
 helping women help themselves, 30, 31
 importance of, 58
 for women with disabilities, 140
 (Also see **Education**)

Transfusions, 39, 285

Transverse (sideways) baby, 75, 85

Trauma

helping women with, 430
 mental health and, 418
 reactions to, 420-421

Treatments

balancing with prevention, 163
 choosing the best treatment, 22-25
 helpful, harmless, and harmful, 22
 risks and benefits, 24-25
 (Also see **Medicines; Solving health problems; specific illness and problems**)

Trichloroacetic acid (TCA), 516
 for genital warts, 269

Trichomonas

signs, 267
 treatment, 268

Tubal ligation, 223

Tubal pregnancy, 73, 249, 354
 STIs and, 274

Tuberculosis (TB), 386-391

blood in urine, 369
 death from, 387
 DOTS treatment, 391
 during pregnancy, 389
 overview, 386-387
 in persons with HIV or AIDS, 291, 303, 391, 518-519

pregnancy and, 389, 390, 517
 prevalence of, 387
 preventing, 391
 resistance to medicines, 390
 risks for women, 4, 388
 signs, 389
 spread of, 387, 388
 test for, 389
 treatment, 389-391
 women and, 387
 working for change, 391

Tubes, fallopian (See **Fallopian tubes**)

Tumors (See **Growths**)

Twins

birth of, 89
 breastfeeding, 118
 health risks, 72

Twist exercise, 400

U

Ulcers on skin (See **Sores**)

Ulcers, stomach, medicines and, 477

Ultrasound, 37

Umbilical cord (See **Cord**)

Unconsciousness

after abortion, 254, 258
 diabetes and, 174
 shock and, 254
 (Also see **Fainting**)

Unions

sex workers, 349-351
 working women, 410-411

Units of medicine, 475

Upside down (breech) baby, 75, 77, 90-91

Urethra

man's, 46
 woman's, 44

Urinary opening, 44

Urinating

after sex, 154, 279
 long time between, 366

Urine system problems, 364-373

after female genital cutting, 365, 462, 465
 blood in urine, 369
 burning feeling, 265, 267, 367
 catheter, 372-373
 causes of infection, 366
 from chemicals, 402
 dark urine and whitish stools, 277
 how to feel better, 278
 infections of bladder or kidneys, 366-368

kidney or bladder stones, 369
 leaking from vagina, 161, 370-371, 465, 538
 need to pass urine often, 370
 in older women, 128, 130, 131
 pain in abdomen with, 355
 poor control (incontinence), 370, 372-373
 signs, 367
 treatment for infection, 367-368
 urine system overview, 365

Uterus (See **Womb**)

V

Vaccinations

hepatitis B, 277, 503
 tetanus, 68, 161, 462, 515
 tuberculosis (TB), 390, 391

Vacuum aspiration abortion, 38, 244, 248

Vagina

abnormal discharge, 265-268
 bleeding from
 after abortion, 251-253, 363, 483
 after childbirth, 84, 92-93, 97, 362, 483, 547
 after female genital cutting, 461
 after menopause, 363
 after miscarriage, 98, 235, 363
 after sex, 363
 before baby is born, 85
 danger signs, 359
 during pregnancy, 73, 74, 362
 during sex, 274
 fibroids, 380
 hormonal method of family planning and, 207
 medicines for, 483
 pain in abdomen with, 355
 problems with monthly bleeding, 360-361
 weak blood (anemia) and pregnancy risks, 72, 73
 cancer from DES (diethylstilbestrol), 471
 care during monthly bleeding, 55
 changes during puberty, 54
 cleanliness, 154
 defined, 44
 discharge during pregnancy, 69
 douching, 154
 dryness in older women, 128
 illustrated, 45
 itching, 265
 overview, 45
 pelvic exam, 159, 535-538
 placing anything inside, 252
 plant medicines and, 22, 96
 signs that labor is near, 80
 swollen fold on one side, 276
 torn from giving birth, 96

Vagina (continued)
 urine leaking from, 161, 370–371, 465
 (Also see **Female genital cutting**;
Monthly bleeding; **STIs**)

Vaginal opening, 44

Vaginal pessaries, 131

Vaginal rings, 224

Vaginal sex, safety of, 189

Vaginosis, bacterial, 266, 268

Values
 learned from community, 56, 139, 182, 183
 learned from family, 56

Varicose veins
 during pregnancy, 70
 in older women, 132
 the pill and, 208
 from sitting or standing work, 404

Vas deferens, 46

Vasectomy, 223

VD (See STIs)

Vegetables, 166, 170

Veins, swollen (See Piles; Varicose veins)

Vinegar, for yeast infections, 266, 275

Violence against women, 312–325
 cycle of violence, 319
 drug and alcohol misuse and, 439
 feelings about, 313, 315, 321, 323
 harmful effects of, 320
 health workers and, 325
 helping the man, 325
 kinds of, 317
 Laura and Luis, 314–315
 leaving your partner, 322–323
 mental health and, 418
 reasons for, 316
 refugees and displaced women, 450–451
 safety plan, 322–323
 seriousness of, 5, 313
 services for women, 324
 sex workers, 345
 social pressures, 183, 324
 talking about, 323
 warning signs, 318–319
 what to do, 322–323
 why women stay, 321
 women with disabilities and, 146, 319
 working for change, 323–324
 (Also see **Female genital cutting**;
Rape; **Refugees and displaced women**)

Virginity, marriage and, 185

Vision problems (See Eyes)

Vitamin A, 169

Vitamin B6, TB and pregnancy, 389

Vitamin B12, weak blood (anemia) and, 471

Vitamins and minerals, 167–170
 after quitting alcohol, 441
 calcium, 168
 expense of, 471
 folic acid (folate), 73, 168
 in fruits and vegetables, 170
 iodine, 68, 169
 iron, 53, 73, 129, 167
 refugees and displaced women, 452
 vitamin A, 169
 vitamin B6, 389
 vitamin B12, 471

Vomiting
 after abortion, 257
 and antiretrovirals, 518
 by babies, 119
 kidney infection and, 367
 from medicines, 479
 by persons with AIDS, 302
 taking medicines, 478
 (Also see **Nausea**)

Vulva
 defined, 44
 illustrated, 44
 warts on, 269
 (Also see **Female genital cutting**)

W

War
 mental health and, 418
 war rape, 329
 (Also see **Refugees and displaced women**)

Warm bottle method for removing breast milk, 113

Warning signs (See Danger signs; Solving health problems)

Warts
 on genitals, 269, 376
 wet, on genitals, 269, 270
 (Also see **Growths**)

Washer-woman's hands, 409

Washing (See Cleanliness)

Water
 for bladder infection, 367
 clean source of, 151, 155, 401
 dehydration from burns, 539
 latrine distance from, 152
 purifying, 155
 rectal fluids, giving, 541
 for refugees and displaced women, 450
 rehydration drink, 540
 shock, treating with fluids, 540–541
 signs of dehydration, 298
 standing water, 151
 storing, 155
 Tippy Tap, 526
 work with, 401

Water retention, PMS and, 51

Waters breaking, 81
 green or brown waters, 86
 labor does not start, 85

Weak blood (anemia), 172–173
 causes, 172
 diet and, 53
 folic acid (folate) and, 73, 168
 health exams, 159
 iron and, 53, 73, 129, 167
 older women and, 129
 overview, 172
 pregnancy risks, 72, 73
 risk during breastfeeding, 109
 signs, 172
 treatment, 73, 129, 173

Weak bones (osteoporosis)
 calcium and, 168
 in older women, 133

Weaving, health risks from, 406

Weight loss
 abnormal, 174
 tuberculosis and, 389

Where There Is No Doctor, 175, 265, 325, 366, 369

Wind, burping the baby, 107

Withdrawal of penis before ejaculation
 as safer sex, 190
 as family planning, 222

Womb
 cancer, 381
 emptying, 38, 244
 fallen (prolapsed uterus), 131, 161, 398
 fibroid tumors, 380
 growths in (fibroids or polyps), 129
 illustrated, 45
 infection after childbirth, 97
 overview, 45
 polyps, 380
 removal of (hysterectomy), 38, 379, 381
 size during pregnancy, 76, 533

“Women’s” health
 causes of poor health, 6–11
 how men can help, 14
 overview, 1
 problems affecting women most, 2–5
 working for change, 12–17

Women with disabilities, 138–147
 abuse and, 146, 319
 breast exams, 162
 causes of disability, 139
 exercises, 143
 family planning, 145
 further information, 138

health care recommendations, 141–143
 meeting other people, 140
 pregnancy and, 72, 145
 prevalence of, 139
 recognizing illness, 141
 safety recommendations, 146
 self-esteem, support for; 140–141
 sexuality and sexual health, 144–145
 skin care, 142
 support groups for; 140, 141, 147
 urine system problems, 366
 as women first, 138
 working for change, 147

Work, 392–411

with chemicals, 402–403
 crafts, 406
 fire safety, 394
 forgotten workers, 409
 health risks from, 4, 406
 heavy loads, lifting and carrying, 398–400
 kneeling, 405
 migration, 408
 overview, 393
 for refugees and displaced women, 457
 repetitious movements, 405
 sexual harassment, 329, 331, 407
 sitting or standing for long time, 404
 smoke from cooking, 394–397
 unsafe conditions, 406–407
 with water, 401
 working for change, 410–411
 (Also see **Cooking; Health workers; Sex workers; Working mothers**)

Working for change

HIV prevention, 309–311
 better nutrition, 176–179
 breastfeeding, 121
 cancer deaths, 385
 death or injury from pregnancy and childbirth, 101–103
 elder care, 136–137
 family planning, 227
 female genital cutting, 466–467
 medical system, 40–41
 mental health of community, 433
 preventing drug and alcohol misuse, 445
 prevention and treatment balance, 163
 rape, 338–339
 root causes of health problems, 26–27
 safer sex, 194–195, 280–281
 sex workers, 348–351
 solving health problems, 26–29
 STIs, 279–281
 tuberculosis (TB), 391
 unsafe abortion, preventing, 259

violence against women, 323–324
 “women’s” health, 12–17
 women with disabilities, 147
 workplace organization, 410–411
 (Also see **Government policies and laws; Preventing illness; Support groups**)

Working mothers

breastfeeding and, 111
 child care cooperatives, 158
 gender roles and, 182–183
 workload reduction, 158
 (Also see **Work**)

Workload, reducing, 158

Wounds

infected after female genital cutting, 461–462
 in persons with AIDS, 306–307
 (Also see **Female genital cutting**)

X

X-rays, 37

Y, Z

Yeast infections

abnormal discharge from, 265
 in persons with AIDS, 300, 305
 signs, 265
 thrush during breastfeeding, 117
 thrush in persons with AIDS, 305
 treatment, 266

Yellow baby (jaundice), 118

Yellow skin, 277, 402

Yoga, 423

Zidovudine (AZT), 519–520